AUTHOR INDEX

VOLUME 72

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

ESA = European Society of Anaesthesiologists (Annual Congress) Abstracts

C = Correspondence

E = Editorial

R = Book Review

e = Erratum

AAKERLUND, L. P. and ROSENBERG, J. Postoperative delirium: treatment with supplementary oxygen 286–290

ABBOTT, T. R. *see* HETT, D. A., (*ARS*) 487P

ABDULATIF, M. and HEGAZY, M. Thenar muscle blood flow and neuromuscular effects of vecuronium in patients receiving balanced or isoflurane anaesthesia 650–653

ACAR, C. *see* EZZARANI, D., (*ESA*) A.71

ADAMANTIDIS, M. M. *see* ADNET, P. J. 93–97

ADAMS, A. P. *see* ATKINSON, R. S., (*R*) 736

ADNET, P. *see* REYFORD, H. 700–701

ADNET, P. J., KRIVOSIC-HORBER, R. M., KRIVOSIC, I., HAUDECOEUR, G., REYFORD, H. G., ADAMANTIDIS, M. M. and MEDAHOUI, H. Viability criterion of muscle bundles used in the *in vitro* contracture test in patients with neuromuscular diseases 93–97

ADNET, P. J., TAVERNIER, B., ETCHRIVI, T., HAUDECOEUR, G. and KRIVOSIC-HORBER, R. Are the *in vitro* contracture tests available in patients with various neuromuscular diseases? (*ESA*) A.125

AGUAR, M. C. *see* GALLART, L., (*ESA*) A.96

AGUILAR, J. L. *see* ROCA, G., (*ESA*) A.243

AHMAD, R., SAMI, K. A. and RABEEAH, A. A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, (*e*) 371

AITKENHEAD, A. R. *see* BAXENDALE, B. R., (*ESA*) A.171; MAHAJAN, R. P., (*ESA*) A.110; 298–301

AKHTAR, T. The Oesophageal Vent-Laryngeal Mask, (*C*) 727

AKHTAR, T. M. Oesophageal Vent-Laryngeal Mask to prevent aspiration of gastric contents 52–54

AKHTAR, T. M. and STREET, M. K. Risk of aspiration with the laryngeal mask 447–450

AKINS, A. *see* SIRS, J. A., (*ARS*) 485P

AKULA, E. *see* NG WING TIN, L., (*C*) 139

ALEXANDER, R., BINNS, J. and HETREED, M. A controlled trial of the effects of esmolol on cardiac function 594–595

ALEXANDER, R. and SEINGRY, D. Comparison of ondansetron, droperidol and saline for prevention of nausea and vomiting with patient controlled analgesia following orthopaedic surgery, (*ESA*) A.234

ALFONSI, P. *see* DUPONT, X., (*ESA*) A.238; MENIGAUX, C., (*ESA*) A.239

ALFORD, A. M. *see* EDWARDS, N. D., (*ARS*) 483–484P

ALGOTSSON, L. Jugular bulb venous oximetry and cerebral blood flow in fentanyl/isoflurane anaesthetized patients, (*ESA*) A.76

ALGOTSSON, L., HÖYER, S., LYTTKENS, K., NILSSON, A. M., ROIJER, A. and OLSSON, B. Ultrasound delivered energy to the heart does not affect central haemodynamics, coronary vascular dimensions or coronary morphology, (*ESA*) A.80

ALLSOP, E. *see* INNES, P. A. 77–81

ALLT-GRAHAM, J. *see* QUINN, A. C., (*ESA*) A.17

ALTMAYER, P., BÜCH, U., BÜCH, H. P. and LARSEN, R. Propofol binding in human blood, (*ESA*) A.167

ALTMAYER, P., HELMS, J., WELSCH, P. and GRUNDMANN, U. Determination of cardiac output at different ventilatory conditions—comparison of bioimpedance with thermodilution, (*ESA*) A.29

ALTMAYER, P. *see* GRUNDMANN, U., (*ESA*) A.170; ZIEHMER, M., (*ESA*) A.168

ALVAREZ, J. *see* PENSADO, A., (*C*) 371

AMAHA, K. *see* SAITOH, Y. 688–690

AMIET, R. *see* URWYLER, A., (*ARS*) 481–482P

AMRANI, M. and DION, R. Calcium channel inhibitors and perioperative myocardial ischaemia in cardiac surgery, (*C*) 609

AMSELLEM, D., DUCARD, A., GODET, G., CORNET, J. P., ISMAIL, M., CORIAT, P. and VIARS, P. Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, (*ESA*) A.174

ANDERTON, J. M., SCHADY, W. and MARKHAM, D. E. An unusual cause of postoperative brachial plexus palsy 605–607

ANDRADE, J. and MUNGLANI, R. Therapeutic suggestions during general anaesthesia, (*C*) 730

ANDREASEN, F. *see* BÖTTCHER, M. 633–637

ANTTONEN, H. *see* PUHAKKA, K. 548–553

ANVARI, A. *see* TRAUNMÜLLER, C., (*ESA*) A.21

AOUATE, Ph. *see* GALLAIS, Y., (*ESA*) A.57

APPADU, B. L. and LAMBERT, D. G. Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors 86–88

APPADURAI, I. *see* WHITEHEAD, C. 443–446

ARAKAWA, K. *see* YONEDA, I. 679–682

ARNAUD, D. *see* SAMSON, D., (*ESA*) A.47

ARNESTAD, J. P., BENGTSSON, A., BENGTSON, J. P., TYLMAN, M., REDL, H. and SCHLAG, G. Formation of cytokines by retransfusion of shed whole blood 422–425

AROCK, M. *see* SAMAMA, ChM., (*ESA*) A.214

ARROYO, J. L. *see* CARRERA, J. A., (*ESA*) A.66; LASHERAS, A., (*ESA*) A.134; PÉREZ-REINER, R., (*ESA*) A.69

ASAI, T. The Oesophageal Vent-Laryngeal Mask, (*C*) 726

ASAI, T., BARCLAY, K., POWER, I. and VAUGHAN, R. S. Cricoid pressure impedes placement of the laryngeal mask airway and subsequent tracheal intubation through the mask 47–51; Single- compared with double-handed cricoid pressure for insertion of an LMA, (*C*) 733–734

ASAI, T. and WILSON, I. G. Difficulty in assessing the correct position of the laryngeal mask airway, (*C*) 366

ASBURY, A. J. *see* HULSE, D., (*ARS*) 491–492P; MACKENZIE, R. 246–249

ASMUSSEN, C. *see* SINGBARTL, G., (*ESA*) A.44

ASPINALL, R. L. Anaesthesia for carotid artery surgery, (*C*) 370

ATCHESON, R., ROWBOTHAM, D. J. and LAMBERT, D. G. Fentanyl inhibits the release of [^{3}H]noradrenaline from SH-SY5Y human neuroblastoma cells 98–103

ATKINSON, R. S. and ADAMS, A. P., (editors) *Recent Advances in Anaesthesia and Analgesia 18*, (*R*) 736

ATLAN, G. *see* DELAUNAY, L., (*ESA*) A.35

AUBERT, M. *see* GILLART, T., (*ESA*) A.24

AUBRUN, F. *see* BENHAMOU, D., (*ESA*) A.227

AUN, C. S. T., SHORT, T. G., O'MEARA, M. E., LEUNG, D. H. Y., ROWBOTTOM, Y. M. and OH, T. E. Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance 554–558

AUN, C. S. T. *see* SHORT, T. G. 302–306

AUROY, Y., ROUVIER, B. and SAMII, K. A survey of 730 000 spinal anaesthesias, (*ESA*) A.4

AUSSEUR, A., THEETEN, G., LEVRON, J. C. and KRIVOSIC-HORBER, R. Continuous epidural infusion of sufentanil after Caesarean section: concentration in breast milk, (*ESA*) A.206

BACH, A., BÖHRER, H., MOTSCH, J., MARTIN, E. and SONNTAG,

H. G. Prevention of catheter-related infection using silver-sulphadiazine-chlorhexidine (SSC) bonded catheters in an animal model, (*ESA*) A.223
BACH, A. *see* BÖHRER, H., (*ESA*) A.217; WANDEL, Ch., (*ESA*) A.15
BACHMAN, C. *see* DOMINGUEZ, J., (*ESA*) A.49
BACKMAN, C. *see* HOHNER, P., (*ESA*) A.3
BACON-SHONE, J. *see* VISRAM, A. R. 388–392
BAELE, Ph. *see* LAVAND'HOMME, P., (*ESA*) A.8
BAILEY, C. R., RUGGIER, R. and FINDLEY, I. L. Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia 58–61
BAILEY, P. M. *see* WILLIAMS, P. J., (*C*) 729
BAILEY, S. M. *see* MUSHAMBI, M. C., (*e*) 253
BAIRD, S. *see* O'DONNELL, N. G., (*ARS*) 492P
BAKER, G. L. *see* VALDRIGHI, J. B. 237–239
BAKKER, N. C. *see* CORSTEN, S. A., (*ESA*) A.26
BALATONI, E. *see* ZAOUK, G., (*ESA*) A.22
BÅLFORS, E. *see* SVANSTRÖM, M., (*ESA*) A.200
BALMA, A. *see* GOSGNACH, M., (*ESA*) A.41
BANNISTER, J. *see* COX, C., (*C*) 252
BARAKA, A., TAHA, S., GHABACH, M., SIBAII, A., NADER, A. and MATTA, M. Hypertonic saline prehydration in patients undergoing transurethral resection of the prostate under spinal anaesthesia 227–228
BARCLAY, K. *see* ASAI, T. 47–51; (*C*) 733–734
BARDOCZKY, G., D'HOLLANDER, A., YERNAULT, J.-C., VAN MEUYLEM, A., MOURES, J.-M. and ROCMANS, P. On-line expiratory flow–volume curves during thoracic surgery: occurrence of auto-PEEP 25–28
BARDOCZKY, G., YERNAULT, J. C., MOURES, J. M. and ROCMANS, P. Effects of external PEEP on respiratory mechanics during one lung ventilation, (*ESA*) A.101
BARDOCZKY, G. *see* DEBAY, P., (*ESA*) A.100
BARDOCZKY, G. I., LEVARLET, M., DE FRANCQUEN, P. and D'HOLLANDER, A. Propofol-alfentanil and isoflurane-alfentanil anaesthesia for major thoracic surgery, (*ESA*) A.169
BARKER, I. *see* WOODWARD, W. M., (*ESA*) A.179
BARKER, J. P., ROBINSON, P. N., VAFIDIS, G. C., BURRIN, J. M. and HALL, G. M. Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery 119–121
BARON, J. F., MASSONNET-CASTEL, S., GOUYET, L., BENSASSON, D., FIEMEYER, A., GUIBOURT, P., PONZIO, O., CARPENTIER, A. and COUSIN, M. T. Is there a benefit to process blood remaining in cardiopulmonary bypass (CPB) by cell separation technique? (*ESA*) A.45
BARON, J. F. *see* BERTRAND, M., (*ESA*) A.9; MION, G., (*ESA*) A.83
BARR, J. *see* BILLARD, V., (*ESA*) A.40
BARRIE, J., BEATTY, P. C. W., CAMPBELL, I. T. and MEAKIN, G. Estimation of end-tidal carbon dioxide by back-propagation artificial neural network, (*ARS*) 490–491P
BARRIE, J. R. *see* POMFRETT, C. J. D. 397–402
BARROW, P. M., HOUSTON, P. L. and WONG, D. T. Overdose of sustained-release verapamil 361–365
BARROW, P. M., HUGHES, D. G., REDFERN, N. and URIE, J. Influence of droperidol on nausea and vomiting during patient-controlled analgesia 460–461
BARTH, G. R. *see* SCHMITT, H. J., (*ESA*) A.131
BARUCH, I. *see* ICHAI, C., (*ESA*) A.118
BAUBIN, M. *see* SCHINNERL, A. A., (*ESA*) A.226
BAUDOUIN, D. *see* PUJOL, A., (*ESA*) A.70
BAUJARD, C. *see* DECLÈRE, A. D., (*ESA*) A.209
BAX, N. D. S. *see* VEALL, G. R. Q. 335–341
BAXENDALE, B. R., KNIGHTS, D. T. and AITKENHEAD, A. R. Early cortical auditory evoked potentials during sedation with propofol, (*ESA*) A.171
BAXENDALE, B. R., MAHAJAN, R. P. and CROSSLEY, A. W. A. Anticholinergic premedication influences the incidence of postoperative shivering 291–294
BAXTER, M. K. *see* GOLDHILL, D. R. 234–236
BAZIN, J. E. *see* DUALE, C., (*ESA*) A.31; GILLART, T., (*ESA*) A.24; MANSOOR, O., (*ESA*) A.92
BEARDS, S. C., JACKSON, A., GRIFFITHS, A. G. and HORSMAN, L. Magnetic resonance imaging of extradural blood patches, (*C*) 499–500
BEATTY, P. C. W. A method for designing back-propagation artificial neural networks for small data sets, (*ARS*) 490P
BEATTY, P. C. W. *see* BARRIE, J., (*ARS*) 490–491P; CAMPBELL, I. T., (*E*) 3–4; (*e*) 612; POLLARD, B. J. 559–566
BECK, D. H. and MCQUILLAN, P. J. Fatal carbon dioxide embolism and severe haemorrhage during laparoscopic salpingectomy 243–245
BECK, H. *see* STANDL, T. H., (*C*) 612
BEERS, H. *see* O'HANLON, J., (*ESA*) A.237
BEHRENS, J. K. *see* BÖTTCHER, M. 633–637
BEIN, T., FRÖHLICH, D., FREY, A., METZ, C. and TAEGER, K. A comparison of APACHE-III and APACHE-II in ICU patients, (*ESA*) A.5
BEKKRAR, Y. *see* VAN DER LINDEN, P., (*ESA*) A.95
BEKRAR, Y., SCHMARTZ, D., RAUSIN, I., VAN DER LINDEN, P. and VINCENT, J. L. Measurements of gastric intramucosal pH in patients after cardiac surgery, (*ESA*) A.74
BELLAMY, M. C. *see* WEBSTER, N. R. 418–421
BELLHOUSE, C. B. Predicting difficult intubation, (*C*) 494
BELOUCIF, S., TAKATA, M., SHIMADA, M. and ROBOTHAM, J. L. PEEP induces an independent constraint on the right atrium and ventricle, (*ESA*) A.89
BEN-ARI, G. *see* BERKENSTADT, H., (*ESA*) A.79
BENEDEK, G. *see* MÉRAY, J., (*ESA*) A.53
BENGTSON, J. P. *see* ARNESTAD, J. P. 422–425; EINARSSON, S., (*C*) 730
BENGTSSON, A. *see* ARNESTAD, J. P. 422–425; EINARSSON, S., (*C*) 730
BENHAMOU, D., MALINOVSKY, J.-M., LEGROS, F. and COUARRAZE, G. Preliminary *in vivo* evaluation of intrathecal liposomal bupivacaine, (*ESA*) A.141
BENHAMOU, D., NARCHI, P., HAMZA, J., MARX, M., PEYROL, M.-T. and SEMBEIL, F. Addition of oral clonidine to postoperative patient-controlled analgesia with i.v. morphine 537–540
BENHAMOU, D., RAHMOUNI, S. and AUBRUN, F. Evaluation of a pain therapy protocol in a post-anaesthesia care unit, (*ESA*) A.227
BENHAMOU, D. *see* HAMZA, J., (*ESA*) A.192; LHERM, T., (*ESA*) A.211; (*ESA*) A.212
BENINI, A. *see* VOLPE, N., (*ESA*) A.55; (*ESA*) A.56
BENITA, S. *see* LANGERMAN, L. 456–459
BENKHALIFA, S. *see* BERTRAND, M., (*ESA*) A.2
BENNETT, D. *see* POLLARD, B. J. 559–566
BENNOURINE, K. *see* SAMSON, D., (*ESA*) A.47
BENSASSON, D. *see* BARON, J. F., (*ESA*) A.45; RATSEP, I., (*ESA*) A.72
BENTO, C. *see* VIANA, J. S., (*ESA*) A.127
BENZER, A. *see* POMAROLI, A. 723–725
BERGAOUI, F., PIPIEN, I., FABIANI, J.-N., MASSONNET-CASTEL, S. and COUSIN, M.-Th. Post cardiac surgery infection rate after autologous or homologous transfusion, (*ESA*) A.10
BERGENDAHL, H. T. G. *see* LÖNNQVIST, P. A., (*ESA*) A.176
BERGER, R. *see* CHIARI, A., (*ESA*) A.240
BERGGREN, L. *see* LUNDIN, S., (*ESA*) A.106
BERKENSTADT, H., PEREL, A., LIEBERMAN, N., PELEG, E., KLEIN, E. and BEN-ARI, G. Haemodynamic and humoral effects of simultaneous aortic and inferior vena cava clamping during total abdominal ischaemic perfusion, (*ESA*) A.79
BERNARD, J.-M. *see* HOMMERIL, J.-L. 383–387
BERNSTEIN, M. *see* KLOPFENSTEIN, C. E., (*ESA*) A.20
BERNSTEIN, R. L. and ROSENBERG , A. D. *Manual of Orthopaedic Anaesthesia and Related Pain Syndromes*, (*R*) 615
BERRY, A. *see* BRICOMBE, J., (*C*) 495–496; BRIMACOMBE, J., (*C*) 732–733
BERRY, C. B. and MYLES, P. S. Preoxygenation in healthy volunteers: a graph of oxygen "washin" using end-tidal oxygraphy 116–118
BERRY, C. B. *see* PARR, M. J. A., (*C*) 731–732
BERRY, F. A. and STEWARD, D. J., (editors) *Pediatrics for the Anesthesiologist*, (*R*) 737–738
BERTRAND, M., BARON, J. F., GOSGNACH, M., FLÉRON, M. H., GODET, G., MOUREN, S., ISMAIL, M., KIEFFER, E. and VIARS, P. Homologous blood transfusion as a risk factor for postoperative infection after abdominal aortic surgery, (*ESA*) A.9
BERTRAND, M., N'GUYEN, L., GOSGNACH, M., CORNET, J. P., BENKHALIFA, S., ZUBICKI, A., GODET, G., MOUREN, S. and VIARS, P. Routine preoperative screening tests for infectious diseases in vascular patients, (*ESA*) A.2
BERTRAND, M. *see* CORIAT, P., (*ESA*) A.6; GOSGNACH, M., (*ESA*) A.41
BERTRIX, L. *see* FREYSZ, M., (*ESA*) A.93
BEST, C. J. *see* STEYN, M. P. 403–406
BETTEX, D. *see* WILDER-SMITH, O. H. G., (*ESA*) A.133
BEYDON, L., LOFASO, F., HEYER, L., GOLDENBERG, F. and DELAUNAY, L. Nitrous oxide induces central and obstructive apnoeas in normal subjects, (*ESA*) A.113
BEYDON, L. *see* CATOIRE, P., (*ESA*) A.27; (*ESA*) A.208
BIBER, H. *see* SEEMAN-LODDING, H., (*ESA*) A.81
BIBOULET, P. H., CAPDEVILA, X. and DESCHODT, J. Intrathecal position of microcatheters, (*C*) 611–612
BIEBUYCK, J. F. *see* LYDIC, R., (*E*) 506–508
BILLARD, V., GAMBUS, P. L., MINTO, C., BARR, J. and SHAFER, S. L. Pharmacokinetics of 8-methoxypsoralen (8-MOP) in humans prior to routine use for platelet decontamination: preliminary results, (*ESA*) A.40
BILLARD, V., GAMBUS, P. L., SHAFER, S. L. and STANSKI, D. R.

Evaluation of bispectral index of EEG for monitoring of anaesthetic drug effect, (*ESA*) A.128
BILLARD, V. *see* BOURGAIN, J. L., (*ESA*) A.19; FARHAT, F., (*ESA*) A.148
BINNS, J. *see* ALEXANDER, R. 594–595
BINSWANGER, U. *see* WEISS, B. M., (*ESA*) A.123
BITZER, J. *see* HAMPL, K. F. 129–132
BLACK, A. *see* CHRUBASIK, J., (*C*) 251–252
BLACK, W. D. *see* PASCOE, P. J. 345–347
BLACKBURN, M. *see* PEACOCK, J. E., (*ARS*) 480–481P
BLAUWAERT, M. *see* VAN DER LINDEN, P., (*ESA*) A.95
BLOGG, C. E. *see* GEORGE, S. L., (*C*) 610
BLOMQVIST, H. *see* LUNDIN, S., (*ESA*) A.106
BLOOMFIELD, M. *see* LUNA, S. P. L., (*ARS*) 480P
BLOOR, G. K., O'CONNELL, N., HUGHES, A. and SCOTT, R. P. F. Is postoperative nausea and vomiting caused by systemic release of 5-hydroxytryptamine during general anaesthesia? (*ARS*) 488–489P
BODIN, L., LAURENT, P., JAZIA, K. B., DAGHFOUS, M., ROUBY, J. J., CAMBAU, E., ZOUAOUI, A. and VIARS, P. Prevention of nosocomial maxillary sinusitis in mechanically ventilated patients, (*ESA*) A.221
BODIN, L. *see* LAURENT, P., (*ESA*) A.220; MOURGEON, E., (*ESA*) A.18; (*ESA*) A.104
BODY, S. C. *see* SALAMA, D. J. 354–357
BOEKE, A. J., DE LANGE, J. J., VAN DRUENEN, B. and LANGEMEIJER, J. J. M. Effect of antagonizing residual neuromuscular block by neostigmine and atropine on postoperative vomiting 654–656
BOER, F., BOVILL, J. G., BURM, A. G. L. and HAK, A. Effect of haemodynamics on the first-pass retention of alfentanil in pigs, (*ESA*) A.162
BOERGER, N. *see* STRIEBEL, H. W., (*ESA*) A.161
BOGOD, D. *see* KNIGHTS, D. T., (*ESA*) A.203; ROONEY, M. J., (*ESA*) A.205
BÖHRER, H., BACH, A., MOTSCH, J., MARTIN, E., KOHLMÜLLER, D. and KOCHEN, W. Exhaled n-pentane is not an index of lipid peroxidation in mechanically ventilated intensive care patients, (*ESA*) A.217
BÖHRER, H. *see* BACH, A., (*ESA*) A.223; BÖTTIGER, B. W., (*ESA*) A.28; POLARZ, H., (*ESA*) A.152; WANDEL, Ch., (*ESA*) A.15
BOIDIN, M. P. Coughing during induction caused by morphinomimetic drugs, (*C*) 610
BONAZZI, M., RIVA, A., LENSI, C., LAVENEZIANA, D. and DI GENNARO, S. Indirect sonographic guidance for epidural anaesthesia, (*ESA*) A.146
BONHOMME, V. *see* HANS, P., (*ESA*) A.129
BONNAFOUS, M. *see* JAMALI, S., (*ESA*) A.136
BONNET, F. *see* CATOIRE, P., (*ESA*) A.27; (*ESA*) A.208
BONNET, L. *see* DELAUNAY, L., (*ESA*) A.35
BOOGAERTS, J. G., LAFONT, N. D. and LEGROS, F. J. Biodistribution of liposomal bupivacaine after epidural administration to rabbits, (*ESA*) A.142
BOOGAERTS, J. G. *see* LAFONT, N. D., (*ESA*) A.23
BOOKER, P. D. *see* INNES, P. A. 77–81
BOOTH, J. V. *see* SMITH, D. C. 407–410
BORGEAT, A. *see* WILDER-SMITH, O. H. G., (*ESA*) A.133
BOSMANS, E. *see* DE JONGH, R., (*ESA*) A.195
BÖTTCHER, M., BEHRENS, J. K., MØLLER, E. A., CHRISTENSEN, J. H. and ANDREASEN, F. ACE inhibitor premedication attenuates sympathetic responses during surgery 633–637
BÖTTIGER, B. W., RAUCH, H., HAUßMANN, R., FLEISCHER, F. and MARTIN, E. Safety and effectiveness of an oral premedication regime before cardiac surgery, (*ESA*) A.65
BÖTTIGER, B. W., SODER, M., FLEISCHER, F., BÖHRER, H. and MOTSCH, J. Clinical evaluation of continuous cardiac output monitoring in cardiac surgical patients, (*ESA*) A.28
BOUCHEREZ, C. *see* GENTIL, B., (*C*) 368
BOUFFLERS, E. *see* REYFORD, H. 700–701
BOULARD, G. *see* DOMINGUEZ, J., (*ESA*) A.49
BOUQUET, S. *see* LE PELLEY, E., (*ESA*) A.164
BOURDILLOUD, R. *see* KLOPFENSTEIN, C. E., (*ESA*) A.1
BOURGAIN, J. L., BILLARD, V. and DESRUENNES, E. Resonant volume amplification during high frequency jet ventilation in humans, (*ESA*) A.19
BOURLIER, R. *see* EYRAUD, D., (*ESA*) A.207; SAMAMA, ChM., (*ESA*) A.214
BOUSSOFARA, M. *see* RAUCOULES, M., (*ESA*) A.122
BOVILL, J. G. *see* BOER, F., (*ESA*) A.162; LEMMENS, H. J. M., (*ESA*) A.160
BOWEN, D. J. *see* FLETCHER, J. E. 342–344
BOWER, S. *see* MISRA, U., (*ESA*) A.139
BOWLER, G. M. R. *see* POWER, I. 224–226
BOWMAN, W. C. *see* BRAGA, M. F. M. 198–204
BOYD, A. H., EASTWOOD, N. B., PARKER, C. J. R. and HUNTER, J. M. Pharmacodynamics of the single isomer of atracurium (51W89) in patients with or without renal failure, (*ARS*) 486P
BOYD, A. H. *see* PARKER, C. J. R. 181–184
BOYLE, E. *see* GRIFFITHS, R. 577–580
BRACCO, D. *see* DOMINGUEZ, J., (*ESA*) A.49
BRAGA, M. F. M., ROWAN, E. G., HARVEY, A. L. and BOWMAN, W. C. Interactions between suxamethonium and non-depolarizing neuromuscular blocking drugs 198–204
BRAIN, A. I. J. The Oesophageal Vent-Laryngeal Mask, (*C*) 727
BRAITHWAITE, P. *see* BRUNNER, M. D. 42–46
BRANDOM, B. W. *see* MERETOJA, O. A., (*ESA*) A.150; 686–687
BREZINSKI, S. *see* HORN, J. L., (*ESA*) A.130
BRICHANT, J. F., MAGOTTEAUX, V., MULLER, J. P., NIZET, M. and HANS, P. The size of the dural sac is unaffected by body position, (*ESA*) A.149
BRICHANT, J. F., MEULDERS, A. F. and ZICOT, M. Lower limb blood flow and lumbar plexus blockade, (*ESA*) A.147
BRICOMBE, J. and BERRY, A. Incidence of aspiration with the laryngeal mask airway, (*C*) 495–496
BRIMACOMBE, J., BERRY, A. and WHITE, A. Single- compared with double-handed cricoid pressure for insertion of an LMA, (*C*) 732–733
BROCKWAY, M. *see* MORRISON, L. M. M. 164–169
BROCKWAY, M. S. *see* NOBLE, D. W., (*C*) 251
VAN DEN BROEK, L. *see* WIERDA, J. M. K. H., (*ESA*) A.154
BROOMHEAD, C. *see* SAMRA, G., (*ARS*) 488P
BROSSY, M. J., JAMES, M. F. M. and JANICKI, P. K. Haemodynamic and catecholamine changes after induction of anaesthesia with either thiopentone or propofol with suxamethonium 596–598
BROWNE, B. L. *see* DUNNET, J. M. 29–34
BROWNE, D. *see* SHENNAN, A. H., (*ESA*) A.199
BRUNNER, M. D., BRAITHWAITE, P., JHAVERI, R., MCEWAN, A. I., GOODMAN, D. K., SMITH, L. R. and GLASS, P. S. A. MAC reduction of isoflurane by sufentanil 42–46
BRUSASCO, V. *see* ZAPPI, L., (*ESA*) A.99
BRUSHØJ, J. *see* NIELSEN, P. R., (*ESA*) A.36
BRYAN, A. *see* POLLARD, B. J. 559–566
BRYDON, C. W. *see* MCHALE, S. P. 195–197; (*C*) 732
BUANES, T. *see* MYRE, K., (*ESA*) A.33
BÜCH, H. P. *see* ALTMAYER, P., (*ESA*) A.167
BÜCH, U. *see* ALTMAYER, P., (*ESA*) A.167
BUCKLEY, D. H. F. *see* GALLETLY, D. C. 219–220
BUGGY, D. and HUGHES, N. Pre-emptive use of the space blanket reduces shivering after general anaesthesia 393–396
BULDER, E. R. *see* OLTHOF, C. G., (*ESA*) A.64
BURGMANN, H., RECKENDORFER, H., SPERLICH, M., TÜCHY, G. L., SPIECKERMANN, P. G., WEINDLMAYR-GÖTTEL, M. and SCHWARZ, S. Influence of incubated atracurium on rat liver function 324–327
BURGMANN, H. *see* RECKENDORFER, H. 89–92
BURKILL, M. *see* POLLARD, B. J. 559–566
BURM, A. G. L. *see* BOER, F., (*ESA*) A.162; LEMMENS, H. J. M., (*ESA*) A.160
BURRIN, J. M. *see* BARKER, J. P. 119–121; MOORE, C. M. 272–279
BUTSCHER, K. *see* TALIB, R., (*ESA*) A.48
BUY, E. *see* CORIAT, P., (*ESA*) A.6; DUCLOY, A. S., (*ESA*) A.194; DUCLOY, J. C., (*ESA*) A.16; MAINTENANT, J., (*ESA*) A.7; PIRONKOV, A., (*ESA*) A.61
BYERS, G. *see* DOYLE, E. 72–76

CALDICOTT, L. D. *see* DOBSON, P. M. S. 267–271
CAMBAU, E. *see* BODIN, L., (*ESA*) A.221; LAURENT, P., (*ESA*) A.220
CAMPBELL, I. T. and BEATTY, P. C. W. Monitoring preoxygenation, (*E*) 3–4; Monitoring preoxygenation, (*e*) 612
CAMPBELL, I. T. *see* BARRIE, J., (*ARS*) 490–491P
CAMU, F. *see* VAN LERSBERGHE, C., (*ESA*) A.180
CANEVET, C., THEETEN, G., DUCLOY-BOUTHORS, A. S. and KRIVOSIC-HORBER, R. Place of bleeding time in diagnosis of haemostatic abnormality in pregnancy, (*ESA*) A.193
CAPDEVILA, X. *see* BIBOULET, P. H., (*C*) 611–612
CAPOGNA, G. *see* CELLENO, D., (*ESA*) A.204
CARASSITI, M. *see* LASHERAS, A., (*ESA*) A.134
CARPENTIER, A. *see* BARON, J. F., (*ESA*) A.45; RATSEP, I., (*ESA*) A.72
CARRASCOSA, F. *see* MONEDERO, P., (*ESA*) A.117
CARRERA, J. *see* LASHERAS, A., (*ESA*) A.134
CARRERA, J. A., FIRESTONE, L., FIRESTONE, S. and ARROYO, J. L. Cardiopulmonary bypass during single lung transplantation among heterogeneous recipients, (*ESA*) A.66
CARROLL, M., ELJAMEL, M. and CUNNINGHAM, A. J. Ferrous distortion during MRI, (*C*) 727–728
CARVER, N. *see* MARTIN, P. H. 702–704
CASHMAN, J. N. *see* FAWCETT, W. J., (*ESA*) A.153
CASTELLETTI, I. *see* GOLLO, E., (*ESA*) A.190

CASTELLI, I. *see* MARSCH, S. C. U. 643–649; URWYLER, A., (*ARS*) 481–482P

CASTOR, G., KLOCKE, R. K., STOLL, M., HELMS, J. and NIEDERMARK, I. Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound 133–138

CATECEL, C. *see* PAYEN, D., (*ESA*) A.213

CATOIRE, P., ORLIAGUET, G., BEYDON, L., LIU, L. and BONNET, F. Evaluation of continuous cardiac output monitoring with a new pulmonary artery catheter, (*ESA*) A.27

CATOIRE, P., ORLIAGUET, G., LIU, N., DELAUNAY, L., BEYDON, L., GUERRINI, P. and BONNET, F. Assessment of left ventricular function during apnoea testing for brain death, (*ESA*) A.208

CAUSSINUS, J. F. *see* SAMAMA, ChM., (*ESA*) A.214

CAVDARSKI, A. Inflation of the tracheal tube cuff as an aid to blind nasotracheal intubation, (*C*) 139–140

CELLENO, D. and CAPOGNA, G. The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, (*ESA*) A.204

CENSIER, K. *see* URWYLER, A., (*ARS*) 481–482P

CHACHQUES, J. C. *see* RATSEP, I., (*ESA*) A.72

CHADD, G. D. *see* MUSHAMBI, M. C., (*e*) 253

CHALKIADIS, G. *see* TURNER, G. A. 541–543

CHAMBERLAIN, G., WRAIGHT, A. and STEER, P. *Pain and its Relief in Childbirth*, (*R*) 614–615

CHAMBERS, F. A., MCCARROLL, M. and MACSULLIVAN, R. Polyarthralgia and amenorrhoea as a complication of intrathecally infused morphine and Dilaudid in the treatment of chronic benign back pain, (*C*) 734

CHAMBERS, W. A. *see* POWER, I. 224–226

CHAN, S. H. H. *see* LEE, T.-Y. 328–334

CHANNER, K. S. *see* DOBSON, P. M. S. 267–271

CHASON, D. P. *see* GAJRAJ, N. M., (*C*) 610–611

CHATAIGNEAU, T. *see* LE PELLEY, E., (*ESA*) A.91

CHAUHAN, S. and TEWARI, P. Paralysis caused by hyperkalaemia, (*C*) 368–369

CHAUVIN, M. *see* DUPONT, X., (*ESA*) A.238; MENIGAUX, C., (*ESA*) A.239

CHAVE, S. *see* RAUCOULES, M., (*ESA*) A.122

CHERQUI, D. *see* DELAUNAY, L., (*ESA*) A.35

CHETTY, M. S. and POLLARD, B. J. Rocuronium in dental day-case patients, (*ARS*) 486P

CHIARI, A., REDL, G., MENTH, W., BERGER, R. and KLIMSCHA, W. Analgesic effects of epidural ketamine and clonidine for postoperative pain relief, (*ESA*) A.240

CHIARI, A. *see* LANGENECKER, S., (*ESA*) A.143; PERNERSTORFER, T., (*ESA*) A.51

CHICHE, J. D., JORIS, J. and LAMY, M. PEEP for treatment of intraoperative pneumothorax during laparoscopic fundoplication, (*ESA*) A.38; Respiratory changes induced by subcutaneous emphysema during laparoscopic fundoplication, (*ESA*) A.37

CHICHE, J. D. *see* JORIS, J., (*ESA*) A.111

CHOKHAVATIA, S. *see* ROSENBERG, P. H., (*ESA*) A.233

CHOLLEY, B. *see* MATEO, J., (*ESA*) A.216

CHOU, H.-C. and WU, T.-L. Difficult intubation and obstructive sleep apnoea syndrome, (*C*) 368

CHOU, H.-C. *see* GENTIL, B., (*C*) 368

CHRAEMMER-JØRGENSEN, B. *see* OLSEN, K. S. 66–71

CHRISTENSEN, J. H. *see* BÖTTCHER, M. 633–637

CHRISTIAENS, F. *see* VAN LERSBERGHE, C., (*ESA*) A.180

CHRUBASIK, J., CHRUBASIK, S. and BLACK, A. Respiratory depression after extradural fentanyl, (*C*) 251–252

CHRUBASIK, S. *see* CHRUBASIK, J., (*C*) 251–252

CITTANOVA, M. L., WAHBÉ, F., PRIÉ, D., RONCO, P. M. and VIARS, P. Direct toxicity of fluoride ions on human kidney cells, (*ESA*) A.165

CLARK, V., MCGRADY, E., SUGDEN, C., DICKSON, J. and MCLEOD, G. Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate 221–223

CLARKE, F. and WILLIAMS, O. Morphine and droperidol combined in patient-controlled analgesia: reduction of nausea and vomiting, (*C*) 609

CLERGUE, F. *see* NYSTRÖM, E., (*ESA*) A.97; SHARMA, R., (*ESA*) A.34; STEPHAN, F., (*ESA*) A.218; STÉPHAN, F., (*ESA*) A.219

CLYBURN, P. *see* SEMPLE, P. 190–194

COHEN, A. M. Detection of perioperative myocardial ischaemia, (*C*) 611

COHEN, S. *see* STEPHAN, F., (*ESA*) A.218

COLE, J. R. *see* DOBSON, P. M. S. 267–271

COLLETTE, J. *see* HANS, P., (*ESA*) A.129

COLLIER, B. B. Treatment for post dural puncture headache, (*C*) 366–367

COLLIS, R. *see* GAN, T. J. 544–547

CONACHER, I. D. *see* SONI, A. K. 462–464

CONSEILLER, Ch. *see* JORROT, J. C., (*ESA*) A.198

CONSTANT, I. and ELGHOZI, J. L. Evidence of sympathetic cardiac reinnervation after heart transplantation in children, (*ESA*) A.68

CONTRERAS, V. *see* PENDEVILLE, Ph. E., (*ESA*) A.236

CONZEN, P. *see* PETER, K., (*R*) 613–614

COOPER, G. M. *see* MALINS, A. F. 231–233

CORALLO, J. *see* ISETTA, C., (*ESA*) A.75

CORDIER, J. *see* MANTZ, J. 351–353

CORFIATIS, T. *see* GALLETLY, D. C. 177–180; 219–220

CORIAT, P., BERTRAND, M., GOSGNACH, M. L., BUY, E., ZUBICKI, A. and VIARS, P. Clinical predictors of the need for a preoperative myocardial revascularization in patients undergoing aortic surgery, (*ESA*) A.6

CORIAT, P. *see* AMSELLEM, D., (*ESA*) A.174; DROC, G., (*ESA*) A.78; GOMEZ, C., (*ESA*) A.155; MAINTENANT, J., (*ESA*) A.7; PIRONKOV, A., (*ESA*) A.61

CORMACK, R. S. Conscious levels during anaesthesia, (*C*) 497

CORNET, J. P. *see* AMSELLEM, D., (*ESA*) A.174; BERTRAND, M., (*ESA*) A.2; GOMEZ, C., (*ESA*) A.155

CORSTEN, S. A., VAN DIJK, B., BAKKER, N. C., SCHEFFER, G. J. and DE LANGE, J. J. Central venous catheter placement using the ECG-guided Cavafix Certodyn SD catheter, (*ESA*) A.26

COSTE, J. *see* JORROT, J. C., (*ESA*) A.198

COTES, J. E. *Lung Function. Assessment and Application in Medicine*, 5th Edn, (*R*) 372–373

COUANET, D. *see* FARHAT, F., (*ESA*) A.148

COUARRAZE, G. *see* BENHAMOU, D., (*ESA*) A.141

COUETIL, J.-P. *see* EZZARANI, D., (*ESA*) A.71

DE COURCY, J. G. A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, (*C*) 731

COUSIN, M. T. *see* BARON, J. F., (*ESA*) A.45

COUSIN, M.-Th. *see* BERGAOUI, F., (*ESA*) A.10; EZZARANI, D., (*ESA*) A.71; RATSEP, I., (*ESA*) A.72

COX, C. and BANNISTER, J. Anaesthesia for carotid artery surgery, (*C*) 252

COZIAN, A. *see* LEPAGE, J.-Y. 638–642

CRADDOCK, K. *see* VIDAL, P., (*e*) 738

CRAIG, G. R. *see* PARR, M. J. A., (*C*) 731–732

CRITCHLEY, L. A. H., SHORT, T. G. and GIN, T. Hypotension during subarachnoid anaesthesia: haemodynamic analysis of three treatments 151–155

CROSBY, G. *see* GOTO, T. 662–667

CROSSLEY, A. W. A. *see* BAXENDALE, B. R. 291–294

CROZIER, T. A., MÜLLER, J. E., QUITTKAT, D., SYDOW, M., WUTTKE, W. and KETTLER, D. Effect of anaesthesia on the cytokine responses to abdominal surgery 280–285

CRUL, B. J. P., VAN DONGEN, R. T. M., SNIJDELAAR, D. G. and RUTTEN, E. H. J. M. Long-term continuous intrathecal administration of morphine/bupivacaine at the upper cervical level for pain due to progressive intra-oral cancer. Access by lateral CI–II approach, (*ESA*) A.244

CUNITZ, G. *see* SCHREGEL, W., (*ESA*) A.25

CUNNINGHAM, A. J. *see* CARROLL, M., (*C*) 727–728; NICHOLSON, G., (*ARS*) 489P

DABADIE, P. *see* SZTARK, F., (*ESA*) A.138

DAGHFOUS, M. *see* BODIN, L., (*ESA*) A.221; LAURENT, P., (*ESA*) A.220

DAHAN, A. and WARD, D. S. Effects of 20% nitrous oxide on the ventilatory response to hypercapnia and sustained isocapnic hypoxia in man 17–20

DALIBON, N. *see* LE PELLEY, E., (*ESA*) A.182

DALSGAARD, J. *see* JUELSGAARD, P., (*ESA*) A.230

DARLING, J. R., LOWRY, J. P., TRINICK, T. R. and MURRAY, J. M. Effect of dopexamine on portal blood flow and liver function with halothane anaesthesia, (*ARS*) 482P

DAS, P. A., SKOYLES, J. R., SHERRY, K. M., PEACOCK, J. E., FOX, P. A. and WOOLFREY, S. G. Disposition of milrinone in patients after cardiac surgery 426–429

DAVID, P. *see* JAMALI, S., (*ESA*) A.136

DAVIS, R. F. *see* GRAVLEE, G. P., (*R*) 736

DAVISON, J. K., ECKHARDT III, W. F. and PERESE, D. A., (editors) *Clinical Anesthesia Procedures of the Massachusetts General Hospital*, 4th Edn, (*R*) 613

DEBAY, P., BARDOCZKY, G., VAN MUYLEM, A., MOURES, J. M. and D'HOLLANDER, A. *In vitro* resistance of double-lumen endobronchial tubes: effects of tube size and side, (*ESA*) A.100

DEBORD, J. *see* NATHAN, N., (*ESA*) A.140

DECLÈRE, A. D., BAUJARD, C., VIGUÉ, B., DURANTEAU, J. and SAMII, K. Slow arterial pressure oscillations during brain death, (*ESA*) A.209

DE HOUWER, J. *see* VERHAMME, B., (*ESA*) A.132

DE JONGH, R., PUYLAERT, M., OMBELET, W., HEYLEN, R. and BOSMANS, E. The effect of anaesthetic techniques on periparietal maternal interleukin-6 levels, (*ESA*) A.195

DELAUNAY, L., BONNET, L., RIMANIOL, J. M., CHERQUI, D. and ATLAN, G. Cardiorespiratory and muscular capacity after laparoscopic cholecystectomy, (*ESA*) A.35
DELAUNAY, L. *see* BEYDON, L., (*ESA*) A.113; CATOIRE, P., (*ESA*) A.208
DELBROUCK, D., VEYCKEMANS, F., SINGELYN, F. J., VAN OBBERGH, L. J. and GOUVERNEUR, J. M. Review of 253 epidural catheters inserted at the lumbar or thoracic level in children less than 2 years old, (*ESA*) A.181
DELEPINE, B. *see* DUCLOY, J. C., (*ESA*) A.16
DELHUMEAU, A. *see* MONRIGAL, J. P., (*ESA*) A.186; (*ESA*) A.187
DELUMEAU, J. C. *see* MANTZ, J. 351–353
DELVA, M. *see* DERIAZ, H., (*ESA*) A.42
DE MEY, J.-C. and ROLLY, G. Onset time and intubation characteristics of mivacurium, (*ESA*) A.151
DEMEYERE, R. *see* VERHAMME, B., (*ESA*) A.132
DENNIS, A. R. *see* ROONEY, M. J., (*ESA*) A.205
DERAMOUDT, V., DOUET, N., RAULT, Ph., NGUYEN, G. and MALLEDANT, Y. Effects of intravenous urapidil on isoflurane-induced hypotension during ear surgery, (*ESA*) A.59
DERIAZ, H., VRILLON, M., DELVA, M. and LIENHART, A. Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, (*ESA*) A.42
DESAIVE, C. *see* JORIS, J., (*ESA*) A.112
DESBOROUGH, J. P. *see* KNOWLES, M., (*ESA*) A.126; MOORE, C. M. 272–279
DESCHODT, J. *see* BIBOULET, P. H., (*C*) 611–612
DESCOULS, A. M. *see* ROUBY, J. J., (*ESA*) A.102
DESEGNI, E. *see* PREISMAN, S., (*ESA*) A.82
DESMONTS, J. M. *see* FASSOULAKI, A. 127–128
DESPLANDS, P. A. *see* WILDER-SMITH, O. H. G., (*ESA*) A.133
DESRUENNES, E. *see* BOURGAIN, J. L., (*ESA*) A.19
DESTEFANIS, S. *see* GOLLO, E., (*ESA*) A.191
DHOSTE, K., KARAYAN, J., LACOSTE, L., LEHUEDÉ, M. S. and FUSCIARDI, J. Haemodynamic changes during laparoscopic cholecystectomy in the elderly (preliminary results), (*ESA*) A.32
DIABY, M. *see* PUYBASSET, L., (*ESA*) A.108; (*ESA*) A.109
DICKSON, J. *see* CLARK, V. 221–223
DIEDERICKS, J. *see* SEAR, J. W. 451–455
DIEMUNSCH, P., NAVÉ, S. and MEYERSON, L. J. Evaluation of the antiemetic properties of dolasetron mesilate in gynaecological surgery, (*ESA*) A.159
DI GENNARO, S. *see* BONAZZI, M., (*ESA*) A.146
DIGE-PETERSEN, H. *see* OLSEN, K. S. 66–71
VAN DIJK, B. *see* CORSTEN, S. A., (*ESA*) A.26
DION, R. *see* AMRANI, M., (*C*) 609
DOBSON, P. M. *see* EDWARDS, N. D., (*ARS*) 483–484P
DOBSON, P. M. S., CALDICOTT, L. D., GERRISH, S. P., COLE, J. R. and CHANNER, K. S. Changes in haemodynamic variables during transurethral resection of the prostate: comparison of general and spinal anaesthesia 267–271
DOLISI, C. *see* RAUCOULES-AIME, M. 5–10
DOMINGUEZ, J., RAVUSSIN, P., BRACCO, D., BACHMAN, C. and BOULARD, G. Changes in plasma osmolality after NaCl 0.9% *versus* Ringer-lactate and hydroxyethyl starch, (*ESA*) A.49
VAN DONGEN, R. T. M. *see* CRUL, B. J. P., (*ESA*) A.244
DORÉ, C. J. *see* PETROS, A. J. 515–522
DORRINGTON, K. L. *see* NAGYOVA, B. 509–514
DOßMANN, H. *see* SINGBARTL, G., (*ESA*) A.46
DOUET, N. *see* DERAMOUDT, V., (*ESA*) A.59
DOYLE, E., BYERS, G., MCNICOL, L. R. and MORTON, N. S. Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia 72–76
DOYLE, E., MORTON, N. S. and MCNICOL, L. R. Comparison of patient-controlled analgesia in children by i.v. and s.c. routes of administration 533–536
DOYLE, E., MOTTART, K. J., MARSHALL, C. and MORTON, N. S. Comparison of different bolus doses of morphine for patient-controlled analgesia in children 160–163
DREUX, S. *see* MION, G., (*ESA*) A.83; MOURGEON, E., (*ESA*) A.103; PUYBASSET, L., (*ESA*) A.107; SAMAMA, ChM., (*ESA*) A.214
DROC, G., PHILLIPE, E., PANSARD, J. L., OUIS, N., CORIAT, P. and VIARS, P. Influence of mode of weaning on postoperative myocardial ischaemia, (*ESA*) A.78
VAN DRUENEN, B. *see* BOEKE, A. J. 654–656
DRUMMOND, G. B. Prediction of arterial from end-tidal P_{CO_2}, (*C*) 498
DRUMMOND, G. B. *see* FRIED, M. J. 217–218
DUALE, C., BAZIN, J. E., FERRIER, C., RUIZ, F. and SCHOEFFLER, P. Haemodynamic effects of laparoscopic cholecystectomy in patients with coronary disease, (*ESA*) A.31
DUBOIS, M. C., PIAT, V. and MURAT, I. Induction of anaesthesia with sevoflurane in children: haemodynamic effects, (*ESA*) A.189
DUBOIS, M. C. *see* PIAT, V., (*ESA*) A.178
DUBOUSSET, A.-M. *see* LE PELLEY, E., (*ESA*) A.182
DUCARD, A. *see* AMSELLEM, D., (*ESA*) A.174
DUCH, D. S. *see* WARTENBERG, H. C. 668–673
DUCLOY, A. S., BUY, E., DUCLOY, J. C., THEETEN, G., MONNIER, J. C. and KRIVOSIC-HORBER, R. Prediction of maternal infection before performing epidural analgesia of labour, (*ESA*) A.194
DUCLOY, A. S. *see* DUCLOY, J. C., (*ESA*) A.16
DUCLOY, J. C., DUCLOY, A. S., BUY, E., THEETEN, G., DELEPINE, B., VINATIER, D. and KRIVOSIC-HORBER, R. Intraocular pressure and gynaecological laparoscopy, (*ESA*) A.16
DUCLOY, J. C. *see* DUCLOY, A. S., (*ESA*) A.194
DUCLOY-BOUTHORS, A. S. *see* CANEVET, C., (*ESA*) A.193
DUCOT, B. *see* HAMZA, J., (*ESA*) A.192
DUNNET, J. M., PRYS-ROBERTS, C., HOLLAND, D. E. and BROWNE, B. L. Propofol infusion and the suppression of consciousness: dose requirements to induce loss of consciousness and to suppress response to noxious and non-noxious stimuli 29–34
DUPONT, X., MENIGAUX, C., LEBRAULT, C., ALFONSI, P., MALASSINE, P., ESTEVE, M. and CHAUVIN, M. Comparative effect of ketorolac and ketoprofen on a nociceptive flexion reflex in humans, (*ESA*) A.238
DUPONT, X. *see* HAMZA, J., (*ESA*) A.192; MENIGAUX, C., (*ESA*) A.239
DURANTEAU, J. *see* DECLÈRE, A. D., (*ESA*) A.209
DÜTSCHKE, P. *see* PETRY, A. 567–570
DWYER, R. *see* MCCOY, D., (*ARS*) 484P; NICHOLSON, G., (*ARS*) 489P
DYAR, O., XIONG, L. and YOUNG, J. D. Effect of methylene blue on pulmonary vasodilatation caused by nitric oxide in hypoxic sheep, (*ARS*) 484–485P

EASTWOOD, N. B. *see* BOYD, A. H., (*ARS*) 486P
EBBERYD, A. *see* REHDER, K., (*ESA*) A.98
EBRAHIM, Z. *see* WHALLEY, D. G. 125–126
ECKHARDT III, W. F. *see* DAVISON, J. K., (*R*) 613
ECOFFEY, C. *see* JAMALI, S., (*ESA*) A.135; (*ESA*) A.136; LE PELLEY, E., (*ESA*) A.182; TALIB, R., (*ESA*) A.48
EDMONDS, D. K. *see* SHENNAN, A. H., (*ESA*) A.199
EDWARDS, A. D. *see* HUNTER, D. N., (*ESA*) A.137
EDWARDS, J. D., SHOEMAKER, W. C. and VINCENT, J.-L., (editors) *Oxygen Transport: Principles and Practice*, (*R*) 501
EDWARDS, N. D., ALFORD, A. M., DOBSON, P. M. and REILLY, C. S. Myocardial ischaemia during intubation and extubation, (*ARS*) 483–484P
EDWARDS, N. D. and REILLY, C. S. Detection of perioperative myocardial ischaemia 104–115
EDWARDS, N. D. *see* REILLY, C. S., (*C*) 611
EELEN, P. *see* VERHAMME, B., (*ESA*) A.132
EINARSSON, S., STENQVIST, O., BENGTSSON, A., HOULTZ, E. and BENGTSON, J. P. Nitrous oxide elimination, (*C*) 730
EKSBORG, S. *see* LÖNNQVIST, P. A., (*ESA*) A.176
ELALAOUI, M. Y. *see* NG WING TIN, L., (*C*) 139
ELBANNA, S. *see* ZAOUK, G., (*ESA*) A.22
ELGHOZI, J. L. *see* CONSTANT, I., (*ESA*) A.68
ELJAMEL, M. *see* CARROLL, M., (*C*) 727–728
ELLIOTT, T. S. J. *see* TEBBS, S. E. 587–591
EMANUELSSON, B. M. *see* MORRISON, L. M. M. 164–169
ENGBERG, G. *see* ROTHEN, H. U., (*ESA*) A.114
ERICKSON, S. *see* STEVENS, R., (*ARS*) 482–483P
ESTEVE, M. *see* DUPONT, X., (*ESA*) A.238
ESTÈVE, M. *see* MENIGAUX, C., (*ESA*) A.239
ETCHRIVI, T. *see* ADNET, P. J., (*ESA*) A.125
ETIENNE, M.-C. *see* STÉPHAN, F., (*ESA*) A.219
EURIN, B. and FISCHLER, M., (editors) *Collection d'Anesthésie et de Réanimation, volume 53: Intubation Trachéale* (Tracheal Intubation), (*R*) 372
EVANS, G. H. *see* MCCRIRRICK, A. 122–124; (*e*) 371
EVANS, S. *see* SAMRA, G., (*ARS*) 488P
EYRAUD, D., BOURLIER, R., GOARIN, J. P., VIVIEN, B., SAADA, M., ROUBY, J. J. and VIARS, P. Comparison between two techniques of haemodynamic evaluation in the ICU: a prospective study, (*ESA*) A.207
EYRAUD, D. *see* SAMAMA, ChM., (*ESA*) A.214
EZZARANI, D., ACAR, C., COUETIL, J.-P., PIPIEN, I. and COUSIN, M.-Th. Thrombosis rate after mitral surgery. Influence of aprotinin, (*ESA*) A.71

FABIANI, J.-N. *see* BERGAOUI, F., (*ESA*) A.10
FAGAN, A. M. *see* REGRAGUI, I. A. 705–706

FANARD, L. *see* MÖLLMANN, M., (*ESA*) A.202
FARAGHER, E. B. *see* POLLARD, B. J. 559–566
FARHAT, F., BILLARD, V., KUHLMAN, G., COUANET, D. and JAYR, C. Why postoperative epidural analgesia is not complete for every patient? (*ESA*) A.148
FARINOTTI, R. *see* FASSOULAKI, A. 127–128
FARMERY, A. D. Prediction of arterial from end-tidal P_{CO_2}, (*C*) 498–499
FARRELL, M. *see* MCCOY, D., (*ARS*) 484P
FARRINGTON, M., MCGINNES, J., MATTHEWS, I. and PARK, G. R. Do infusions of midazolam and propofol pose an infection risk to critically ill patients? 415–417
FASSOULAKI, A., FARINOTTI, R., MANTZ, J. and DESMONTS, J. M. Does tolerance develop to the anaesthetic effects of propofol in rats? 127–128
FAUCON, G. *see* FREYSZ, M., (*ESA*) A.93
FAWCETT, W. J. and CASHMAN, J. N. Residual curarization following vecuronium or atracurium by bolus or infusion, (*ESA*) A.153
FAWCETT, W. J. *see* QUINN, A. C., (*ESA*) A.17
FEE, J. P. H. *see* MURRAY, J. M. 599–601; WRIGHT, D. G., (*ESA*) A.197
FEISS, P. *see* NATHAN, N., (*ESA*) A.140
FELDMAN, S. A., PATON, W. and SCURR, C., (editors) *Mechanisms of Drugs in Anaesthesia*, 2nd Edn, (*R*) 373
FELDMAN, S. A. *see* HAXBY, E. J., (*ARS*) 485P
FELSBY, S. *see* JUELSGAARD, P., (*ESA*) A.230
FERRAND, E. *see* LE PELLEY, E., (*ESA*) A.164
FERRIER, C. *see* DUALE, C., (*ESA*) A.31
FIACCAVENTO, M. *see* GOLLO, E., (*ESA*) A.190
FIELD, J. M. *see* MALINS, A. F. 231–233
FIELD, L. M. Effect of nitrous oxide on cerebral blood flow, (*C*) 251
FIEMEYER, A. *see* BARON, J. F., (*ESA*) A.45
FINDLEY, I. L. *see* BAILEY, C. R. 58–61
FIRESTONE, L. *see* CARRERA, J. A., (*ESA*) A.66
FIRESTONE, S. *see* CARRERA, J. A., (*ESA*) A.66
FISCHLER, M. *see* EURIN, B., (*R*) 372
FITCH, W. and GARRIOCH, M. A. Anaesthesia for carotid artery surgery, (*C*) 252
FITZGERALD, R. *see* TRAUNMÜLLER, C., (*ESA*) A.21
FITZPATRICK, K. *see* WRIGHT, D. G., (*ESA*) A.197
FLEISCHER, F. *see* BÖTTIGER, B. W., (*ESA*) A.28; (*ESA*) A.65
FLEISCHMANN, D. *see* KAPRAL, S., (*ESA*) A.145
FLEMING, N. W. *see* VALDRIGHI, J. B. 237–239
FLÉRON, M. H. *see* BERTRAND, M., (*ESA*) A.9; MAINTENANT, J., (*ESA*) A.7
FLETCHER, D., ZETLAOUI, P., MONIN, S. and SAMII, K. Pre-emptive analgesia with ketorolac in orthopaedic surgery: a double blinded randomized study, (*ESA*) A.235
FLETCHER, J. E., SEAVELL, C. R. and BOWEN, D. J. Pretreatment with alfentanil reduces pain caused by propofol 342–344
FLETCHER, R. Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? (*C*) 495; Raised end-expiratory alveolar pressures during cardiac surgery 629–632
FOEX, P. *see* SEAR, J. W. 451–455
FONTAINE, G. *see* GALLAIS, Y., (*ESA*) A.57
FORAN, W. *see* LIPPMANN, M. 707–709
FORD, M. *see* LIPPMANN, M. 707–709
FORREST, F. C., TOOLEY, M. A., SAUNDERS, P. R. and PRYS-ROBERTS, C. Propofol infusion and the suppression of consciousness: the EEG and dose requirements 35–41
FORSTER, A. *see* KLOPFENSTEIN, C. E., (*ESA*) A.1; (*ESA*) A.13; (*ESA*) A.20
FOUBERT, L. *see* SNOW, D. J. 185–189
FOX, P. A. *see* DAS, P. A. 426–429
DE FRANCQUEN, P. *see* BARDOCZKY, G. I., (*ESA*) A.169
FRANK, R. *see* GALLAIS, Y., (*ESA*) A.57
FRANKENBERG, Ch. *see* SINGBARTL, G., (*ESA*) A.46
FRANKS, J. J. *see* HORN, J. L., (*ESA*) A.130
FRANKS, R. *see* INNES, P. A. 77–81
FRAZER, R. S. *see* INNES, P. A. 77–81
FREDERICK, I. *see* JORIS, J., (*ESA*) A.112
FREEMAN, S. Paralysis caused by hyperkalaemia, (*C*) 369
FREY, A. *see* BEIN, T., (*ESA*) A.5
FREYSZ, M., BERTRIX, L., LOUFOUA, J., TIMOUR, Q. and FAUCON, G. Hastening of ischaemia-induced fall of electrical fibrillation threshold by bupivacaine at moderate plasma levels, (*ESA*) A.93
FRIED, M. J., WARREN, P. M. and DRUMMOND, G. B. Oxygen uptake during rebreathing in a Mapleson A system 217–218
FROEKJAER, J. *see* JUELSGAARD, P., (*ESA*) A.230
FRÖHLICH, D. *see* BEIN, T., (*ESA*) A.5
FROSTELL, C. G. *see* LUNDIN, S., (*ESA*) A.106
FU, M.-J. *see* LEE, T.-Y. 328–334
FUJITA, T. *see* MORITA, T. 465–467
FUKUSHIMA, K. *see* TAKEDA, J., (*C*) 369–370
FULGENCIO, J.-P., HAMZA, J. and TOUBAS, F. Impaired efficacy of epidural analgesia and anaesthesia in parturients after previous dural puncture, (*ESA*) A.196
FURNESS, G. *see* GANTA, R. 229–230
FURTADO, A. L. *see* VIANA, J. S., (*ESA*) A.127
FUSCIARDI, J. *see* DHOSTE, K., (*ESA*) A.32; LACOSTE, L., (*ESA*) A.229; LE PELLEY, E., (*ESA*) A.91; (*ESA*) A.164; PUJOL, A., (*ESA*) A.70

GAJRAJ, N. M., CHASON, D. P. and SHEARER, V. E. Comparison of the Belscope with the Macintosh laryngoscope, (*C*) 610–611
GAJRAJ, N. M., PACE, N. A. and PENNANT, J. H. The Oesophageal Vent-Laryngeal Mask, (*C*) 726–727
GAJRAJ, N. M., PENNANT, J. H., VAN ELSTRAETE, A. C. and VICTORY, R. A. Inflation of the tracheal tube cuff as an aid to blind nasotracheal intubation, (*C*) 140
GALLAIS, Y., LASCAULT, G., TONET, J., HIMBERT, C., HIDDEN, F., AOUATE, Ph., FRANK, R. and FONTAINE, G. Continuous measurement of coronary sinus oxygen saturation during ventricular tachycardia, (*ESA*) A.57
GALLART, L., GEA, J., AGUAR, M. C., SAMSÓ, E. and PUIG, M. M. Inspiratory muscle strength after interpleural bupivacaine in healthy humans, (*ESA*) A.96
GALLETLY, D. C., BUCKLEY, D. H. F., ROBINSON, B. J. and CORFIATIS, T. Heart rate variability during propofol anaesthesia 219–220
GALLETLY, D. C., WESTENBERG, A. M., ROBINSON, B. J. and CORFIATIS, T. Effect of halothane, isoflurane and fentanyl on spectral components of heart rate variability 177–180
GAMBUS, P. L. *see* BILLARD, V., (*ESA*) A.40; (*ESA*) A.128
GAN, T. J., COLLIS, R. and HETREED, M. Double-blind comparison of ondansetron, droperidol and saline in the prevention of postoperative nausea and vomiting 544–547
GANANSIA, M. F. *see* LEJUS, C. 156–159
GANTA, R., SAMRA, S. K., MADDINENI, V. R. and FURNESS, G. Comparison of the effectiveness of bilateral ilioinguinal nerve block and wound infiltration for postoperative analgesia after Caesarean section 229–230
GARCÍA-PEDRAJAS, F. *see* MONEDERO, P., (*ESA*) A.117
GARRIOCH, M. A. *see* FITCH, W., (*C*) 252
GASPARINI, R. *see* GOLLO, E., (*ESA*) A.191
GASTAUD, P. *see* RAUCOULES-AIME, M. 5–10
GATECEL, C. *see* PAYEN, D., (*ESA*) A.215
GAULT, D. *see* RIDINGS, P. 592–593
GAUTSCHI, K. *see* WEISS, B. M., (*ESA*) A.123
GAUTSCHI-MEYER, S. and GERBER, A. Ch. Axillary plexus block for postoperative analgesia in children, (*ESA*) A.183
GAYLARD, D. and SAVILLE, G. Kinked inner tube of coaxial breathing system, (*C*) 367
GAYLARD, D. G. Expiratory obstruction in co-axial breathing system, (*C*) 734
GEA, J. *see* GALLART, L., (*ESA*) A.96
GENTIL, B., DE LARMINAT, J. M., BOUCHEREZ, C., LIENHART, A., CHOU, H.-C. and WU, T.-L. Difficult intubation and obstructive sleep apnoea syndrome, (*C*) 368
GEORGE, S. L. and BLOGG, C. E. Role of the LMA in tracheal extubation? (*C*) 610
GEORGIEFF, M. *see* HÄHNEL, J. H., (*ESA*) A.67; VOGT, N., (*ESA*) A.50; (*ESA*) A.84
GERBER, A. Ch. *see* GAUTSCHI-MEYER, S., (*ESA*) A.183
GERRISH, S. P. *see* DOBSON, P. M. S. 267–271
GESINI, A. *see* VOLPE, N., (*ESA*) A.55; (*ESA*) A.56
GHABACH, M. *see* BARAKA, A. 227–228
GHARSALLAH, N. *see* LHERM, T., (*ESA*) A.211
GHIMOUZ, A. *see* JORROT, J. C., (*ESA*) A.198
GHOSH, S. *see* PICKETT, J. A. 683–685; SNOW, D. J. 185–189
GIESECKE, K., KLINGSTEDT, C., LJUNGQVIST, O. and HAGENFELDT, L. The modifying influence of anaesthesia on postoperative protein catabolism 697–699
GIL, I. *see* PREGO, M., (*ESA*) A.185
GILBART, E. *see* ZAOUK, G., (*ESA*) A.22
GILES, M. *see* TIMMINS, A. C. 523–528
GILLART, T., BAZIN, J. E., AUBERT, M. and SCHOEFFLER, P. Anybody can detect minimal CO_2 embolism with a transoesophageal Doppler monitor, (*ESA*) A.24
GILLESPIE, J. A., PACE, N. and HENDERSON, J. J. Alfentanil and propofol for difficult tracheal intubation, (*C*) 498
GILLESPIE, J. A. *see* STEYN, M. P. 403–406
GIN, T. *see* CRITCHLEY, L. A. H. 151–155; O'MEARA, M. E., (*C*) 500
GINSBERG, R. and LIPPMANN, M. Haemodynamic effects of propofol, (*C*) 370–371
GINSBURG, R. *see* LIPPMANN, M. 707–709
GIUDICELLI, J. *see* JAMBOU, P., (*ESA*) A.163
GLASS, P. S. A. *see* BRUNNER, M. D. 42–46
GLENVILLE, B. *see* SIRS, J. A., (*ARS*) 485P
GOARIN, J. P. *see* EYRAUD, D., (*ESA*) A.207; PHILLIPE, E., (*ESA*) A.224

GODET, G. *see* AMSELLEM, D., (*ESA*) A.174; BERTRAND, M., (*ESA*) A.2; (*ESA*) A.9; GOSGNACH, M., (*ESA*) A.41
GOLDENBERG, F. *see* BEYDON, L., (*ESA*) A.113
GOLDHILL, D. R., BAXTER, M. K. and NOLAN, K. M. Effect of education on oxygen mask placement 234–236
GOLLO, E., GASPARINI, R., DESTEFANIS, S. and MARESCA, M. HELLP syndrome: considerations on 42 cases, (*ESA*) A.191
GOLLO, E., TREVES, S., CASTELLETTI, I. and FIACCAVENTO, M. Asthma in pregnancy, (*ESA*) A.190
GOLOMB, E. *see* LANGERMAN, L. 456–459
GOMEZ, C., CORNET, J. P., GOSGNACH, M. L., CORIAT, P. and VIARS, P. Evaluation of the effects of rocuronium bromide (rocuronium 9426) on haemodynamics and left ventricular function in patients undergoing abdominal aortic surgery, (*ESA*) A.155
GOODMAN, D. K. *see* BRUNNER, M. D. 42–46
GOODMAN, N. W. Outliers and extrapolation: child's age and infusion rates of mivacurium, (*C*) 609–610; Volatile agents and the ventilatory response to hypoxia, (*E*) 503–505
GOPINATH, S. *see* HAXBY, E. J., (*ARS*) 485P
GOSCH, M. *see* KAPRAL, S., (*ESA*) A.145
GOSGNACH, M., MOUREN, S., GODET, G., BALMA, A., ISMAIL, M., PIRONKOV, A., BERTRAND, M. and VIARS, P. Blood requirements in vascular surgery during 1 year period, (*ESA*) A.41
GOSGNACH, M. *see* BERTRAND, M., (*ESA*) A.2; (*ESA*) A.9
GOSGNACH, M. L. *see* CORIAT, P., (*ESA*) A.6; GOMEZ, C., (*ESA*) A.155
GOTHARD, J. W. W. *Anaesthesia for Thoracic Surgery*, 2nd Edn, (*R*) 501
GOTO, H. *see* YONEDA, I. 679–682
GOTO, T., MAROTA, J. J. A. and CROSBY, G. Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model 662–667
GOUIN, F. *see* HOMMERIL, J.-L. 383–387
GOUTAILLER, D. *see* JAMALI, S., (*ESA*) A.135
GOUVERNEUR, J. M. *see* DELBROUCK, D., (*ESA*) A.181
GOUYET, L. *see* BARON, J. F., (*ESA*) A.45
GRABER, J. *see* HAMPL, K. F. 129–132
GRAFF, L. G., (editor) *Observation Medicine*, (*R*) 253
GRAHAM, S. G. The desflurane Tec 6 vaporizer 470–473
GRANRY, J. C. *see* MONRIGAL, J. P., (*ESA*) A.186; (*ESA*) A.187
GRANT, G. J. *see* LANGERMAN, L. 456–459
GRAVLEE, G. P., DAVIS, R. F. and UTLEY, J. R., (editors) *Cardiopulmonary Bypass: Principles and Practice*, (*R*) 736
GRAY, S. J. *see* SNOW, D. J. 185–189
GREEN, D., WARD, B. and HUGHES, N. Absence of pressor response following early insertion of laryngeal mask airway after induction with fentanyl and propofol, (*ESA*) A.54
GREIFF, J. M. C. *see* GRIFFITHS, R. 577–580
GRIFFITHS, A. G. *see* BEARDS, S. C., (*C*) 499–500
GRIFFITHS, R., BOYLE, E., GREIFF, J. M. C., ROWBOTHAM, D. J. and NORMAN, R. I. Choline acetyltransferase activity of rat synaptosomes is sensitive to enflurane, but not halothane or isoflurane 577–580
GRIMAUD, D. *see* ICHAI, C., (*ESA*) A.118; ISETTA, C., (*ESA*) A.75; JAMBOU, P., (*ESA*) A.163; LUGRIN, D., (*ESA*) A.119; RAUCOULES, M., (*ESA*) A.122; RAUCOULES-AIME, M. 5–10; (*C*) 735
GROND, S. *see* RADBRUCH, L., (*ESA*) A.242
DE GROOTE, P. *see* REYFORD, H. 700–701
GROUNDS, R. M. *see* NEWMAN, P. J., (*ESA*) A.166
GRUNDMANN, U., ZIEHMER, M., KREIENMEYER, J., LARSEN, R. and ALTMAYER, P. Propofol and volatile anaesthetics, (*ESA*) A.170
GRUNDMANN, U. *see* ALTMAYER, P., (*ESA*) A.29; ZIEHMER, M., (*ESA*) A.168
GUDMARSSON, A. N. Nitrous oxide as an analgesic for painful procedures outside the operating theatre, (*ESA*) A.241
GUEDJ, P. Pressure in the extradural space, (*C*) 251
GUERMOUCHE, T. *see* REYFORD, H. 700–701
GUERRINI, P. *see* CATOIRE, P., (*ESA*) A.208
GUIBOURT, P. *see* BARON, J. F., (*ESA*) A.45
GUILLAUME, J. L. *see* WYSS, E., (*ESA*) A.201
GUINARD, N. *see* PAYEN, D., (*ESA*) A.213
GUPTA, A.M. *see* SJÖBERG, F., (*C*) 250–251
GUPTA, N. K., MARTIN, P. G. and WALKER, D. R. Haemostasis and thrombelastography, (*C*) 139
GUZZON, D. *see* VOLPE, N., (*ESA*) A.55; (*ESA*) A.56

HADEN, R. M., PINNOCK, C. A. and SCOTT, P. V. Incidence of aspiration with the laryngeal mask airway, (*C*) 496
HADEN, R. M. *see* PINNOCK, C. A., (*R*) 613
HAESSLER, R. *see* SCHWENDER, D. 307–314
HAGENFELDT, L. *see* GIESECKE, K. 697–699
HÄGGMARK, S. *see* TUGRUL, M., (*ESA*) A.88
HÄHNEL, J. H., LINDNER, K. H. and GEORGIEFF, M. Endothelin clearance by pulmonary circulation in patients undergoing aortocoronary bypass grafting, (*ESA*) A.67
HAK, A. *see* BOER, F., (*ESA*) A.162
HALL, G. M. Insulin administration in diabetic patients—return of the bolus? (*E*) 1–2
HALL, G. M. *see* BARKER, J. P. 119–121; KNOWLES, M., (*ESA*) A.126; LOUGHNAN, B. A. 620–623; MATSON, A. M., (*ESA*) A.124; MOORE, C. M. 272–279; NEWMAN, P. J., (*ESA*) A.166
HALL, I. A. *see* HARPER, N. J. N. 82–85
HALSHAW, J. *see* MISRA, U., (*ESA*) A.139
HAMILL, R. J. and ROWLINGSON, J. C. *Handbook of Critical Care and Pain Management*, (*R*) 737
HAMMAS, B. *see* HVARFNER, A., (*ESA*) A.173; THÖRN, S.-E., (*ESA*) A.175
HAMMERLE, A. F. *see* TRAUNMÜLLER, C., (*ESA*) A.21
HAMOIR, M. *see* VAN BOVEN, M. J., (*ESA*) A.210
HAMPL, K. F., SCHNEIDER, M. C., SKARVAN, K., BITZER, J. and GRABER, J. Spinal anaesthesia in a patient with Takayasu's disease 129–132
HAMZA, J., DUPONT, X., DUCOT, B. and BENHAMOU, D. Outpatient anaesthesia consultation and early detection of risk factors for difficult intubation in obstetric patients, (*ESA*) A.192
HAMZA, J. *see* BENHAMOU, D. 537–540; FULGENCIO, J.-P., (*ESA*) A.196
HANS, P., BONHOMME, V., MOONEN, G. and COLLETTE, J. Propofol attenuates glutamate toxicity mediated by NMDA receptor on fetal rat hippocampal neurones, (*ESA*) A.129
HANS, P. *see* BRICHANT, J. F., (*ESA*) A.149
HANSEN, T. G., HENNEBERG, S. W. and HOLE, P. Patient-controlled analgesia (PCA) in children. A comparison of age-related postoperative morphine requirements, (*ESA*) A.184
HARPER, N. J. N., MARTLEW, R., STRANG, T. and WALLACE, M. Monitoring neuromuscular block by acceleromyography: comparison of the Mini-Accelograph with the Myograph 2000 411–414
HARPER, N. J. N. and MARTLEW, R. A. Pharmacodynamics of doxacurium in elderly patients, (*ARS*) 493P
HARPER, N. J. N., WALLACE, M. and HALL, I. A. Optimum dose of neostigmine at two levels of atracurium-induced neuromuscular block 82–85
HARPER, N. J. N. *see* STONE, A. J., (*ARS*) 486–487P
HARRISON, C. A., MORRIS, S. and HARVEY, J. S. Effect of ilioinguinal and iliohypogastric nerve block and wound infiltration with 0.5% bupivacaine on postoperative pain after hernia repair 691–693
HARVEY, A. L. *see* BRAGA, M. F. M. 198–204
HARVEY, J. S. *see* HARRISON, C. A. 691–693
HASSIO, J. *see* KALLELA, H., (*ESA*) A.14
HAUDECOEUR, G. *see* ADNET, P. J. 93–97; (*ESA*) A.125
HAUFFE, H. *see* POMAROLI, A. 723–725
HAUßMANN, R. *see* BÖTTIGER, B. W., (*ESA*) A.65
HAWKER , F. *Critical Care Management: The Liver*, (*R*) 615
HAXBY, E. J., HOOD, J. R., GOPINATH, S. and FELDMAN, S. A. Mivacurium priming intervals, (*ARS*) 485P
HAYNES, T. *see* WHITEHEAD, C., (*ESA*) A.172
HEALY, T. E. J. *see* POLLARD, B. J. 559–566; POMFRETT, C. J. D. 397–402
HEATH, M. and THOMAS, V. *Confidence in Post-operative Pain Control*, (*R*) 737
HEATH, M. L. and SINNATHAMBY, S. W. The reinforced laryngeal mask airway for adenotonsillectomy, (*C*) 728–729
HEAVNER, J. E. *see* ROSENBERG, P. H., (*ESA*) A.233
HEDENSTIERNA, G. *see* ROTHEN, H. U., (*ESA*) A.114
HEGAZY, M. *see* ABDULATIF, M. 650–653
HEINONEN, J. *see* HYNYNEN, M. 571–576
HÉLIAS, J. *see* LEPAGE, J.-Y. 638–642
HELMS, J. *see* ALTMAYER, P., (*ESA*) A.29; CASTOR, G. 133–138
HENDERSON, J. J. *see* GILLESPIE, J. A., (*C*) 498
HENDERSON, P. *see* PEACOCK, J. E., (*ARS*) 480–481P
HENNEBERG, S. W. *see* HANSEN, T. G., (*ESA*) A.184; KROGH, B. 55–57
HENRIKSEN, L. *see* OLSEN, K. S. 66–71
HERRMANN, F. *see* KLOPFENSTEIN, C. E., (*ESA*) A.1
HETREED, M. *see* ALEXANDER, R. 594–595; GAN, T. J. 544–547
HETT, D. A., SMITH, D. C., PILKINGTON, S. N. and ABBOTT, T. R. Effect of temperature on the auditory evoked response, (*ARS*) 487P
HEYER, L. *see* BEYDON, L., (*ESA*) A.113
HEYLEN, R. *see* DE JONGH, R., (*ESA*) A.195
HIDALGO, F. *see* LÓPEZ-OLAONDO, L., (*ESA*) A.116
HIDDEN, F. *see* GALLAIS, Y., (*ESA*) A.57
HIGENBOTTAM, T. W. *see* SNOW, D. J. 185–189
HILBERT, U. *see* SEGUIER, J. C., (*ESA*) A.39
HILTON, C. J. *see* SONI, A. K. 462–464

HIMBERT, C. *see* GALLAIS, Y., (*ESA*) A.57
HINDS, C. J. *see* TIMMINS, A. C. 523–528
HIRSCH, N. P. *see* RUSSELL, S. H. 210–216; YENTIS, S. M., (*R*) 613
HIRST, R. A. *see* OGILVY, A. J., (*ARS*) 491P
HITCHCOCK, M. and OGG, T. W. Antimetics in laparoscopic surgery, (*C*) 608
HODGES, U. Comparison of the Belscope with the Macintosh laryngoscope, (*C*) 611
HÖER, H. *see* SCHREGEL, W., (*ESA*) A.25
HOHNER, P., BACKMAN, C., KARP, K. and REIZ, S. Echocardiographic prediction of cardiac complications to vascular surgery, (*ESA*) A.3
HOLDER, K. J. and MORGAN, B. M. Dysphoria after extradural diamorphine, (*C*) 728
HOLE, P. *see* HANSEN, T. G., (*ESA*) A.184; KROGH, B. 55–57
HOLLAND, D. E. *see* DUNNET, J. M. 29–34
D'HOLLANDER, A. *see* BARDOCZKY, G. 25–28; BARDOCZKY, G. I., (*ESA*) A.169; DEBAY, P., (*ESA*) A.100; NYARWAYA, J. B., (*ESA*) A.90
HOLST, D. *see* MÖLLMANN, M., (*ESA*) A.202
HOMMERIL, J.-L., BERNARD, J.-M., GOUIN, F. and PINAUD, M. Ketoprofen for pain after hip and knee arthroplasty 383–387
HOOD, J. R. *see* HAXBY, E. J., (*ARS*) 485P
HOOGERWERF, N. *see* DE JONG, D., (*ESA*) A.85
HOPE, D. A. *see* SEMPLE, P. 190–194
HORN, J. L., FRANKS, J. J., BREZINSKI, S., MILATOVIC, S. and SINGH, G. Effects of potent inhalational agents on Ca^{2+} transport in synaptic plasma membranes from rat brain, (*ESA*) A.130
HORSMAN, L. *see* BEARDS, S. C., (*C*) 499–500
HORVÁTH, G. *see* MÉRAY, J., (*ESA*) A.53
HOULTZ, E. *see* EINARSSON, S., (*C*) 730
HOUSTON, P. L. *see* BARROW, P. M. 361–365
HÖYER, S. *see* ALGOTSSON, L., (*ESA*) A.80
HUANG, S. W. *see* TSAI, S. K. 674–678
HUGHES, A. *see* BLOOR, G. K., (*ARS*) 488–489P
HUGHES, D. G. *see* BARROW, P. M. 460–461
HUGHES, N. *see* BUGGY, D. 393–396; GREEN, D., (*ESA*) A.54
HULSE, D., ASBURY, A. J., WILKINSON, P. C. and O'DONNELL, N. G. Propofol and thiopentone inhibit membrane mobility and locomotor response of neutrophils, (*ARS*) 491–492P
HUNTER, D. N., EDWARDS, A. D., ROBERTS, I. and REDINGTON, A. N. Response of cerebral blood volume to changes in P_{aCO_2} in children with congenital heart disease, (*ESA*) A.137
HUNTER, J. M. *see* BOYD, A. H., (*ARS*) 486P
HUSS, B. *see* O'HANLON, J., (*ESA*) A.237
HVARFNER, A., HAMMAS, B., THÖRN, S.-E. and WATTWIL, M. Sedation with propofol does not interfere with gastric emptying, (*ESA*) A.173
HVARFNER, A. *see* THÖRN, S.-E., (*ESA*) A.175
HYNNINEN, M. *see* HYNYNEN, M. 571–576
HYNYNEN, M., HYNNINEN, M., SOINI, H., NEUVONEN, P. J. and HEINONEN, J. Plasma concentration and protein binding of alfentanil during high-dose infusion for cardiac surgery 571–576

ICHAI, C., BARUCH, I., SAMAT, C. and GRIMAUD, D. Influence of respiratory alkalosis on hepatic metabolism in patients with head trauma, (*ESA*) A.118
ICHAI, C. *see* RAUCOULES-AIME, M. 5–10
IGARASHI, M. *see* IWASAKI, H. 321–323
IKEDA, K. *see* KIKURA, M. 315–320; SHIRAISHI, Y. 439–442
INABA, H., KOCHI, A. and YOROZU, S. Suppression by methylprednisolone of augmented plasma endotoxin-like activity and interleukin-6 during cardiopulmonary bypass 348–350
INGRAND, P. *see* PUJOL, A., (*ESA*) A.70
INGRASSIA, C. *see* REHDER, K., (*ESA*) A.98
INNES, P. A., FRAZER, R. S., BOOKER, P. D., ALLSOP, E., KIRTON, C., LOCKIE, J. and FRANKS, R. Comparison of the haemodynamic effects of dobutamine with enoximone after open heart surgery in small children 77–81
INNES, P. A. *see* IP YAM, P. C. 21–24
INOMATA, S., NISHIKAWA, T. and TAGUCHI, M. Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass 11–16
IP YAM, P. C., INNES, P. A., JACKSON, M., SNOWDON, S. L. and RUSSELL, G. N. Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia 21–24
IP-YAM, P. C. Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? (*C*) 495
IRIBARREN, M. J. *see* LÓPEZ-OLAONDO, L., (*ESA*) A.116; PÉREZ-REINER, R., (*ESA*) A.69
IRWIN, M. G. *see* VISRAM, A. R. 388–392

ISETTA, C., CORALLO, J., PAOLONI, G., JOURDAN, J. and GRIMAUD, D. Misoprostol reduces gastroduodenal lesions after CABG surgery, (*ESA*) A.75
ISMAIL, M. *see* AMSELLEM, D., (*ESA*) A.174; BERTRAND, M., (*ESA*) A.9; GOSGNACH, M., (*ESA*) A.41; PIRONKOV, A., (*ESA*) A.61
ISSERLES, S. A. *see* ROSENBERG, B., (*ESA*) A.115
IVAN, P. *see* ZORICA, J., (*ESA*) A.232
IWASAKI, H., IGARASHI, M., NAMIKI, A. and OMOTE, K. Differential neuromuscular effects of vecuronium on the adductor and abductor laryngeal muscles and tibialis anterior muscle in dogs 321–323

JACKSON, A. *see* BEARDS, S. C., (*C*) 499–500
JACKSON, M. *see* IP YAM, P. C. 21–24
JACOBS, C. J. G. M. *see* LEMMENS, H. J. M., (*ESA*) A.160
JAKOBSSON, J. and RANE, K. A comparison between ketorolac or diclofenac as an adjunct to anaesthesia for short outpatient procedures, (*ESA*) A.11
JAKOBSSON, J., RANE, K. and RYBERG, G. Premedication, a comparison between temazepam, ketobemidone, propranolol and placebo, (*ESA*) A.12
JAMALI, S., RAVUSSIN, P., BONNAFOUS, M., DAVID, P. and ECOFFEY, C. Effects of sufentanil and fentanyl on the cerebral haemodynamics after a noxious stimulus, (*ESA*) A.136
JAMALI, S., RAVUSSIN, P., GOUTAILLER, D., PARKER, F. and ECOFFEY, C. Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, (*ESA*) A.135
JAMALI, S. *see* TALIB, R., (*ESA*) A.48
JAMBOU, D. *see* JAMBOU, P., (*ESA*) A.163
JAMBOU, P., LEVRAUT, J., JAMBOU, D., GIUDICELLI, J., LAPALUS, Ph. and GRIMAUD, D. First-pass pulmonary uptake of theophylline in ventilated patients, (*ESA*) A.163
JAMES, M. F. M. Conscious levels during anaesthesia, (*C*) 496–497
JAMES, M. F. M. *see* BROSSY, M. J. 596–598
JANI, K. and TRUJILLO, M. Getting to grips with PCA—an evaluation of handgrip disability, (*ESA*) A.228
JANICKI, P. K. *see* BROSSY, M. J. 596–598
JANSEN, P. G. M. *see* OLTHOF, C. G., (*ESA*) A.64
JANSSON, E. *see* NYSTRÖM, E., (*ESA*) A.97; SHARMA, R., (*ESA*) A.34
JAYR, C. *see* FARHAT, F., (*ESA*) A.148
JAZIA, K. B. *see* BODIN, L., (*ESA*) A.221; LAURENT, P., (*ESA*) A.220
VON JESSEN, F. *see* ROSENBERG, J. 145–150
JEUDY, C. *see* MONRIGAL, J. P., (*ESA*) A.186; (*ESA*) A.187
JHAVERI, R. *see* BRUNNER, M. D. 42–46
JOHANSSON, G. *see* SVANSTRÖM, M., (*ESA*) A.200
JOHANSSON, S. *see* TUGRUL, M., (*ESA*) A.88
JONES, C. J. *see* LAURENT, S. C. 170–173
JONES, J. *see* SIRS, J. A., (*ARS*) 485P
JONES, J. M. *see* MOLODECKA, J. 174–176
JONES, R. D. M. *see* VISRAM, A. R. 388–392
JONES, R. M. *see* PARSONS, R. S. 430–438
DE JONG, D., HOOGERWERF, N., SCHEFFER, G.-J., DE LANGE, J. and SIPKEMA, P. Atracurium induced vasodilatation is not mediated by histamine in the isolated rabbit femoral artery, (*ESA*) A.85
JORIS, J., FREDERICK, I., DESAIVE, C. and LAMY, M. Effect of weight loss on pulmonary function in morbidly obese patients, (*ESA*) A.112
JORIS, J., SOTTIAUX, T., CHICHE, J. D., LUTEN, I. and LAMY, M. BI-level CPAP (BIPAP) reduces the postoperative restrictive pulmonary syndrome in obese patients after gastroplasty, (*ESA*) A.111
JORIS, J. *see* CHICHE, J. D., (*ESA*) A.37; (*ESA*) A.38; THIRY, E., (*ESA*) 231
JORM, C. M. *see* STAMFORD, J. A., (*ARS*) 481P
JØRN JENSEN, P. *see* KROGH, B. 55–57
JORROT, J. C., LIRZIN, J. D., GHIMOUZ, A., COSTE, J. and CONSEILLER, Ch. Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, (*ESA*) A.198
JOURDAN, J. *see* ISETTA, C., (*ESA*) A.75
JOZWIAK, H. *see* MORRISON, L. M. M. 164–169
JUELSGAARD, P., DALSGAARD, J., FELSBY, S. and FROEKJAER, J. Analgesia of two doses of intra-articular morphine in day-case arthroscopy, (*ESA*) A.230

KALAITZIDIS, A. *see* KANAKOUDES, F., (*ESA*) A.63
KALKMAN, C. J. *see* RADEMAKER, B. M. P. 263–266
KALLELA, H., HASSIO, J. and KORTTILA, K. Recovery from sevoflurane and isoflurane after outpatient gynaecological laparoscopy, (*ESA*) A.14

KANAKOUDES, F., PETROU, A., KALAITZIDIS, A., KONSTANTINIDOU, A. and MICHALOUDIS, D. G. QT interval after isoflurane or halothane administration during surgical procedures, (*ESA*) A.63
KANEDA, K. *see* SAITOH, Y. 688–690
KANEKO, M., SAITO, Y., KIRIHARA, Y. and KOSAKA, Y. Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat 657–661
KAPRAL, S., GOSCH, M., FLEISCHMANN, D., KONTRUS, M., KRAFFT, P. and WEINSTABL, C. Ultrasonographic guided stellatum ganglion blockade, (*ESA*) A.145
KAPRAL, S. *see* LANGENECKER, S., (*ESA*) A.143
KARAYAN, J. *see* DHOSTE, K., (*ESA*) A.32
KARLSTEN, R. Apnoea and CPAP for restoration of spontaneous respiration, (*C*) 367–368
KARLSTEN, R. *see* SAVVA, D., (*C*) 367–368
KARP, K. *see* HOHNER, P., (*ESA*) A.3
KATZ, J. and STEWARD, D. J., (editors) *Anesthesia and Uncommon Pediatric Diseases*, 2nd Edn, (*R*) 372
KATZ, Y. *see* ROSENBERG, B., (*ESA*) A.115
KAUFMAN, L., (editor) *Anaesthesia: Review 10*, (*R*) 736
KEEGAN, M. *see* POLLARD, B. J. 559–566
KEHLET, H. Postoperative pain relief—what is the issue? (*E*) 375–378
KEHLET, H. *see* PEDERSEN, J. L. 379–382; ROSENBERG, J. 145–150
KETTLER, D. *see* CROZIER, T. A. 280–285
KHAN, L. *see* RIDINGS, P. 592–593
KIEFFER, E. *see* BERTRAND, M., (*ESA*) A.9
KIERKEGAARD, O. *see* NIKOLAJSEN, L. 295–297
KIKURA, M. and IKEDA, K. Effects of isoflurane–nitrous oxide and halothane–nitrous oxide anaesthesia on myocardial contractility assessed by transoesophageal echocardiography 315–320
KINGMA, R., SCHEFFER, G.-J., TEN VOORDE, B., WESSELING, K. and DE LANGE, J. Spectral analysis of the effects of ketanserin on beat-to-beat cardiovascular parameters in humans, (*ESA*) A.60
KIRIHARA, Y. *see* KANEKO, M. 657–661
KIRTON, C. *see* INNES, P. A. 77–81
KIRVELÄ, M., SCHEININ, M. and LINDGREN, L. Haemodynamic and catecholamine responses to induction of anaesthesia in diabetic and non-diabetic uraemic patients, (*ESA*) A.120
KIRVELÄ, M., YLI-HANKALA, A. and LINDGREN, L. QTc dispersion in diabetic and non-diabetic patients with uraemia, (*ESA*) A.121
KJELLGREN, P. *see* SJÖBERG, F., (*C*) 250–251
KLASING, S. *see* SCHWENDER, D. 307–314
KLEIN, E. *see* BERKENSTADT, H., (*ESA*) A.79
KLEIN, S. *see* LIPPMANN, M. 707–709
KLIMSCHA, W. *see* CHIARI, A., (*ESA*) A.240
KLINGSTEDT, C. *see* GIESECKE, K. 697–699
KLOCKE, R. K. *see* CASTOR, G. 133–138
KLOPFENSTEIN, C. E., BERNSTEIN, M., VAN GESSEL, E. and FORSTER, A. Preoperative checking of the anaesthetic machine. A survey in a university department of anaesthesiology, (*ESA*) A.20
KLOPFENSTEIN, C. E., HERRMANN, F., BOURDILLOUD, R. and FORSTER, A. Influence of aging of the population on the workload of an anaesthesia service, (*ESA*) A.1
KLOPFENSTEIN, C. E., SCHWIEGER, I., MOREL, D. R. and FORSTER, A. Anaesthetic preoperative assessment in outpatient clinic. A survey of the opinion of anaesthetists, surgeons and hospital directors in Switzerland, (*ESA*) A.13
KLOSSEK, J. M. *see* LE PELLEY, E., (*ESA*) A.164
KNIGHTS, D. T., SMITH, I. D. and BOGOD, D. Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, (*ESA*) A.203
KNIGHTS, D. T. *see* BAXENDALE, B. R., (*ESA*) A.171
KNOWLES, M., DESBOROUGH, J. P. and HALL, G. M. The effect of isoflurane anaesthesia on glucose tolerance in surgical patients, (*ESA*) A.126
KOCHEN, W. *see* BÖHRER, H., (*ESA*) A.217
KOCHI, A. *see* INABA, H. 348–350
KÖCHLING, A. *see* WAPPLER, F. 240–242
KOHLMÜLLER, D. *see* BÖHRER, H., (*ESA*) A.217
KOLHORST, V. *see* KULKA, P. J., (*ESA*) A.156
KONG, R. S. and WOOD, P. R. Sinus bradycardia associated with traumatic haemothorax 358–360
KONSTANTINIDOU, A. *see* KANAKOUDES, F., (*ESA*) A.63
KONTRUS, M. *see* KAPRAL, S., (*ESA*) A.145
KORINEK, A. M. *see* PUYBASSET, L., (*ESA*) A.107; ROUBY, J. J., (*ESA*) A.102
KORTTILA, K. *see* KALLELA, H., (*ESA*) A.14
KOSAKA, Y. *see* KANEKO, M. 657–661
KOSTUCKI, W. M. *see* LAFONT, N. D., (*ESA*) A.23
KRAFFT, P. *see* KAPRAL, S., (*ESA*) A.145; PERNERSTORFER, T., (*ESA*) A.51
KRAIMPS, J. L. *see* LACOSTE, L., (*ESA*) A.229
KREIENMEYER, J. *see* GRUNDMANN, U., (*ESA*) A.170; ZIEHMER, M., (*ESA*) A.168
KRENN, C. *see* PERNERSTORFER, T., (*ESA*) A.51
KRINGS-ERNST, I. *see* RADBRUCH, L., (*ESA*) A.144
KRIVOSIC, I. *see* ADNET, P. J. 93–97
KRIVOSIC-HORBER, R. *see* ADNET, P. J., (*ESA*) A.125; AUSSEUR, A., (*ESA*) A.206; CANEVET, C., (*ESA*) A.193; DUCLOY, A. S., (*ESA*) A.194; DUCLOY, J. C., (*ESA*) A.16
KRIVOSIC-HORBER, R. M. *see* ADNET, P. J. 93–97
KROGH, B., JØRN JENSEN, P., HENNEBERG, S. W., HOLE, P. and KRONBORG, O. Nitrous oxide does not influence operating conditions or postoperative course in colonic surgery 55–57
KRONBORG, O. *see* KROGH, B. 55–57
KUHLMAN, G. *see* FARHAT, F., (*ESA*) A.148
KULKA, P. J., TRYBA, M., LAKMANN, B., LEURS, F. and RINGELER, U. Dose-response effects on stress reactions of intravenous clonidine in CABG patients, (*ESA*) A.52
KULKA, P. J., TRYBA, M., LANG, C., KOLHORST, V. and VOGT, V. Sedative and anxiolytic interactions of clonidine and benzodiazepines, (*ESA*) A.156
KULKA, P. J. *see* TRYBA, M., (*ESA*) A.157
KUO, T. B. J. *see* LEE, T.-Y. 328–334

LACHATRE, G. *see* NATHAN, N., (*ESA*) A.140
LACOSTE, L., KRAIMPS, J. L., NOUZILLE, A., THOMAS, D. and FUSCIARDI, J. Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? (*ESA*) A.229
LACOSTE, L. *see* DHOSTE, K., (*ESA*) A.32
LAFONT, N. D., KOSTUCKI, W. M. and BOOGAERTS, J. G. Embolism detected by TEE during cemented total hip arthroplasty, (*ESA*) A.23
LAFONT, N. D. *see* BOOGAERTS, J. G., (*ESA*) A.142
LAKMANN, B. *see* KULKA, P. J., (*ESA*) A.52
LAMBERT, D. G. *see* APPADU, B. L. 86–88; ATCHESON, R. 98–103; OGILVY, A. J., (*ARS*) 491P
LAMY, M. *see* CHICHE, J. D., (*ESA*) A.37; (*ESA*) A.38; JORIS, J., (*ESA*) A.111; (*ESA*) A.112
LANG, C. *see* KULKA, P. J., (*ESA*) A.156
DE LANGE, J. *see* DE JONG, D., (*ESA*) A.85; KINGMA, R., (*ESA*) A.60
DE LANGE, J. J. *see* BOEKE, A. J. 654–656; CORSTEN, S. A., (*ESA*) A.26; NAUTA, S. H. M., (*ESA*) A.73; OLTHOF, C. G., (*ESA*) A.64
LANGEMEIJER, J. J. M. *see* BOEKE, A. J. 654–656
LANGENECKER, S., KAPRAL, S., TASLIMI, R., SAUBERER, A., CHIARI, A. and WEINSTABL, C. Spinal clonidine prolongs onset of motor blockade of bupivacaine, (*ESA*) A.143
LANGERMAN, L., GOLOMB, E., GRANT, G. J. and BENITA, S. Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic 456–459
LANQUETOT, H. *see* PUJOL, A., (*ESA*) A.70
LAPALUS, Ph. *see* JAMBOU, P., (*ESA*) A.163
LARANJEIRA, L., PEREIRA, J. S., SANTOS, H. G., VIANA, I. and LOPES, A. P. Propofol infusion for maintenance of anaesthesia: cardiovascular repercussions and costs, (*ESA*) A.58
DE LARMINAT, J. M. *see* GENTIL, B., (*C*) 368
LARSEN, K. M. *see* NIKOLAJSEN, L. 295–297
LARSEN, R. *see* ALTMAYER, P., (*ESA*) A.167; GRUNDMANN, U., (*ESA*) A.170; ZIEHMER, M., (*ESA*) A.168
LASCAULT, G. *see* GALLAIS, Y., (*ESA*) A.57
LASHERAS, A., CARRERA, J., CARASSITI, M., MONEDERO, P. and ARROYO, J. L. Effects of chronic administration of diazepam on the septum and amygdaloid areas of rat, (*ESA*) A.134
LATIMER, R. D. *see* PICKETT, J. A. 683–685; SNOW, D. J. 185–189
LAURENT, P., BODIN, L., JAZIA, K. B., DAGHFOUS, M., ROUBY, J. J., CAMBAU, E., ZOUAOUI, A. and VIARS, P. Effect of posture on radiologic sinusitis in critically ill patients, (*ESA*) A.220
LAURENT, P. *see* BODIN, L., (*ESA*) A.221
LAURENT, S. C., NOLAN, J. P., POZO, J. L. and JONES, C. J. Addition of morphine to intra-articular bupivacaine does not improve analgesia after day-case arthroscopy 170–173
LAVAND'HOMME, P., MASSON, A. and BAELE, Ph. Iatrogenic non-surgical blood losses in adult cardiac surgical patients, (*ESA*) A.8
LAVENEZIANA, D. *see* BONAZZI, M., (*ESA*) A.146
LEBRAULT, C. *see* DUPONT, X., (*ESA*) A.238; MENIGAUX, C., (*ESA*) A.239
LE BRUN, F. *see* LE PELLEY, E., (*ESA*) A.91
LECHLEITNER, P. *see* SCHINNERL, A. A., (*ESA*) A.226
LECLERCQ, B. and SCULIER, J. P., (editors) *Collection D'Anesthésiologie et de Réanimation, volume 37: Réanimation en Cancérologie*, (*R*) 737

LECOMPTE, Th. *see* SAMAMA, ChM., (*ESA*) A.214
LEE, C. *see* LIPPMANN, M. 707–709
LEE, J. J. and RUBIN, A. P. Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children 258–262
LEE, T.-Y., FU, M.-J., KUO, T. B. J., LUI, P.-W. and CHAN, S. H. H. Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat 328–334
LEE, T. Y. *see* TSAI, S. K. 674–678
LEGROS, F. *see* BENHAMOU, D., (*ESA*) A.141
LEGROS, F. J. *see* BOOGAERTS, J. G., (*ESA*) A.142
LEHMANN, K. A. *see* RADBRUCH, L., (*ESA*) A.242
LEHUEDÉ, M. S. *see* DHOSTE, K., (*ESA*) A.32
LEJEUNE, Ph. *see* ZAOUK, G., (*ESA*) A.22
LEJUS, C., ROUSSIÈRE, G., TESTA, S., GANANSIA, M. F., MEIGNIER, M. and SOURON, R. Postoperative extradural analgesia in children: comparison of morphine with fentanyl 156–159
LEMMENS, H. J. M., JACOBS, C. J. G. M., BOVILL, J. G. and BURM, A. G. L. No acute tolerance to alfentanil during anaesthesia, (*ESA*) A.160
LENSI, C. *see* BONAZZI, M., (*ESA*) A.146
LENZEN, C. *see* WAPPLER, F. 240–242
LEPAGE, J.-Y., PINAUD, M., HÉLIAS, J., MALINOVSKY, J.-M., COZIAN, A., PETITET, A. and SOURON, R. Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography 638–642
LE PELLEY, E., DALIBON, N., URVOAS, E., DUBOUSSET, A.-M. and ECOFFEY, C. After transsacral epidural, where does the catheter go? (*ESA*) A.182
LE PELLEY, E., FERRAND, E., KLOSSEK, J. M., BOUQUET, S. and FUSCIARDI, J. Kinetics of intranasal cocaine for topical anaesthesia in nasal surgery, (*ESA*) A.164
LE PELLEY, E., LE BRUN, F., CHATAIGNEAU, T., RICHER, J.-P., TRICOCHE, R. and FUSCIARDI, J. Effects of hypothermia and captopril on arterial contraction, (*ESA*) A.91
LE ROLLE, T. *see* MONRIGAL, J. P., (*ESA*) A.187
LEUNG, D. H. Y. *see* AUN, C. S. T. 554–558
LEURS, F. *see* KULKA, P. J., (*ESA*) A.52
LEVARLET, M. *see* BARDOCZKY, G. I., (*ESA*) A.169
LEVINSON, G. *see* SHNIDER, S., (*R*) 253
LEVITT, M. J. and WOODS, L. A. Alfentanil and propofol for difficult tracheal intubation, (*C*) 497–498
LEVRAUT, J. *see* JAMBOU, P., (*ESA*) A.163
LEVRON, J. C. *see* AUSSEUR, A., (*ESA*) A.206
LEWIS, I. H. *see* MUNRO, H. M. 624–628
LHERM, T., TROCHÉ, G., GHARSALLAH, N., ZAZZO, J.-F. and BENHAMOU, D. Renal effects of low dose dopamine infusion in patients with sepsis syndrome, (*ESA*) A.211
LHERM, T., TROCHÉ, G., PASSARD, A., ZAZZO, J.-F. and BENHAMOU, D. Renal effects of low dose dopamine in patients with septic shock treated with norepinephrine, (*ESA*) A.212
LIBAN, J. B. *see* MCHALE, S. P. 195–197; (*C*) 732
LIEBERMAN, N. *see* BERKENSTADT, H., (*ESA*) A.79
LIENHART, A. *see* DERIAZ, H., (*ESA*) A.42; GENTIL, B., (*C*) 368
LIEW, F. Y. *see* O'DONNELL, N. G., (*ARS*) 492P
LIN, C.-Y. Nitrous oxide elimination, (*C*) 729–730
LINDAHL, S. G. E. *see* REHDER, K., (*ESA*) A.98
LINDGREN, L. *see* KIRVELÄ, M., (*ESA*) A.120; (*ESA*) A.121
LINDH, A. *see* LUNDIN, S., (*ESA*) A.106
LINDNER, K. H. *see* HÄHNEL, J. H., (*ESA*) A.67
LIPPMANN, M., FORD, M., LEE, C., GINSBURG, R., FORAN, W., RAUM, W. and KLEIN, S. Use of desflurane during resection of phaeochromocytoma 707–709
LIPPMANN, M. *see* GINSBERG, R., (*C*) 370–371
LIRZIN, J. D. *see* JORROT, J. C., (*ESA*) A.198
LITTLEJOHN, I. *see* SAMRA, G., (*ARS*) 488P
LIU, L. *see* CATOIRE, P., (*ESA*) A.27
LIU, N. *see* CATOIRE, P., (*ESA*) A.208
LJUNGQVIST, O. *see* GIESECKE, K. 697–699
LLORENS, R. *see* PÉREZ-REINER, R., (*ESA*) A.69
LOCKIE, J. *see* INNES, P. A. 77–81
LODGE, J. P. A. *see* WEBSTER, N. R. 418–421
LOFASO, F. *see* BEYDON, L., (*ESA*) A.113
LOMBARDO, M. *see* WIKINSKI, S. 694–696
LÖNNQUIST, P. A. *see* RICHARDSON, J., (*C*) 250
LÖNNQVIST, P. A., BERGENDAHL, H. T. G. and EKSBORG, S. Pharmacokinetics of clonidine after rectal administration in children, (*ESA*) A.176
LÖNNQVIST, P. A., WINBERG, P., LUNDELL, B. P. W. and OLSSON, G. L. Inhaled nitric oxide in children—initial experience, (*ESA*) A.188
LOPES, A. P. *see* LARANJEIRA, L., (*ESA*) A.58
LÓPEZ-OLAONDO, L., MONEDERO, P., DE LOS RÍOS, J., IRIBARREN, M. J., HIDALGO, F. and SÁEZ, A. Anaesthetic implications of transjugular intrahepatic portosystemic shunt in orthotopic liver transplantation, (*ESA*) A.116
LORA, L. *see* PICCINNI, P., (*ESA*) A.77
LOUFOUA, J. *see* FREYSZ, M., (*ESA*) A.93
LOUGHNAN, B. A., MCHALE, S. P., WELSH, K. R. and HALL, G. M. Etidocaine and extradural somatosensory evoked potentials after posterior tibial nerve stimulation 620–623
LOUGHNAN, B. L. *see* MATSON, A. M., (*ESA*) A.124
LOWRY, J. P. *see* DARLING, J. R., (*ARS*) 482P
LÜBBESMEYER, H. J. *see* MÖLLMANN, M., (*ESA*) A.202
LUCIO, J. *see* STEVENS, R., (*ARS*) 482–483P
LUGRIN, D., RAUCOULES, M., MILED, M. B. and GRIMAUD, D. Catecholamines profile during anaesthesia in diabetic patients with autonomic neuropathy, (*ESA*) A.119
LUGRIN, D. *see* RAUCOULES, M., (*ESA*) A.122
LUI, P.-W. *see* LEE, T.-Y. 328–334
LUNA, S. P. L., TAYLOR, P. M. and BLOOMFIELD, M. I.v. *vs* halothane anaesthesia in ponies: hormonal changes in the CSF, pituitary effluent and peripheral blood, (*ARS*) 480P
LUNDBERG, D. B. A. *see* MUELLER, R. A., (*R*) 141
LUNDELL, B. P. W. *see* LÖNNQVIST, P. A., (*ESA*) A.188
LUNDIN, S., WESTFELT, U., STENQVIST, O., BLOMQVIST, H., LINDH, A., BERGGREN, L. and FROSTELL, C. G. Dose-response of nitric oxide inhalation in early acute lung injury, (*ESA*) A.106
LUTEN, I. *see* JORIS, J., (*ESA*) A.111
LYDIC, R. and BIEBUYCK, J. F. Sleep neurobiology: relevance for mechanistic studies of anaesthesia, (*E*) 506–508
LYNCH, J. *see* RADBRUCH, L., (*ESA*) A.144
LYTTKENS, K. *see* ALGOTSSON, L., (*ESA*) A.80

MCBRIEN, M. E. and SELLERS, W. F. S. Comparison of arterial blood-gas tensions achieved using three variable performance devices for postoperative oxygen therapy, (*ARS*) 489–490P
MCCARROLL, M. *see* CHAMBERS, F. A., (*C*) 734
MCCLURE, J. H. *see* MORRISON, L. M. M. 164–169; NOBLE, D. W., (*C*) 251
MCCOY, D., QURESHI, A., FARRELL, M. and DWYER, R. Propofol and oxpentifylline during spinal cord ischaemia in dogs, (*ARS*) 484P
MCCOY, E. P. *see* MADDINENI, V. R., (*C*) 497
MCCRIRRICK, A., EVANS, G. H. and THOMAS, T. A. Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations 122–124; Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, (*e*) 371
MCCRIRRICK, A. and MONK, C. R. Comparison of i.v. and intra-tracheal administration of adrenaline 529–532; Intravenous and tracheal adrenaline compared: implications for advanced cardiac life support, (*ESA*) A.225
MCDANIEL, K. *see* ROSENBERG, P. H., (*ESA*) A.233
MACDONALD, A. G. A short history of fires and explosions caused by anaesthetic agents 710–722
MACDONALD, R. Extradural clonidine—the need for well designed controlled trials, (*E*) 255–257
MCEWAN, A. I. *see* BRUNNER, M. D. 42–46
MCGINNES, J. *see* FARRINGTON, M. 415–417
MCGRADY, E. *see* CLARK, V. 221–223
MCHALE, S. P., BRYDON, C. W., WOOD, M. L. B. and LIBAN, J. B. A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates 195–197
MCHALE, S. P., LIBAN, J. B., BRYDON, C. W. and WOOD, M. L. D. A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, (*C*) 732
MCHALE, S. P. *see* LOUGHNAN, B. A. 620–623
MACKENZIE, R. and ASBURY, A. J. Clinical evaluation of liquid crystal skin thermometers 246–249
MCKEOWN, D. W. *see* MORRISON, L. M. M. 164–169
MACKIE, D. Displaying data, (*C*) 500
MCLEOD, G. *see* CLARK, V. 221–223
MACLEOD, K. G. A. *see* PARSONS, R. S. 430–438
MCNICOL, L. R. *see* DOYLE, E. 72–76; 533–536
MCNICOL, R. Postoperative analgesia in children using continuous s.c. morphine, (*e*) 253
MCQUILLAN, P. J. *see* BECK, D. H. 243–245
MACSULLIVAN, R. *see* CHAMBERS, F. A., (*C*) 734
MADDINENI, V. R., MIRAKHUR, R. K. and MCCOY, E. P. Plasma cholinesterase activity in elderly and young adults, (*C*) 497
MADDINENI, V. R. *see* GANTA, R. 229–230
MADLER, C. *see* SCHWENDER, D. 307–314
MAGOTTEAUX, V. *see* BRICHANT, J. F., (*ESA*) A.149
MAHAJAN, R. P. and AITKENHEAD, A. R. Effect of vecuronium priming on lung volumes and oxygen saturation in mildly obese patients, (*ESA*) A.110
MAHAJAN, R. P., SINGH, P., MURTY, G. E. and AITKENHEAD, A. R. Relationship between expired lung volume, peak flow

rate and peak velocity time during a voluntary cough manoeuvre 298–301
MAHAJAN, R. P. *see* BAXENDALE, B. R. 291–294
MAHMOOD, N. *see* PICKETT, J. A. 683–685
MAINTENANT, J., FLÉRON, M. H., BUY, E., ZUBICKI, A., CORIAT, P. and VIARS, P. Myocardial revascularization before carotid surgery, (*ESA*) A.7
MALASSINE, P. *see* DUPONT, X., (*ESA*) A.238
MALINOVSKY, J.-M. *see* BENHAMOU, D., (*ESA*) A.141; LEPAGE, J.-Y. 638–642
MALINS, A. F., FIELD, J. M., NESLING, P. M. and COOPER, G. M. Nausea and vomiting after gynaecological laparoscopy: comparison of premedication with oral ondansetron, metoclopramide and placebo 231–233
MALLEDANT, Y. *see* DERAMOUDT, V., (*ESA*) A.59
MANELLI, J. C. *see* SAMSON, D., (*ESA*) A.47
MANSOOR, O., BAZIN, J. E., PEZET, D., WALLECK, P. and MONTEILLARD, C. Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, (*ESA*) A.92
MANTZ, J., DELUMEAU, J. C., CORDIER, J. and PETITET, F. Differential effects of propofol and ketamine on cytosolic calcium concentrations of astrocytes in primary culture 351–353
MANTZ, J. *see* FASSOULAKI, A. 127–128
MARESCA, M. *see* GOLLO, E., (*ESA*) A.191
MARKHAM, D. E. *see* ANDERTON, J. M. 605–607
MAROTA, J. J. A. *see* GOTO, T. 662–667
MARSCH, S. C. U., SKARVAN, K., SCHAEFER, H.-G., NAEGELI, B., PAGANONI, R., CASTELLI, I. and SCHEIDEGGER, D. Prolonged decrease in heart rate variability after elective hip arthroplasty 643–649
MARSHALL, C. *see* DOYLE, E. 160–163
MARSHALL, R. W. *see* WHITEHEAD, C., (*ESA*) A.172
MARTIN, C., PÉAN, Y. and WYSOCKI, M. Culture results of 702 protected specimen brushes obtained in 688 ventilated patients with suspected nosocomial pneumonia, (*ESA*) A.222
MARTIN, E. *see* BACH, A., (*ESA*) A.223; BÖHRER, H., (*ESA*) A.217; BÖTTIGER, B. W., (*ESA*) A.65; POLARZ, H., (*ESA*) A.152; WANDEL, Ch., (*ESA*) A.15
MARTIN, P. G. *see* GUPTA, N. K., (*C*) 139
MARTIN, P. H., CARVER, N. and PETROS, A. J. Use of liposuction and saline washout for the treatment of extensive subcutaneous extravasation of corrosive drugs 702–704
MARTINES, D. *see* PICCINNI, P., (*ESA*) A.77
MARTLEW, R. *see* HARPER, N. J. N. 411–414
MARTLEW, R. A. *see* HARPER, N. J. N., (*ARS*) 493P
MARTNER, B. *see* SEEMAN-LODDING, H., (*ESA*) A.81
MARX, M. *see* BENHAMOU, D. 537–540
MASSON, A. *see* LAVAND'HOMME, P., (*ESA*) A.8
MASSONNET-CASTEL, S. *see* BARON, J. F., (*ESA*) A.45; BERGAOUI, F., (*ESA*) A.10
MATEO, J., CHOLLEY, B., TEISSEIRE, B. and PAYEN, D. LPS adsorption reverses *in vitro* and *in vivo* vascular depression during septic shock in rabbit, (*ESA*) A.216
MATEO, J. *see* PAYEN, D., (*ESA*) A.213
MATSON, A. M., LOUGHNAN, B. L., SHAW, M. and HALL, G. M. Hormonal responses to hypotensive anaesthesia, (*ESA*) A.124
MATTA, M. *see* BARAKA, A. 227–228
MATTHEWS, I. *see* FARRINGTON, M. 415–417
MAZAT, J.-P. *see* SZTARK, F., (*ESA*) A.138
MAZO, V. *see* ROCA, G., (*ESA*) A.243
MEAKIN, G. *see* BARRIE, J., (*ARS*) 490–491P
MEAKIN, G. H. *see* WAREHAM, A. C. 205–209
MEDAHOUI, H. *see* ADNET, P. J. 93–97
MEDINA, J. H. *see* WIKINSKI, S. 694–696
MEIGNIER, M. *see* LEJUS, C. 156–159
MENEGHETTI, L. *see* PICCINNI, P., (*ESA*) A.77
MENIGAUX, C., DUPONT, X., ALFONSI, P., ESTÈVE, M., LEBRAULT, C. and CHAUVIN, M. Effects of metoclopramide on a nociceptive flexion reflex in humans, (*ESA*) A.239
MENIGAUX, C. *see* DUPONT, X., (*ESA*) A.238
MENTH, W. *see* CHIARI, A., (*ESA*) A.240
MENU, H. *see* REYFORD, H. 700–701
MÉRAY, J., HORVÁTH, G., ROSZIK, M., SZIKSZAY, M. and BENEDEK, G. Attenuation of haemodynamic responses to tracheal intubation with clonidine and nifedipine, (*ESA*) A.53
MERETOJA, O. A., TAIVAINEN, T., BRANDOM, B. W. and WIRTAVUORI, K. Frequency of a train-of-four ulnar nerve stimulation influences neuromuscular response, (*ESA*) A.150; Frequency of train-of-four stimulation influences neuromuscular response 686–687
MERETOJA, O. A. *see* TAIVAINEN, T., (*ESA*) A.177
MESSETER, K. *see* REINSTRUP, P. 581–586
METZ, C. *see* BEIN, T., (*ESA*) A.5
MEULDERS, A. F. *see* BRICHANT, J. F., (*ESA*) A.147
MEUSER, T. *see* RADBRUCH, L., (*ESA*) A.242
MEYERSON, L. J. *see* DIEMUNSCH, P., (*ESA*) A.159
MICHALOUDIS, D. G. *see* KANAKOUDES, F., (*ESA*) A.63
MILANO, G. *see* STÉPHAN, F., (*ESA*) A.219
MILATOVIC, S. *see* HORN, J. L., (*ESA*) A.130
MILED, M. B. *see* LUGRIN, D., (*ESA*) A.119
MILLAR, K. Therapeutic suggestions during general anaesthesia, (*C*) 730–731
MILLER, D. C. *see* STEYN, M. P. 403–406
MILLIGAN, K. *see* O'HANLON, J., (*ESA*) A.237
MINTO, C. *see* BILLARD, V., (*ESA*) A.40
MION, G., SOUKTANI, R., OUARDANI, F., MOUREN, S., BARON, J. F., DREUX, S. and VIARS, P. Involvement of Na-Ca exchanger in the positive inotropic effect of hypertonic saline. *In vitro* study in a blood-perfused isolated heart preparation, (*ESA*) A.83
MIRAKHUR, R. K. *see* MADDINENI, V. R., (*C*) 497
MISRA, U., PRIDIE, A. K., BOWER, S., STAFFORD, M. A. and HALSHAW, J. Arterial and peripheral venous concentrations of bupivacaine following combined sciatic and femoral 3-in-1 blocks, (*ESA*) A.139
MOCHIZUKI, T. *see* SHIRAISHI, Y. 439–442
MØINICHE, S. *see* PEDERSEN, J. L. 379–382
MOLINS, N. *see* PENSADO, A., (*C*) 371
MØLLER, E. A. *see* BÖTTCHER, M. 633–637
MÖLLMANN, M., LÜBBESMEYER, H. J., HOLST, D., FANARD, L. and VAN STEENBERGE, A. Sequential spinal-epidural block for elective Caesarean section. Efficacy of subarachnoidal sufentanil, (*ESA*) A.202
MOLODECKA, J., STENHOUSE, C., JONES, J. M. and TOMLINSON, A. Comparison of percutaneous anaesthesia for venous cannulation after topical application of either amethocaine or EMLA cream 174–176
MONEDERO, P., DE LOS RÍOS, J., CARRASCOSA, F., GARCÍA-PEDRAJAS, F. and PANADERO, A. Effects of prostaglandin E_1 in orthotopic liver transplantation, (*ESA*) A.117
MONEDERO, P. *see* LASHERAS, A., (*ESA*) A.134; LÓPEZ-OLAONDO, L., (*ESA*) A.116; PÉREZ-REINER, R., (*ESA*) A.69
MONIN, S. *see* FLETCHER, D., (*ESA*) A.235
MONK, C. R. *see* MCCRIRRICK, A., (*ESA*) A.225; 529–532
MONNIER, J. C. *see* DUCLOY, A. S., (*ESA*) A.194
MONRIGAL, J. P., GRANRY, J. C., JEUDY, C., LE ROLLE, T. and DELHUMEAU, A. Interest of heat and moisture exchanger during short operations in young children, (*ESA*) A.187
MONRIGAL, J. P., GRANRY, J. C., JEUDY, C., ROD, B. and DELHUMEAU, A. Difficult intubation in children: use of fibreoptic bronchoscope, (*ESA*) A.186
MONS, P. *see* WYSS, E., (*ESA*) A.201
MONTEILLARD, C. *see* MANSOOR, O., (*ESA*) A.92
MOON, J. R. A. Expiratory obstruction in co-axial breathing system, (*C*) 734
MOONEN, G. *see* HANS, P., (*ESA*) A.129
MOORE, C. M., DESBOROUGH, J. P., POWELL, H., BURRIN, J. M. and HALL, G. M. Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery 272–279
MOORE, M. A. *see* WEISKOPF, R. B. 474–479
MOORS, A. H. *see* PICKETT, J. A. 683–685
MOREL, D. R. *see* KLOPFENSTEIN, C. E., (*ESA*) A.13
MORGAN, B. *see* SHENNAN, A. H., (*ESA*) A.199
MORGAN, B. M. *see* HOLDER, K. J., (*C*) 728
MORITA, T., TSUKAGOSHI, H., SUGAYA, T., YOSHIKAWA, D. and FUJITA, T. The effects of sevoflurane are similar to those of isoflurane on the neuromuscular block produced by vecuronium 465–467
MORRIS, S. *see* HARRISON, C. A. 691–693
MORRISON, L. M. *see* NOBLE, D. W., (*C*) 251
MORRISON, L. M. M., EMANUELSSON, B. M., MCCLURE, J. H., POLLOK, A. J., MCKEOWN, D. W., BROCKWAY, M., JOZWIAK, H. and WILDSMITH, J. A. W. Efficacy and kinetics of extradural ropivacaine: comparison with bupivacaine 164–169
MORTON, N. S. *see* DOYLE, E. 72–76; 160–163; 533–536; STEYN, M. P. 403–406
MORTON, R. H. *see* WAREHAM, A. C. 205–209
MOSCOVICI, R. *see* PREGO, M., (*ESA*) A.185
MOTSCH, J. *see* BACH, A., (*ESA*) A.223; BÖHRER, H., (*ESA*) A.217; BÖTTIGER, B. W., (*ESA*) A.28; WANDEL, Ch., (*ESA*) A.15
MOTTART, K. J. *see* DOYLE, E. 160–163
MOUREN, S. *see* BERTRAND, M., (*ESA*) A.2; (*ESA*) A.9; GOSGNACH, M., (*ESA*) A.41; MION, G., (*ESA*) A.83
MOURES, J.-M. *see* BARDOCZKY, G. 25–28
MOURES, J. M. *see* BARDOCZKY, G., (*ESA*) A.101; DEBAY, P., (*ESA*) A.100
MOURGEON, E., PUYBASSET, L., BODIN, L., ROUBY, J. J. and VIARS, P. Effects of inhaled nitric oxide (NO) on respiratory resistance in patients with ARDS, (*ESA*) A.104
MOURGEON, E., PUYBASSET, L., RENAUDIN, M. H., RAVAULT, C.,

BODIN, L., ROUBY, J. J. and VIARS, P. Distribution of NO concentrations during 2 methods of NO inhalation, (*ESA*) A.18

MOURGEON, E., PUYBASSET, L., ROUBY, J. J., DREUX, S., POETE, P. and VIARS, P. Comparative effects of inhaled NO in ZEEP and PEEP conditions in patients with ARDS, (*ESA*) A.103

MOURGEON, E. *see* PUYBASSET, L., (*ESA*) A.105; (*ESA*) A.107; (*ESA*) A.108; (*ESA*) A.109; ROUBY, J. J., (*ESA*) A.102

MUELLER, R. A. and LUNDBERG, D. B. A. *Manual of Drug Interactions for Anaesthesiology*, 2nd Edn, (*R*) 141

MÜLLER, J. E. *see* CROZIER, T. A. 280–285

MULLER, J. P. *see* BRICHANT, J. F., (*ESA*) A.149

MUNGLANI, R. *see* ANDRADE, J., (*C*) 730

MUNRO, H. M., RIEGGER, L. Q., REYNOLDS, P. I., WILTON, N. C. T. and LEWIS, I. H. Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery 624–628

MURAT, I. *see* DUBOIS, M. C., (*ESA*) A.189; PIAT, V., (*ESA*) A.178

MURPHY, D. F. Interpleural analgesia, (*C*) 250

MURRAY, J. M., PHILLIPS, A. S. and FEE, J. P. H. Comparison of the effects of isoflurane and propofol on hepatic glutathione-S-transferase concentrations during and after prolonged anaesthesia 599–601

MURRAY, J. M. *see* DARLING, J. R., (*ARS*) 482P

MURTHY, B. V. S *see* WRIGHT, D. G., (*ESA*) A.197

MURTY, G. E. *see* MAHAJAN, R. P. 298–301

MUSHAMBI, M. C., BAILEY, S. M., TROTTER, T. N., CHADD, G. D. and ROWBOTHAM, D. J. Effect of alcohol on gastric emptying in volunteers, (*e*) 253

MYINT, Y., PEACOCK, J. E. and REILLY, C. S. Induction of anaesthesia in the elderly using eltanolone, (*ARS*) 492–493P

MYLES, P. S. *see* BERRY, C. B. 116–118

MYRE, K., SMITH, G., BUANES, T. and STOKLAND, O. Haemodynamic changes during laparoscopy, (*ESA*) A.33

NADER, A. *see* BARAKA, A. 227–228

NAEGELI, B. *see* MARSCH, S. C. U. 643–649

NAGUIB, M. Prostaglandin inhibitors and suxamethonium-induced myalgia, (*C*) 139

NAGYOVA, B., DORRINGTON, K. L. and ROBBINS, P. A. Effect of low-dose enflurane on the ventilatory response to hypoxia in humans 509–514

NAMIKI, A. *see* IWASAKI, H. 321–323

NARCHI, P. *see* BENHAMOU, D. 537–540

NATHAN, A. W. *see* TIMMINS, A. C. 523–528

NATHAN, N., RHAIEM, M. B., DEBORD, J., LACHATRE, G. and FEISS, P. Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, (*ESA*) A.140

NATRAJAN, K. M. *see* REGRAGUI, I. A. 705–706

NAUTA, S. H. M., SCHEFFER, G. J., VAHL, A. C., DE LANGE, J. J. and RAUWERDA, J. A. Endoluminal pulse oximetry, a new method for continuous monitoring of perfusion of the gut, (*ESA*) A.73

NAVÉ, S. *see* DIEMUNSCH, P., (*ESA*) A.159

NEFF, S. *see* WANDEL, Ch., (*ESA*) A.15

NESLING, P. M. *see* MALINS, A. F. 231–233

NEUVONEN, P. J. *see* HYNYNEN, M. 571–576

NEVES, S. *see* VIANA, J. S., (*ESA*) A.127

NEWMAN, P. J., QUINN, A. C., HALL, G. M. and GROUNDS, R. M. Plasma inorganic fluoride ion levels following sevoflurane anaesthesia, (*ESA*) A.166

NEWMAN, P. J. *see* QUINN, A. C., (*ESA*) A.17

NG WING TIN, L., ELALAOUI, M. Y. and AKULA, E. Arterial spasm after administration of diazepam, (*C*) 139

NGUYEN, G. *see* DERAMOUDT, V., (*ESA*) A.59

N'GUYEN, L. *see* BERTRAND, M., (*ESA*) A.2

NICHOLSON, G., O'LEARY, E., CUNNINGHAM, A. J. and DWYER, R. Prevention of postoperative nausea and vomiting by ondansetron, (*ARS*) 489P

NICOSIA, F. *see* ZAPPI, L., (*ESA*) A.99

NIEDERMARK, I. *see* CASTOR, G. 133–138

NIELSEN, P. R., BRUSHØJ, J. and SONNENSCHEIN, C. Pulmonary function after laparoscopic cholecystectomy, (*ESA*) A.36

NIKLASSON, U. *see* REIZ, S., (*ESA*) A.62

NIKOLAJSEN, L., LARSEN, K. M. and KIERKEGAARD, O. Effect of previous frequency of headache, duration of fasting and caffeine abstinence on perioperative headache 295–297

NILSSON, A. M. *see* ALGOTSSON, L., (*ESA*) A.80

NISHIKAWA, T. *see* INOMATA, S. 11–16

NISHIZAWA, M. *see* YONEDA, I. 679–682

NISKANEN, J. *see* PUHAKKA, K. 548–553

NIZET, M. *see* BRICHANT, J. F., (*ESA*) A.149

NOBLE, D. W., MORRISON, L. M., BROCKWAY, M. S. and MCCLURE, J. H. Respiratory depression after extradural fentanyl, (*C*) 251

NOLAN, J. P. *see* LAURENT, S. C. 170–173; PARR, M. J. A., (*C*) 731–732

NOLAN, K. M. *see* GOLDHILL, D. R. 234–236

NORMAN, R. I. *see* GRIFFITHS, R. 577–580

NORTON, A. C. *see* RAPHAEL, J. H., (*C*) 608–609

NOUZILLE, A. *see* LACOSTE, L., (*ESA*) A.229

NUNN, J. F. *Nunn's Applied Respiratory Physiology*, 4th Edn, (*R*) 614

NUNN, J. F. *see* PETROS, A. J. 515–522

NYARWAYA, J. B., PIERRE, S., UMBRAIN, V., SAMII, K. and D'HOLLANDER, A. Venous carbon dioxide emboli. Does nitrous oxide make difference? (*ESA*) A.90

NYSTRÖM, E., JANSSON, E., WENNGREN, B.-I., CLERGUE, F. and REIZ, S. Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, (*ESA*) A.97

NYSTRÖM, E. *see* REIZ, S., (*ESA*) A.62

OATES, J. D. L. *see* PARKER, C. J. R. 181–184

OCHIAI, R. *see* TAKEDA, J., (*C*) 369–370

O'CONNELL, N. *see* BLOOR, G. K., (*ARS*) 488–489P

O'DONNELL, C. A. *see* O'DONNELL, N. G., (*ARS*) 492P

O'DONNELL, N. G., BAIRD, S., O'DONNELL, C. A. and LIEW, F. Y. Effect of propofol and thiopentone on inducible nitric oxide production, (*ARS*) 492P

O'DONNELL, N. G. *see* HULSE, D., (*ARS*) 491–492P

ODOOM, J. A. *see* RADEMAKER, B. M. P. 263–266

ODURO, A. *see* PICKETT, J. A. 683–685; SNOW, D. J. 185–189

OGG, T. W. *see* HITCHCOCK, M., (*C*) 608

OGILVY, A. J., LAMBERT, D. G., HIRST, R. A. and ROWBOTHAM, D. J. Interaction of doxapram with opioid receptors, (*ARS*) 491P

OH, T. E. *see* AUN, C. S. T. 554–558; SHORT, T. G. 302–306

O'HANLON, J., MILLIGAN, K., BEERS, H. and HUSS, B. A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, (*ESA*) A.237

OLDROYD, G. *see* WHITEHEAD, C., (*ESA*) A.172

O'LEARY, E. *see* NICHOLSON, G., (*ARS*) 489P

OLSEN, K. S., HENRIKSEN, L., OWEN-FALKENBERG, A., DIGE-PETERSEN, H., ROSENØRN, J. and CHRAEMMER-JØRGENSEN, B. Effect of 1 or 2 MAC isoflurane with or without ketanserin on cerebral blood flow autoregulation in man 66–71

OLSSON, B. *see* ALGOTSSON, L., (*ESA*) A.80

OLSSON, G. L. *see* LÖNNQVIST, P. A., (*ESA*) A.188

OLTHOF, C. G., JANSEN, P. G. M., BULDER, E. R., DE LANGE, J. J. and DE VRIES, P. M. J. M. Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, (*ESA*) A.64

OMBELET, W. *see* DE JONGH, R., (*ESA*) A.195

O'MEARA, M. E. and GIN, T. Displaying data, (*C*) 500

O'MEARA, M. E. *see* AUN, C. S. T. 554–558

OMOTE, K. *see* IWASAKI, H. 321–323

ORLIAGUET, G. *see* CATOIRE, P., (*ESA*) A.27; (*ESA*) A.208

O'SHAUGHNESSY, M. *see* VIDAL, P., (*e*) 738

OSORIO, G. *see* PÉREZ-REINER, R., (*ESA*) A.69

OUARDANI, F. *see* MION, G., (*ESA*) A.83

OUIS, N. *see* DROC, G., (*ESA*) A.78

OWEN-FALKENBERG, A. *see* OLSEN, K. S. 66–71

PACE, N. *see* GILLESPIE, J. A., (*C*) 498

PACE, N. A. *see* GAJRAJ, N. M., (*C*) 726–727

PAGANONI, R. *see* MARSCH, S. C. U. 643–649

PALAZZO, M. *see* SAMRA, G., (*ARS*) 488P

PANADERO, A. *see* MONEDERO, P., (*ESA*) A.117

PANSARD, J. L. *see* DROC, G., (*ESA*) A.78

PAOLONI, G. *see* ISETTA, C., (*ESA*) A.75

PARGGER, H. *see* STAENDER, S., (*ESA*) A.94

PARIS, P. *see* THIRY, E., (*ESA*) 231

PARK, G. R. *see* FARRINGTON, M. 415–417

PARKER, C. J. R., OATES, J. D. L., BOYD, A. H. and THOMAS, S. D. Memory for auditory material presented during anaesthesia 181–184

PARKER, C. J. R. *see* BOYD, A. H., (*ARS*) 486P

PARKER, F. *see* JAMALI, S., (*ESA*) A.135

PARR, M. J. A., NOLAN, J. P., CRAIG, G. R. and BERRY, C. B. A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, (*C*) 731–732

PARSONS, R. S., JONES, R. M., WRIGLEY, S. R., MACLEOD, K. G. A. and PLATT, M. W. Comparison of desflurane and fentanyl-based anaesthetic techniques for coronary artery bypass surgery 430–438

PASCH, T. *see* WEISS, B. M., (*ESA*) A.123

PASCOE, P. J., BLACK, W. D. and STEFFEY, E. P. Effect of xylazine and ketamine on the pharmacokinetics of alfentanil during halothane anaesthesia 345–347

PASSARD, A. *see* LHERM, T., (*ESA*) A.212
PATEL, H., (editor) *Anaesthesia for Burns, Maxillofacial and Plastic Surgery*, (*R*) 141
PATON, W. *see* FELDMAN, S. A., (*R*) 373
PAWSEY, S. D. Pressure in the extradural space, (*C*) 251
PAYEN, D., GATECEL, C. and PLAISANCE, P. Almitrine magnifies the beneficial effect of inhaled NO in severe hypoxaemic ARDS, (*ESA*) A.215
PAYEN, D., GUINARD, N., CATECEL, C. and MATEO, J. ARDS evolution during therapeutic optimization leads to ECCo$_2$R-LFPPV indication, (*ESA*) A.213
PAYEN, D. *see* MATEO, J., (*ESA*) A.216
PEACOCK, J. E., BLACKBURN, M., HENDERSON, P., REILLY, C. S. and SHERRY, K. M. Changes in arterial and jugular venous propofol concentrations during induction of anaesthesia, (*ARS*) 480–481P
PEACOCK, J. E. *see* DAS, P. A. 426–429; MYINT, Y., (*ARS*) 492–493P; VEALL, G. R. Q. 335–341; WOODWARD, W. M., (*ESA*) A.179
PÉAN, Y. *see* MARTIN, C., (*ESA*) A.222
PEARSON, M. R. B. and SANDER, M. L. Hyperkalaemia associated with prolonged insufflation of carbon dioxide into the peritoneal cavity 602–604
PEDERSEN, J. L., MØINICHE, S. and KEHLET, H. Topical glucocorticoid has no antinociceptive or anti-inflammatory effect in thermal injury 379–382
PEDERSEN, M. H. *see* ROSENBERG, J. 145–150
PEETERS, P. *see* VAN LERSBERGHE, C., (*ESA*) A.180
PELEG, E. *see* BERKENSTADT, H., (*ESA*) A.79
PENDEVILLE, P. *see* VAN BOVEN, M. J., (*ESA*) A.210
PENDEVILLE, Ph. E., VAN BOVEN, M. J., CONTRERAS, V. and REYCHLER, H. Ketorolac tromethamine for postoperative analgesia in oral surgery, (*ESA*) A.236
PENNANT, J. H. *see* GAJRAJ, N. M., (*C*) 140; (*C*) 726–727
PENSADO, A., MOLINS, N. and ALVAREZ, J. Haemodynamic effects of propofol, (*C*) 371
PEREIRA, J. S. *see* LARANJEIRA, L., (*ESA*) A.58
PEREL, A. *see* BERKENSTADT, H., (*ESA*) A.79; PREISMAN, S., (*ESA*) A.82
PERESE, D. A. *see* DAVISON, J. K., (*R*) 613
PÉREZ-REINER, R., OSORIO, G., MONEDERO, P., LLORENS, R., IRIBARREN, M. J. and ARROYO, J. L. Effect of circulatory support with Thoratec system on renal function, (*ESA*) A.69
PERNERSTORFER, T., KRAFFT, P., CHIARI, A., KRENN, C. and WEINSTABL, C. Intubation-induced stress response: a comparison between direct laryngoscopy and blind oral intubation, (*ESA*) A.51
PETER, K. and CONZEN, P., (editors) *Inhalation Anaesthesia*, (*R*) 613–614
PETER, K. *see* SCHWENDER, D. 307–314
PETITET, A. *see* LEPAGE, J.-Y. 638–642
PETITET, F. *see* MANTZ, J. 351–353
PETROS, A. J., DORÉ, C. J. and NUNN, J. F. Modification of the iso-shunt lines for low inspired oxygen concentrations 515–522
PETROS, A. J. *see* MARTIN, P. H. 702–704
PETROU, A. *see* KANAKOUDES, F., (*ESA*) A.63
PETRY, A. and DÜTSCHKE, P. Effects of amrinone on left and right ventricular function in patients with impaired myocardial performance during general anaesthesia 567–570
PETTY, R. *see* STEVENS, R., (*ARS*) 482–483P
PEYROL, M.-T. *see* BENHAMOU, D. 537–540
PEZET, D. *see* MANSOOR, O., (*ESA*) A.92
PFAU, B. *see* POLARZ, H., (*ESA*) A.152
PHILLIPE, E., GOARIN, J. P., SAADA, M., RIOU, B. and VIARS, P. Echocardiographic assessment of traumatic patients, (*ESA*) A.224
PHILLIPE, E. *see* DROC, G., (*ESA*) A.78
PHILLIPS, A. S. *see* MURRAY, J. M. 599–601
PIAT, V., DUBOIS, M. C. and MURAT, I. Comparison of induction and recovery characteristics of sevoflurane and halothane in children, (*ESA*) A.178
PIAT, V. *see* DUBOIS, M. C., (*ESA*) A.189
PICCINNI, P., TRIPEPI, A., MENEGHETTI, L., LORA, L. and MARTINES, D. Effect of pentoxifylline on oxygen transport during aortic reconstruction (preliminary report), (*ESA*) A.77
PICKETT, J. A., MOORS, A. H., LATIMER, R. D., MAHMOOD, N., GHOSH, S. and ODURO, A. The role of soda lime during administration of inhaled nitric oxide 683–685
PIERRE, S. *see* NYARWAYA, J. B., (*ESA*) A.90
PIERROT, B. *see* WYSS, E., (*ESA*) A.201
PILKINGTON, S. N. *see* HETT, D. A., (*ARS*) 487P
PINAUD, M. *see* HOMMERIL, J.-L. 383–387; LEPAGE, J.-Y. 638–642
PINNOCK, C. A. and HADEN, R. M., (editors) *MCQ Tutor in Anaesthesia: Clinical Practice*, (*R*) 613
PINNOCK, C. A. *see* HADEN, R. M., (*C*) 496
PIPIEN, I. *see* BERGAOUI, F., (*ESA*) A.10; EZZARANI, D., (*ESA*) A.71
PIRONKOV, A., PORTILLA, M., ISMAIL, M., BUY, E., CORIAT, P. and VIARS, P. Power spectral analysis of heart rate and arterial blood pressure variability during intraoperative unintentional hypothermia, (*ESA*) A.61
PIRONKOV, A. *see* GOSGNACH, M., (*ESA*) A.41
PLAISANCE, P. *see* PAYEN, D., (*ESA*) A.215
PLATT, M. W. *see* PARSONS, R. S. 430–438
POETE, P. *see* MOURGEON, E., (*ESA*) A.103; PUYBASSET, L., (*ESA*) A.105; (*ESA*) A.107
POLARZ, H., BÖHRER, H., TABOUILLOT, W. v., PFAU, B. and MARTIN, E. Comparative effects of atracurium and vecuronium on intraocular pressure, (*ESA*) A.152
POLLARD, B. J., BRYAN, A., BENNETT, D., FARAGHER, E. B., UN, E. N., KEEGAN, M., WILSON, A., BURKILL, M., BEATTY, P. C. W., STOLLERY, B. T., SNOWDON, A. T. and HEALY, T. E. J. Recovery after oral surgery with halothane, enflurane, isoflurane or propofol anaesthesia 559–566
POLLARD, B. J. *see* CHETTY, M. S., (*ARS*) 486P; STONE, A. J., (*ARS*) 486–487P
POLLOK, A. J. *see* MORRISON, L. M. M. 164–169
POMAROLI, A., HAUFFE, H. and BENZER, A. Who publishes in the large anaesthesia journals? 723–725
POMFRETT, C. J. D., SNEYD, J. R., BARRIE, J. R. and HEALY, T. E. J. Respiratory sinus arrhythmia: comparison with EEG indices during isoflurane anaesthesia at 0.65 and 1.2 MAC 397–402
PONDER, B. *see* SCHINNERL, A. A., (*ESA*) A.226
PONTÉN, J. *see* SEEMAN-LODDING, H., (*ESA*) A.81
PONZIO, O. *see* BARON, J. F., (*ESA*) A.45
PÖPPEL, E. *see* SCHWENDER, D. 307–314
PORTILLA, M. *see* PIRONKOV, A., (*ESA*) A.61
POWELL, H. *see* MOORE, C. M. 272–279
POWER, I., BOWLER, G. M. R., PUGH, G. C. and CHAMBERS, W. A. Ketorolac as a component of balanced analgesia after thoracotomy 224–226
POWER, I. *see* ASAI, T. 47–51; (*C*) 733–734; WHITEHEAD, C. 443–446
POWNEY, J. *see* SAMRA, G., (*ARS*) 488P
POZO, J. L. *see* LAURENT, S. C. 170–173
PREGO, M., MOSCOVICI, R., SCHWARTZ, M., STEINFELD, O. and GIL, I. Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, (*ESA*) A.185
PREISMAN, S., DESEGNI, E., VERED, Z., SHNEIDER, A. and PEREL, A. The systolic pressure variation reflects left ventricular end-diastolic volume (LVEDV) during graded haemorrhage in pigs, (*ESA*) A.82
PRIDIE, A. K. *see* MISRA, U., (*ESA*) A.139
PRIÉ, D. *see* CITTANOVA, M. L., (*ESA*) A.165
PRYS-ROBERTS, C. *see* DUNNET, J. M. 29–34; FORREST, F. C. 35–41
PUGH, G. C. *see* POWER, I. 224–226
PUHAKKA, K., ANTTONEN, H., NISKANEN, J. and RYHÄNEN, P. Calculation of mean skin temperature and changes in body heat content during paediatric anaesthesia 548–553
PUIG, M. M. *see* GALLART, L., (*ESA*) A.96; VALLÈS, J., (*ESA*) A.158
PUJOL, A., BAUDOUIN, D., LANQUETOT, H., INGRAND, P. and FUSCIARDI, J. Afterdrop in temperatures after hypothermic cardiopulmonary bypass, (*ESA*) A.70
PUYBASSET, L., MOURGEON, E., ROUBY, J. J., POETE, P. and VIARS, P. Respiratory effects of inhaled nitric oxide at a concentration of 10–80 ppm, (*ESA*) A.105
PUYBASSET, L., MOURGEON, E., ROUBY, J. J., SAMAMA, M., DIABY, M. and VIARS, P. Inhaled NO in ARDS: predictive factors of pulmonary effects, (*ESA*) A.108
PUYBASSET, L., ROUBY, J. J., MOURGEON, E., DREUX, S., KORINEK, A. M., POETE, P. and VIARS, P. Inhaled NO in ARDS: dose-response curves, (*ESA*) A.107
PUYBASSET, L., STEWART, T., MOURGEON, E., ROUBY, J. J., DIABY, M. and VIARS, P. Reversal of hypercapnia induced acute pulmonary hypertension by inhaled nitric oxide (NO), (*ESA*) A.109
PUYBASSET, L. *see* MOURGEON, E., (*ESA*) A.18; (*ESA*) A.103; (*ESA*) A.104; ROUBY, J. J., (*ESA*) A.102; SAMAMA, ChM., (*ESA*) A.214
PUYLAERT, M. *see* DE JONGH, R., (*ESA*) A.195

QUINN, A. C., NEWMAN, P. J., ALLT-GRAHAM, J. and FAWCETT, W. J. *In vivo* assessment of the work of breathing through dry and wet heat and moisture exchanging devices, (*ESA*) A.17
QUINN, A. C. *see* NEWMAN, P. J., (*ESA*) A.166
QUINN, A. M. *see* STEYN, M. P. 403–406
QUITTKAT, D. *see* CROZIER, T. A. 280–285

QURESHI, A. *see* MCCOY, D., (*ARS*) 484P

RABEEAH, A. *see* AHMAD, R., (*e*) 371
RACZ, G. B. *see* ROSENBERG, P. H., (*ESA*) A.233
RADBRUCH, L., LYNCH, J. and KRINGS-ERNST, I. Morbidity following spinal anaesthesia in adolescents, (*ESA*) A.144
RADBRUCH, L., ZECH, D., GROND, S., MEUSER, T. and LEHMANN, K. A. Symptomatic pain management for patients with scleroderma, (*ESA*) A.242
RADEMAKER, B. M. P., KALKMAN, C. J., ODOOM, J. A., DE WIT, L. and RINGERS, J. Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function 263–266
RAHMOUNI, S. *see* BENHAMOU, D., (*ESA*) A.227
RÄIHÄ, L. *see* TAIVAINEN, T., (*ESA*) A.177
RANE, K. *see* JAKOBSSON, J., (*ESA*) A.11; (*ESA*) A.12
RAPHAEL, J. H. and NORTON, A. C. Antimetics in laparoscopic surgery, (*C*) 608–609
RATSEP, I., BENSASSON, D., COUSIN, M.-Th., CHACHQUES, J. C. and CARPENTIER, A. Early postoperative management after cardiomyoplasty procedure, (*ESA*) A.72
RAUCH, H. *see* BÖTTIGER, B. W., (*ESA*) A.65
RAUCOULES. M., BOUSSOFARA, M., LUGRIN, D., CHAVE, S. and GRIMAUD, D. Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, (*ESA*) A.122
RAUCOULES, M. *see* LUGRIN, D., (*ESA*) A.119
RAUCOULES-AIME, M. and GRIMAUD, D. Administration of insulin during surgery, (*C*) 735
RAUCOULES-AIME, M., ICHAI, C., ROUSSEL, L. J., ROMAGNAN, M. J., GASTAUD, P., DOLISI, C. and GRIMAUD, D. Comparison of two methods of i.v. insulin administration in the diabetic patient during the perioperative period 5–10
RAULT, Ph. *see* DERAMOUDT, V., (*ESA*) A.59
RAUM, W. *see* LIPPMANN, M. 707–709
RAUSIN, I. *see* BEKRAR, Y., (*ESA*) A.74
RAUWERDA, J. A. *see* NAUTA, S. H. M., (*ESA*) A.73
RAVAULT, C. *see* MOURGEON, E., (*ESA*) A.18
RAVUSSIN, P. *see* DOMINGUEZ, J., (*ESA*) A.49; JAMALI, S., (*ESA*) A.135; (*ESA*) A.136; TALIB, R., (*ESA*) A.48; WILDER-SMITH, O. H. G., (*ESA*) A.133
RECKENDORFER, H., SPERLICH, M., BURGMANN, H., WEINDLMAYR-GÖTTEL, M., SPIECKERMANN, P. G. and SCHWARZ, S. Administration of atracurium during reperfusion of rat livers after 21 h of cold ischaemic storage in different solutions 89–92
RECKENDORFER, H. *see* BURGMANN, H. 324–327
REDFERN, N. *see* BARROW, P. M. 460–461
REDINGTON, A. N. *see* HUNTER, D. N., (*ESA*) A.137
REDL, G. *see* CHIARI, A., (*ESA*) A.240
REDL, H. *see* ARNESTAD, J. P. 422–425
REGRAGUI, I. A., FAGAN, A. M. and NATRAJAN, K. M. Tracheal rupture after tracheal intubation 705–706
REHBERG, B. *see* WARTENBERG, H. C. 668–673
REHDER, K., EBBERYD, A., INGRASSIA, C., WIKLUND, C. and LINDAHL, S. G. E. Relaxant action of ketamine isomers on isolated tracheal muscle, (*ESA*) A.98
REHDER, K. *see* ZAPPI, L., (*ESA*) A.99
REID, M. F. *see* ROONEY, M. J., (*ESA*) A.205
REILLY, C. S. and EDWARDS, N. D. Detection of perioperative myocardial ischaemia, (*C*) 611
REILLY, C. S. *see* EDWARDS, N. D. 104–115; (*ARS*) 483–484P; MYINT, Y., (*ARS*) 492–493P; PEACOCK, J. E., (*ARS*) 480–481P; VEALL, G. R. Q. 335–341
REINSTRUP, P., USKI, T. and MESSETER, K. Influence of halothane and isoflurane on the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries 581–586
REIZ, S., NIKLASSON, U., NYSTRÖM, E. and WIKLUND, U. Heart rate variability changes induced by cervicothoracic extradural analgesia, (*ESA*) A.62
REIZ, S. *see* HOHNER, P., (*ESA*) A.3; NYSTRÖM, E., (*ESA*) A.97; SHARMA, R., (*ESA*) A.34; TUGRUL, M., (*ESA*) A.88
RENAUDIN, M. H. *see* MOURGEON, E., (*ESA*) A.18
REYCHLER, H. *see* PENDEVILLE, Ph. E., (*ESA*) A.236
REYFORD, H., DE GROOTE, P., GUERMOUCHE, T., BOUFFLERS, E., MENU, H. and ADNET, P. Intermittent left bundle branch block revealed during anaesthesia 700–701
REYFORD, H. G. *see* ADNET, P. J. 93–97
REYNOLDS, P. I. *see* MUNRO, H. M. 624–628
RHAIEM, M. B. *see* NATHAN, N., (*ESA*) A.140
RICHARDSON, J., SABANATHAN, S. and LÖNNQUIST, P. A. Interpleural analgesia, (*C*) 250
RICHER, J.-P. *see* LE PELLEY, E., (*ESA*) A.91
RICHES, P. G. *see* YENTIS, S. M., (*ARS*) 487–488P
RIDINGS, P., GAULT, D. and KHAN, L. Reduction in postoperative vomiting after surgical correction of prominent ears 592–593
RIEGGER, L. Q. *see* MUNRO, H. M. 624–628
RIMANIOL, J. M. *see* DELAUNAY, L., (*ESA*) A.35
RINGELER, U. *see* KULKA, P. J., (*ESA*) A.52
RINGERS, J. *see* RADEMAKER, B. M. P. 263–266
DE LOS RÍOS, J. *see* LÓPEZ-OLAONDO, L., (*ESA*) A.116; MONEDERO, P., (*ESA*) A.117
RIOU, B. *see* PHILLIPE, E., (*ESA*) A.224
RIVA, A. *see* BONAZZI, M., (*ESA*) A.146
ROBBINS, P. A. *see* NAGYOVA, B. 509–514
ROBERTS, I. *see* HUNTER, D. N., (*ESA*) A.137
ROBINSON, B. J. *see* GALLETLY, D. C. 177–180; 219–220
ROBINSON, J. *see* WHITEHEAD, C. 443–446
ROBINSON, J. O. *see* WHITEHEAD, C., (*ESA*) A.172
ROBINSON, P. N. *see* BARKER, J. P. 119–121
ROBOTHAM, J. L. *see* BELOUCIF, S., (*ESA*) A.89
ROCA, G., AGUILAR, J. L., MAZO, V. and VIDAL, F. Nimodipine does not potentiate oral morphine in cancer pain. A preliminary study, (*ESA*) A.243
ROCCHI, D. *see* ZAPPI, L., (*ESA*) A.99
ROCMANS, P. *see* BARDOCZKY, G. 25–28; (*ESA*) A.101
ROD, B. *see* MONRIGAL, J. P., (*ESA*) A.186
RODBERT, A. *see* SEMPLE, P. 190–194
ROEWER, N. *see* WAPPLER, F. 240–242
RÖHRS, G. *see* SINGBARTL, G., (*ESA*) A.44
ROIJER, A. *see* ALGOTSSON, L., (*ESA*) A.80
ROLLER, D. *see* VOGT, N., (*ESA*) A.50
ROLLY, G. *see* DE MEY, J.-C., (*ESA*) A.151
ROMAGNAN, M. J. *see* RAUCOULES-AIME, M. 5–10
RONCO, P. M. *see* CITTANOVA, M. L., (*ESA*) A.165
ROONEY, M. J., DENNIS, A. R., REID, M. F. and BOGOD, D. Duration of analgesia following Caesarean section under spinal anaesthesia—the effect of spinal morphine and rectal sodium diclofenac, (*ESA*) A.205
ROSEN, M. *see* WHITEHEAD, C., (*ESA*) A.172; 443–446
ROSENBERG, B., KATZ, Y., ZISMAN, E. and ISSERLES, S. A. Endoscopic transthoracic sympathectomy of the right chest may cause severe hypoxaemia, (*ESA*) A.115
ROSENBERG, J., WILDSCHIØDTZ, G., PEDERSEN, M. H., VON JESSEN, F. and KEHLET, H. Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern 145–150
ROSENBERG, J. *see* AAKERLUND, L. P. 286–290
ROSENBERG, P. H., HEAVNER, J. E., CHOKHAVATIA, S., MCDANIEL, K. and RACZ, G. B. Epiduroscopy with a thin flexible and deflectable fibrescope, (*ESA*) A.233
ROSENBERG, P. H. *see* TAIVAINEN, T., (*ESA*) A.177
ROSENBERG , A. D. *see* BERNSTEIN, R. L., (*R*) 615
ROSENØRN, J. *see* OLSEN, K. S. 66–71
ROST, F. *see* SCHULTE-TAMBUREN, A. M., (*ESA*) A.43
ROSZIK, M. *see* MÉRAY, J., (*ESA*) A.53
ROTHEN, H. U., SPORRE, B., ENGBERG, G., WEGENIUS, G. and HEDENSTIERNA, G. Mechanisms of atelectasis formation during general anaesthesia, (*ESA*) A.114
ROUBY, J. J., PUYBASSET, L., MOURGEON, E., DESCOULS, A. M., KORINEK, A. M. and VIARS, P. Inhaled NO reduces alveolar dead space in patients with ARDS and pulmonary hypertension, (*ESA*) A.102
ROUBY, J. J. *see* BODIN, L., (*ESA*) A.221; EYRAUD, D., (*ESA*) A.207; LAURENT, P., (*ESA*) A.220; MOURGEON, E., (*ESA*) A.18; (*ESA*) A.103; (*ESA*) A.104; PUYBASSET, L., (*ESA*) A.105; (*ESA*) A.107; (*ESA*) A.108; (*ESA*) A.109; SAMAMA, ChM., (*ESA*) A.214
ROUSSEL, L. J. *see* RAUCOULES-AIME, M. 5–10
ROUSSIÈRE, G. *see* LEJUS, C. 156–159
ROUVIER, B. *see* AUROY, Y., (*ESA*) A.4
ROWAN, E. G. *see* BRAGA, M. F. M. 198–204
ROWBOTHAM, D. J. *see* ATCHESON, R. 98–103; GRIFFITHS, R. 577–580; MUSHAMBI, M. C., (*e*) 253; OGILVY, A. J., (*ARS*) 491P
ROWBOTTOM, Y. M. *see* AUN, C. S. T. 554–558
ROWLINGSON, J. C. *see* HAMILL, R. J., (*R*) 737
RUBIN, A. P. *see* LEE, J. J. 258–262
RUBIO, M. C. *see* WIKINSKI, S. 694–696
RUGGIER, R. *see* BAILEY, C. R. 58–61
RUIZ, F. *see* DUALE, C., (*ESA*) A.31
RUNCIMAN, W. B. *see* WILLIAMSON, J. A., (*C*) 366
RUSSELL, G. N. *see* IP YAM, P. C. 21–24
RUSSELL, S. H. and HIRSCH, N. P. Anaesthesia and myotonia 210–216
RUTTEN, E. H. J. M. *see* CRUL, B. J. P., (*ESA*) A.244
RYBERG, G. *see* JAKOBSSON, J., (*ESA*) A.12
RYHÄNEN, P. *see* PUHAKKA, K. 548–553

SAADA, M. *see* EYRAUD, D., (*ESA*) A.207; PHILLIPE, E., (*ESA*) A.224
SABANATHAN, S. *see* RICHARDSON, J., (*C*) 250
SADEK, S. A. *see* WEBSTER, N. R. 418–421
SÁEZ, A. *see* LÓPEZ-OLAONDO, L., (*ESA*) A.116
SAHAR, G. *see* VAN DER LINDEN, P., (*ESA*) A.95

SAIDMAN, L. J. and SMITH, N. T., (editors) *Monitoring in Anesthesia*, 3rd Edn, (*R*) 373
SAITO, Y. *see* KANEKO, M. 657–661
SAITOH, Y., KANEDA, K., TOYOOKA, H. and AMAHA, K. Post-tetanic count and single twitch height at the onset of reflex movement after administration of vecuronium under different types of anaesthesia 688–690
SAITOH, Y. and TOYOOKA, H. Recovery from vecuronium after different anaesthetics, (*C*) 370
SALAMA, D. J. and BODY, S. C. Management of a term parturient with tracheal stenosis 354–357
SAMAMA, ChM., DREUX, S., EYRAUD, D., BOURLIER, R., AROCK, M., LECOMPTE, Th., CAUSSINUS, J. F., PUYBASSET, L., ROUBY, J. J. and VIARS, P. Platelet aggregation, Von Willebrand factor antigen and activity, and inhaled nitric oxyde (NO) in ARDS patients, (*ESA*) A.214
SAMAMA, M. *see* PUYBASSET, L., (*ESA*) A.108
SAMAT, C. *see* ICHAI, C., (*ESA*) A.118
SAMI, K. A. *see* AHMAD, R., (*e*) 371
SAMII, K. *see* AUROY, Y., (*ESA*) A.4; DECLÈRE, A. D., (*ESA*) A.209; FLETCHER, D., (*ESA*) A.235; NYARWAYA, J. B., (*ESA*) A.90
SAMPSON, D. *see* WEISKOPF, R. B. 474–479
SAMRA, G., LITTLEJOHN, I., BROOMHEAD, C., TONER, C., POWNEY, J., PALAZZO, M., EVANS, S. and STRUNIN, L. Predicting postoperative nausea and vomiting using a logistic regression model, (*ARS*) 488P
SAMRA, S. K. *see* GANTA, R. 229–230
SAMSÓ, E. *see* GALLART, L., (*ESA*) A.96; VALLÈS, J., (*ESA*) A.158
SAMSON, D., ARNAUD, D., BENNOURINE, K. and MANELLI, J. C. Fibrinolytic activity during intentional normovolaemic haemodilution, (*ESA*) A.47
SANAI, L. Administration of insulin during surgery, (*C*) 735
SANDER, M. L. *see* PEARSON, M. R. B. 602–604
SANDERS, L. *see* WHITEHEAD, C. 443–446
SANDERS, L. D. *see* WHITEHEAD, C., (*ESA*) A.172
SANTOS, H. G. *see* LARANJEIRA, L., (*ESA*) A.58
SAUBERER, A. *see* LANGENECKER, S., (*ESA*) A.143
SAUNDERS, P. R. *see* FORREST, F. C. 35–41
SAVILLE, G. *see* GAYLARD, D., (*C*) 367
SAVVA, D. Predicting difficult intubation, (*C*) 494
SAVVA, D. and KARLSTEN, R. Apnoea and CPAP for restoration of spontaneous respiration, (*C*) 367–368
SAWYER, A. *see* TEBBS, S. E. 587–591
SCHADY, W. *see* ANDERTON, J. M. 605–607
SCHAEFER, H.-G. *see* MARSCH, S. C. U. 643–649
SCHÄFER, S. *see* SCHLACK, W., (*ESA*) A.86; (*ESA*) A.87
SCHEFFER, G. J. *see* CORSTEN, S. A., (*ESA*) A.26
SCHEFFER, G.-J. *see* DE JONG, D., (*ESA*) A.85; KINGMA, R., (*ESA*) A.60
SCHEFFER, G. J. *see* NAUTA, S. H. M., (*ESA*) A.73
SCHEIDEGGER, D. *see* MARSCH, S. C. U. 643–649
SCHEININ, M. *see* KIRVELÄ, M., (*ESA*) A.120
SCHELLSCHEIDT, O. *see* STAENDER, S., (*ESA*) A.94
SCHINNERL, A. A., ZWANOWETZ, M., PONDER, B., LECHLEITNER, P. and BAUBIN, M. Improved outcome of out-of-hospital cardiopulmonary resuscitation, (*ESA*) A.226
SCHLACK, W. and SCHÄFER, S. Dissociation of systolic and diastolic function during acute increases in coronary perfusion pressure, (*ESA*) A.86
SCHLACK, W., SCHÄFER, S. and THÄMER, V. Alteration of ventricular function after stellate ganglion block, (*ESA*) A.87
SCHLAG, G. *see* ARNESTAD, J. P. 422–425
SCHLEINZER, W. *see* SINGBARTL, G., (*ESA*) A.44; (*ESA*) A.46
SCHLENGA, M. *see* VERHAMME, B., (*ESA*) A.132
SCHMARTZ, D. *see* BEKRAR, Y., (*ESA*) A.74
SCHMITT, H. J., BARTH, G. R. and THIERAUF, P. Brain perfusion during cerebral ischaemia protects neurones in rats, (*ESA*) A.131
SCHNEIDER, M. C. *see* HAMPL, K. F. 129–132
SCHOEFFLER, P., (editor) *Collection d'Anesthésiologie et de Réanimation, volume 38: Anesthésie pour Coeliochirurgie*, (*R*) 615
SCHOEFFLER, P. *see* DUALE, C., (*ESA*) A.31; GILLART, T., (*ESA*) A.24
SCHOLZ, J. *see* WAPPLER, F. 240–242
SCHÖNBERGER, S. *see* VOGT, N., (*ESA*) A.50
SCHÖNFELD, A. *see* VOGT, N., (*ESA*) A.84
SCHREGEL, W., HÖER, H., SIHLE-WISSEL, M. and CUNITZ, G. Doppler-guided puncture of the axillary vein in ICU patients, (*ESA*) A.25
SCHULTE AM ESCH, J. *see* WAPPLER, F. 240–242
SCHULTE-TAMBUREN, A. *see* TRYBA, M., (*ESA*) A.157
SCHULTE-TAMBUREN, A. M., TRYBA, M., ROST, F. and ZENZ, M. High dose intravenous iron supplementation facilitates autologous blood donation, (*ESA*) A.43
SCHWAGMEIER, R. *see* STRIEBEL, H. W., (*ESA*) A.161
SCHWARTZ, M. *see* PREGO, M., (*ESA*) A.185
SCHWARZ, S. *see* BURGMANN, H. 324–327; RECKENDORFER, H. 89–92
SCHWENDER, D., HAESSLER, R., KLASING, S., MADLER, C., PÖPPEL, E. and PETER, K. Mid-latency auditory evoked potentials and circulatory response to loud sounds 307–314
SCHWIEGER, I. *see* KLOPFENSTEIN, C. E., (*ESA*) A.13
SCOTT, P. V. *see* HADEN, R. M., (*C*) 496
SCOTT, R. P. F. *see* BLOOR, G. K., (*ARS*) 488–489P; SEIGNE, R. D. 468–469
SCULIER, J. P. *see* LECLERCQ, B., (*R*) 737
SCURR, C. *see* FELDMAN, S. A., (*R*) 373
SEAR, J. W., DIEDERICKS, J. and FOEX, P. Continuous infusions of propofol administered to dogs: effects on ICG and propofol disposition 451–455
SEAVELL, C. R. *see* FLETCHER, J. E. 342–344
SEEMAN-LODDING, H., BIBER, H., MARTNER, B., PONTÉN, J. and WINSÖ, O. Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, (*ESA*) A.81
SEGUIER, J. C., HILBERT, U. and SINDA, P. Variations of arterial P_{CO_2} (Pa_{CO_2}) despite constant end-tidal P_{CO_2} (PET_{CO_2}) during CO_2 pneumoperitoneum, (*ESA*) A.39
SEIFERT, B. *see* WEISS, B. M., (*ESA*) A.123
SEIGNE, R. D. and SCOTT, R. P. F. Mivacurium chloride and myasthenia gravis 468–469
SEINGRY, D. *see* ALEXANDER, R., (*ESA*) A.234
SELLERS, W. F. S. *see* MCBRIEN, M. E., (*ARS*) 489–490P
SEMBEIL, F. *see* BENHAMOU, D. 537–540
SEMPLE, P., HOPE, D. A., CLYBURN, P. and RODBERT, A. Relative potency of vecuronium in male and female patients in Britain and Australia 190–194
SHAFER, S. L. *see* BILLARD, V., (*ESA*) A.40; (*ESA*) A.128
SHARMA, R., CLERGUE, F., JANSSON, E. and REIZ, S. Diaphragmatic function after laparoscopic cholecystectomy, (*ESA*) A.34
SHAW, M. *see* MATSON, A. M., (*ESA*) A.124
SHEARER, V. E. *see* GAJRAJ, N. M., (*C*) 610–611
SHENNAN, A. H., SMITH, R., BROWNE, D., EDMONDS, D. K. and MORGAN, B. The elective use of oxytocin infusion during labour in nulliparous women using epidural analgesia: a randomized double blind placebo controlled trial, (*ESA*) A.199
SHERRY, K. M. *see* DAS, P. A. 426–429; PEACOCK, J. E., (*ARS*) 480–481P
SHIMADA, M. *see* BELOUCIF, S., (*ESA*) A.89
SHIRAISHI, Y., MOCHIZUKI, T. and IKEDA, K. Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin 439–442
SHNEIDER, A. *see* PREISMAN, S., (*ESA*) A.82
SHNIDER, S. and LEVINSON, G., (editors) *Anesthesia for Obstetrics*, 3rd Edn, (*R*) 253
SHOEMAKER, W. C. *see* EDWARDS, J. D., (*R*) 501
SHORT, T. G., AUN, C. S. T., TAN, P., WONG, J., TAM, Y. H. and OH, T. E. A prospective evaluation of pharmacokinetic model controlled infusion of propofol in paediatric patients 302–306
SHORT, T. G. *see* AUN, C. S. T. 554–558; CRITCHLEY, L. A. H. 151–155; TEH, J. 62–65
SIBAII, A. *see* BARAKA, A. 227–228
SIHLE-WISSEL, M. *see* SCHREGEL, W., (*ESA*) A.25
SIMPSON, J. I., (editor) *Anesthesia and the Patient with Co-existing Heart Disease*, (*R*) 501
SINDA, P. *see* SEGUIER, J. C., (*ESA*) A.39
SINGBARTL, G., DOßMANN, H., FRANKENBERG, Ch. and SCHLEINZER, W. Metabolic acidosis developing during intraoperative (extreme) normovolaemic haemodilution, (*ESA*) A.46
SINGBARTL, G., RÖHRS, G., ASMUSSEN, C. and SCHLEINZER, W. Comparative analysis of coagulatory proteins after retransfusion of postoperatively salvaged non-washed and washed autologous blood, (*ESA*) A.44
SINGELYN, F. J. *see* DELBROUCK, D., (*ESA*) A.181
SINGH, G. *see* HORN, J. L., (*ESA*) A.130
SINGH, P. *see* MAHAJAN, R. P. 298–301
SINNATHAMBY, S. W. *see* HEATH, M. L., (*C*) 728–729
SIPKEMA, P. *see* DE JONG, D., (*ESA*) A.85
SIRS, J. A., GLENVILLE, B., STANBRIDGE, R. DE L., JONES, J., SMITH, J. and AKINS, A. Fluid exchange and oxygen supply during CABG, (*ARS*) 485P
SJÖBERG, F., KJELLGREN, P. and GUPTA, A.M. Effect of nitrous oxide on cerebral blood flow, (*C*) 250–251
SKARVAN, K. *see* HAMPL, K. F. 129–132; MARSCH, S. C. U. 643–649; STAENDER, S., (*ESA*) A.94
SKOYLES, J. R. *see* DAS, P. A. 426–429
SMEULERS, N. J. *see* WIERDA, J. M. K. H., (*ESA*) A.154
SMITH, B. K. *see* VALDRIGHI, J. B. 237–239
SMITH, D. C. Changes in skin–electrode impedance with time

for four different electrodes, (*ARS*) 483P; Effect of skin puncture on skin–electrode impedance, (*ARS*) 483P
SMITH, D. C. and BOOTH, J. V. Influence of muscle temperature and forearm position on evoked electromyography in the hand 407–410
SMITH, D. C. *see* HETT, D. A., (*ARS*) 487P
SMITH, G. *see* MYRE, K., (*ESA*) A.33
SMITH, I. D. *see* KNIGHTS, D. T., (*ESA*) A.203
SMITH, J. *see* SIRS, J. A., (*ARS*) 485P
SMITH, L. R. *see* BRUNNER, M. D. 42–46
SMITH, N. T. *see* SAIDMAN, L. J., (*R*) 373
SMITH, R. *see* SHENNAN, A. H., (*ESA*) A.199
SMITH , G. B. *see* YENTIS, S. M., (*R*) 613
SNEYD, J. R. *see* POMFRETT, C. J. D. 397–402
SNIJDELAAR, D. G. *see* CRUL, B. J. P., (*ESA*) A.244
SNOW, D. J., GRAY, S. J., GHOSH, S., FOUBERT, L., ODURO, A., HIGENBOTTAM, T. W., WELLS, F. C. and LATIMER, R. D. Inhaled nitric oxide in patients with normal and increased pulmonary vascular resistance after cardiac surgery 185–189
SNOWDON, A. T. *see* POLLARD, B. J. 559–566
SNOWDON, S. L. Hygiene standards for breathing systems? (*E*) 143–144
SNOWDON, S. L. *see* IP YAM, P. C. 21–24
SODER, M. *see* BÖTTIGER, B. W., (*ESA*) A.28
SOINI, H. *see* HYNYNEN, M. 571–576
SONI, A. K., CONACHER, I. D., WALLER, D. A. and HILTON, C. J. Video-assisted thoracoscopic placement of paravertebral catheters: a technique for postoperative analgesia for bilateral thoracoscopic surgery 462–464
SONI, N. *see* YENTIS, S. M., (*ARS*) 487–488P
SONNENSCHEIN, C. *see* NIELSEN, P. R., (*ESA*) A.36
SONNTAG, H. G. *see* BACH, A., (*ESA*) A.223
SOROOSHIAN, S. S. The Oesophageal Vent-Laryngeal Mask, (*C*) 726
SOTTIAUX, T. *see* JORIS, J., (*ESA*) A.111
SOUKTANI, R. *see* MION, G., (*ESA*) A.83
SOURON, R. *see* LEJUS, C. 156–159; LEPAGE, J.-Y. 638–642
SPERLICH, M. *see* BURGMANN, H. 324–327; RECKENDORFER, H. 89–92
SPIECKERMANN, P. G. *see* BURGMANN, H. 324–327; RECKENDORFER, H. 89–92
SPORRE, B. *see* ROTHEN, H. U., (*ESA*) A.114
STAENDER, S., STUDER, W., PARGGER, H., SCHELLSCHEIDT, O. and SKARVAN, K. Is the difference between systemic and intramucosal pH–pH gap—an indicator of tissue ischaemia? (*ESA*) A.94
STAFFORD, M. A. *see* MISRA, U., (*ESA*) A.139
STAMFORD, J. A. and JORM, C. M. Isoflurane decreases noradrenaline release in the rat locus coeruleus by a mechanism not involving autoreceptors, (*ARS*) 481P
STANBRIDGE, R. DE L. *see* SIRS, J. A., (*ARS*) 485P
STANDL, T. H. and BECK, H. Intrathecal position of microcatheters, (*C*) 612
STANSKI, D. R. *see* BILLARD, V., (*ESA*) A.128
STEER, P. *see* CHAMBERLAIN, G., (*R*) 614–615
STEFFEY, E. P. *see* PASCOE, P. J. 345–347
STEINFATH, M. *see* WAPPLER, F. 240–242
STEINFELD, O. *see* PREGO, M., (*ESA*) A.185
STENHOUSE, C. *see* MOLODECKA, J. 174–176
STENQVIST, O. *see* EINARSSON, S., (*C*) 730; LUNDIN, S., (*ESA*) A.106
STÉPHAN, F., ETIENNE, M.-C., WALLAYS, C., MILANO, G. and CLERGUE, F. Low hepatic dihydropyrimidine dehydrogenase (DPD) activity and lethal 5-fluorouracil (5-FU)-related neurotoxicity, (*ESA*) A.219
STEPHAN, F., THIOLIÈRE, B., COHEN, S., TULLIEZ, M. and CLERGUE, F. Reactive haemophagocytic syndrome (RHS) during sepsis syndrome, (*ESA*) A.218
STEVENS, R., PETTY, R., ERICKSON, S., LUCIO, J. and TEAGUE, P. Fate of extradural air bubbles during inhalation of nitrous oxide, (*ARS*) 482–483P
STEWARD, D. J. *see* BERRY, F. A., (*R*) 737–738; KATZ, J., (*R*) 372
STEWART, T. *see* PUYBASSET, L., (*ESA*) A.109
STEYN, M. P., QUINN, A. M., GILLESPIE, J. A., MILLER, D. C., BEST, C. J. and MORTON, N. S. Tracheal intubation without neuromuscular block in children 403–406
STOKLAND, O. *see* MYRE, K., (*ESA*) A.33
STOLL, M. *see* CASTOR, G. 133–138
STOLLERY, B. T. *see* POLLARD, B. J. 559–566
STONE, A. J., POLLARD, B. J. and HARPER, N. J. N. Infusion requirements of patients receiving 51W89 in the intensive care unit, (*ARS*) 486–487P
STRANG, T. *see* HARPER, N. J. N. 411–414
STREET, M. K. *see* AKHTAR, T. M. 447–450
STRIEBEL, H. W., SCHWAGMEIER, R., BOERGER, N. and TRILTSCH, A. Pharmacokinetics of intranasal alfentanil, (*ESA*) A.161
STRUNIN, L. and THOMPSON, S., (editors) *Clinical Anaesthesiology. The Liver and Anaesthesia*, (*R*) 372
STRUNIN, L. *see* SAMRA, G., (*ARS*) 488P
STUDER, W. *see* STAENDER, S., (*ESA*) A.94
SUGAYA, T. *see* MORITA, T. 465–467
SUGDEN, C. *see* CLARK, V. 221–223
SVANSTRÖM, M., JOHANSSON, G. and BÅLFORS, E. Oxytocin (O) causes ST-segment depression during Caesarean section—a double blind comparison with methylergometrine (M), (*ESA*) A.200
SYDOW, M. *see* CROZIER, T. A. 280–285
SYKES, P. J. *see* VIDAL, P., (*e*) 738
SZIKSZAY, M. *see* MÉRAY, J., (*ESA*) A.53
SZTARK, F., TUEUX, O., MAZAT, J.-P. and DABADIE, P. Comparison of bupivacaine and ropivacaine metabolic effects in rat cardiac skinned fibres, (*ESA*) A.138

TABOUILLOT, W. v. *see* POLARZ, H., (*ESA*) A.152
TAEGER, K. *see* BEIN, T., (*ESA*) A.5
TAGUCHI, M. *see* INOMATA, S. 11–16
TAHA, S. *see* BARAKA, A. 227–228
TAIVAINEN, T., MERETOJA, O. A., TIAINEN, P., RÄIHÄ, L. and ROSENBERG, P. H. Sevoflurane *versus* halothane in paediatric anaesthesia, (*ESA*) A.177
TAIVAINEN, T. *see* MERETOJA, O. A., (*ESA*) A.150; 686–687
TAKATA, M. *see* BELOUCIF, S., (*ESA*) A.89
TAKEDA, J., OCHIAI, R. and FUKUSHIMA, K. Recovery from vecuronium after different anaesthetics, (*C*) 369–370
TALIB, R., JAMALI, S., BUTSCHER, K., RAVUSSIN, P. and ECOFFEY, C. Effects of different intravenous solutions on plasma osmolality, (*ESA*) A.48
TAM, Y. H. *see* SHORT, T. G. 302–306
TAN, P. *see* SHORT, T. G. 302–306; TEH, J. 62–65
TASLIMI, R. *see* LANGENECKER, S., (*ESA*) A.143
TAVERNIER, B. *see* ADNET, P. J., (*ESA*) A.125
TAYLOR, P. M. *see* LUNA, S. P. L., (*ARS*) 480P
TEAGUE, P. *see* STEVENS, R., (*ARS*) 482–483P
TEBBS, S. E., SAWYER, A. and ELLIOTT, T. S. J. Influence of surface morphology on *in vitro* bacterial adherence to central venous catheters 587–591
TEH, J., SHORT, T. G., WONG, J. and TAN, P. Pharmacokinetic interactions between midazolam and propofol: an infusion study 62–65
TEISSEIRE, B. *see* MATEO, J., (*ESA*) A.216
TEISSIER, J. M. *see* WYSS, E., (*ESA*) A.201
TEN VOORDE, B. *see* KINGMA, R., (*ESA*) A.60
TESTA, S. *see* LEJUS, C. 156–159
TEWARI, P. *see* CHAUHAN, S., (*C*) 368–369
THÄMER, V. *see* SCHLACK, W., (*ESA*) A.87
THEETEN, G. *see* AUSSEUR, A., (*ESA*) A.206; CANEVET, C., (*ESA*) A.193; DUCLOY, A. S., (*ESA*) A.194; DUCLOY, J. C., (*ESA*) A.16
THIERAUF, P. *see* SCHMITT, H. J., (*ESA*) A.131
THIOLIÈRE, B. *see* STEPHAN, F., (*ESA*) A.218
THIRY, E., PARIS, P., WEERTS, J. and JORIS, J. Intraperitoneal bupivacaine does not reduce postoperative pain after laparoscopic cholecystectomy, (*ESA*) 231
THOMAS, D. *see* LACOSTE, L., (*ESA*) A.229
THOMAS, S. D. *see* PARKER, C. J. R. 181–184
THOMAS, T. A. *see* MCCRIRRICK, A. 122–124; (*e*) 371
THOMAS, V. *see* HEATH, M., (*R*) 737
THOMPSON, S. *see* STRUNIN, L., (*R*) 372
THÖRN, S.-E., HVARFNER, A., HAMMAS, B. and WATTWIL, M. Propofol effects upon apomorphine induced vomiting, (*ESA*) A.175
THÖRN, S.-E. *see* HVARFNER, A., (*ESA*) A.173
TIAINEN, P. *see* TAIVAINEN, T., (*ESA*) A.177
TIMMINS, A. C., GILES, M., NATHAN, A. W. and HINDS, C. J. Clinical validation of a radionuclide detector to measure ejection fraction in critically ill patients 523–528
TIMOUR, Q. *see* FREYSZ, M., (*ESA*) A.93
TOMLINSON, A. *see* MOLODECKA, J. 174–176
TONER, C. *see* SAMRA, G., (*ARS*) 488P
TONET, J. *see* GALLAIS, Y., (*ESA*) A.57
TOOLEY, M. A. *see* FORREST, F. C. 35–41
TOUBAS, F. *see* FULGENCIO, J.-P., (*ESA*) A.196
TOYOOKA, H. *see* SAITOH, Y., (*C*) 370; 688–690
TRAUNMÜLLER, C., WEINSTABL, C., FITZGERALD, R., ANVARI, A. and HAMMERLE, A. F. Improvement of stress tolerance in anaesthesiologists by cardiovascular fitness training, (*ESA*) A.21
TREVES, S. *see* GOLLO, E., (*ESA*) A.190
TRICOCHE, R. *see* LE PELLEY, E., (*ESA*) A.91
TRILTSCH, A. *see* STRIEBEL, H. W., (*ESA*) A.161
TRINICK, T. R. *see* DARLING, J. R., (*ARS*) 482P
TRIPEPI, A. *see* PICCINNI, P., (*ESA*) A.77
TROCHÉ, G. *see* LHERM, T., (*ESA*) A.211; (*ESA*) A.212
TROTTER, T. N. *see* MUSHAMBI, M. C., (*e*) 253

TRUJILLO, M. *see* JANI, K., (*ESA*) A.228
TRYBA, M., SCHULTE-TAMBUREN, A., KULKA, P. J. and ZENZ, M. Premedication with dexmedetomidine: a novel α_2-adrenoceptor agonist: sedative and anxiolytic effects, (*ESA*) A.157
TRYBA, M. *see* KULKA, P. J., (*ESA*) A.52; (*ESA*) A.156; SCHULTE-TAMBUREN, A. M., (*ESA*) A.43
TSAI, S. K., HUANG, S. W. and LEE, T. Y. Neuromuscular interactions between suxamethonium and magnesium sulphate in the cat 674–678
TSUKAGOSHI, H. *see* MORITA, T. 465–467
TÜCHY, G. L. *see* BURGMANN, H. 324–327
TUEUX, O. *see* SZTARK, F., (*ESA*) A.138
TUGRUL, M., JOHANSSON, S., HÄGGMARK, S. and REIZ, S. Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, (*ESA*) A.88
TULLIEZ, M. *see* STEPHAN, F., (*ESA*) A.218
TURNER, G. A. and CHALKIADIS, G. Comparison of preoperative with postoperative lignocaine infiltration on postoperative analgesic requirements 541–543
TYLMAN, M. *see* ARNESTAD, J. P. 422–425

UMBRAIN, V. *see* NYARWAYA, J. B., (*ESA*) A.90
UN, E. N. *see* POLLARD, B. J. 559–566
UNRUH, G. K. *see* YONEDA, I. 679–682
URBAN, B. W. *see* WARTENBERG, H. C. 668–673
URIE, J. *see* BARROW, P. M. 460–461
URVOAS, E. *see* LE PELLEY, E., (*ESA*) A.182
URWYLER, A., AMIET, R., CENSIER, K. and CASTELLI, I. Effects of halothane on myoplasmic calcium concentration in L6 muscle cells, (*ARS*) 481–482P
USKI, T. *see* REINSTRUP, P. 581–586
UTLEY, J. R. *see* GRAVLEE, G. P., (*R*) 736

VAFIDIS, G. C. *see* BARKER, J. P. 119–121
VAHL, A. C. *see* NAUTA, S. H. M., (*ESA*) A.73
VALDRIGHI, J. B., FLEMING, N. W., SMITH, B. K., BAKER, G. L. and WHITE, D. A. Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium 237–239
VALLÈS, J., SAMSÓ, E., VILAR, X. and PUIG, M. M. Intraoperative requirements of isoflurane after the administration of intramuscular or epidural clonidine, (*ESA*) A.158
VAN BOVEN, M. J., PENDEVILLE, P. and HAMOIR, M. Percutaneous tracheostomy using bronchoscopic control and HFJV, (*ESA*) A.210
VAN BOVEN, M. J. *see* PENDEVILLE, Ph. E., (*ESA*) A.236
VAN DER LINDEN, P., SAHAR, G., BLAUWAERT, M., BEKKRAR, Y. and VINCENT, J-L. Cardiopulmonary bypass and tissue O_2 extraction in dogs: pulsatile *vs* non pulsatile flow, (*ESA*) A.95
VAN DER LINDEN, P. *see* BEKRAR, Y., (*ESA*) A.74
VAN ELSTRAETE, A. C. *see* GAJRAJ, N. M., (*C*) 140
VAN GESSEL, E. *see* KLOPFENSTEIN, C. E., (*ESA*) A.20
VAN LERSBERGHE, C., CAMU, F., CHRISTIAENS, F. and PEETERS, P. Isoflurane and the neuromuscular effects of mivacurium in paediatric patients, (*ESA*) A.180
VAN MEUYLEM, A. *see* BARDOCZKY, G. 25–28
VAN MUYLEM, A. *see* DEBAY, P., (*ESA*) A.100
VAN OBBERGH, L. J. *see* DELBROUCK, D., (*ESA*) A.181
VAN STEENBERGE, A. *see* MÖLLMANN, M., (*ESA*) A.202
VAUGHAN, R. S. *see* ASAI, T. 47–51; (*C*) 733–734
VEALL, G. R. Q., PEACOCK, J. E., BAX, N. D. S. and REILLY, C. S. Review of the anaesthetic management of 21 patients undergoing laparotomy for carcinoid syndrome 335–341
VERED, Z. *see* PREISMAN, S., (*ESA*) A.82
VERHAMME, B., SCHLENGA, M., DE HOUWER, J., EELEN, P. and DEMEYERE, R. Intra- and postoperative effects of information presented during sufentanil anaesthesia, (*ESA*) A.132
VEYCKEMANS, F. *see* DELBROUCK, D., (*ESA*) A.181
VIANA, I. *see* LARANJEIRA, L., (*ESA*) A.58
VIANA, J. S., VIEIRA, H., BENTO, C., NEVES, S. and FURTADO, A. L. Anaesthesia for liver transplantation in familial amyloid polyneuropathy—a preliminary report, (*ESA*) A.127
VIARS, P. *see* AMSELLEM, D., (*ESA*) A.174; BERTRAND, M., (*ESA*) A.2; (*ESA*) A.9; BODIN, L., (*ESA*) A.221; CITTANOVA, M. L., (*ESA*) A.165; CORIAT, P., (*ESA*) A.6; DROC, G., (*ESA*) A.78; EYRAUD, D., (*ESA*) A.207; GOMEZ, C., (*ESA*) A.155; GOSGNACH, M., (*ESA*) A.41; LAURENT, P., (*ESA*) A.220; MAINTENANT, J., (*ESA*) A.7; MION, G., (*ESA*) A.83; MOURGEON, E., (*ESA*) A.18; (*ESA*) A.103; (*ESA*) A.104; PHILLIPE, E., (*ESA*) A.224; PIRONKOV, A., (*ESA*) A.61; PUYBASSET, L., (*ESA*) A.105; (*ESA*) A.107; (*ESA*) A.108; (*ESA*) A.109; ROUBY, J. J., (*ESA*) A.102; SAMAMA, ChM., (*ESA*) A.214
VICTORY, R. A. *see* GAJRAJ, N. M., (*C*) 140
VIDAL, F. *see* ROCA, G., (*ESA*) A.243
VIDAL, P., SYKES, P. J., O'SHAUGHNESSY, M. and CRADDOCK, K. Compartment syndrome after use of an automatic arterial pressure monitoring device, (*e*) 738
VIEIRA, H. *see* VIANA, J. S., (*ESA*) A.127
VIGUÉ, B. *see* DECLÈRE, A. D., (*ESA*) A.209
VILAR, X. *see* VALLÈS, J., (*ESA*) A.158
VINATIER, D. *see* DUCLOY, J. C., (*ESA*) A.16
VINCENT, J. L. *see* BEKRAR, Y., (*ESA*) A.74
VINCENT, J.-L. *see* EDWARDS, J. D., (*R*) 501
VINCENT, J-L. *see* VAN DER LINDEN, P., (*ESA*) A.95
VINCENTI, A. *see* VOLPE, N., (*ESA*) A.55
VISRAM, A. R., JONES, R. D. M., IRWIN, M. G. and BACON-SHONE, J. Use of two oximeters to investigate a method of movement artefact rejection using photoplethysmographic signals 388–392
VITALE, G. *see* VOLPE, N., (*ESA*) A.55; (*ESA*) A.56
VIVIEN, B. *see* EYRAUD, D., (*ESA*) A.207
VOGT, N., ROLLER, D., SCHÖNBERGER, S. and GEORGIEFF, M. Influence of intraoperative high-dose hydroxyethyl starch 200 0.5% on plasmatic oncotic function compared to albumin 5%, (*ESA*) A.50
VOGT, N., SCHÖNFELD, A., WEIGAND, M. and GEORGIEFF, M. Influence of chemical structure of hydroxyethyl starch on oncotic function of plasma, (*ESA*) A.84
VOGT, V. *see* KULKA, P. J., (*ESA*) A.156
VOLPE, N., BENINI, A., GUZZON, D., GESINI, A. and VITALE, G. Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, (*ESA*) A.56
VOLPE, N., GUZZON, D., BENINI, A., GESINI, A., VITALE, G. and VINCENTI, A. Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, (*ESA*) A.55
DE VRIES, P. M. J. M. *see* OLTHOF, C. G., (*ESA*) A.64
VRILLON, M. *see* DERIAZ, H., (*ESA*) A.42

WAHBÉ, F. *see* CITTANOVA, M. L., (*ESA*) A.165
WALKER, D. R. *see* GUPTA, N. K., (*C*) 139
WALLACE, M. *see* HARPER, N. J. N. 82–85; 411–414
WALLAYS, C. *see* STÉPHAN, F., (*ESA*) A.219
WALLECK, P. *see* MANSOOR, O., (*ESA*) A.92
WALLER, D. A. *see* SONI, A. K. 462–464
WANDEL, Ch., NEFF, S., BÖHRER, H., MOTSCH, J., BACH, A. and MARTIN, E. Emergence characteristics after sevoflurane *versus* propofol anaesthesia in adult outpatients, (*ESA*) A.15
WANG, J. *see* WARTENBERG, H. C. 668–673
WAPPLER, F., ROEWER, N., LENZEN, C., KÖCHLING, A., SCHOLZ, J., STEINFATH, M. and SCHULTE AM ESCH, J. High-purity ryanodine and 9,21-dehydroryanodine for *in vitro* diagnosis of malignant hyperthermia in man 240–242
WARD, B. *see* GREEN, D., (*ESA*) A.54
WARD, D. S. *see* DAHAN, A. 17–20
WAREHAM, A. C., MORTON, R. H. and MEAKIN, G. H. Low quantal content of the endplate potential reduces safety factor for neuromuscular transmission in the diaphragm of the newborn rat 205–209
WARREN, P. M. *see* FRIED, M. J. 217–218
WARTENBERG, H. C., WANG, J., REHBERG, B., URBAN, B. W. and DUCH, D. S. Molecular actions of pentobarbitone on sodium channels in lipid bilayers: role of channel structure 668–673
WATTWIL, M. *see* HVARFNER, A., (*ESA*) A.173; THÖRN, S.-E., (*ESA*) A.175
WEBSTER, N. R., BELLAMY, M. C., LODGE, J. P. A. and SADEK, S. A. Haemodynamics of liver reperfusion: comparison of two anaesthetic techniques 418–421
WEERTS, J. *see* THIRY, E., (*ESA*) 231
WEGENIUS, G. *see* ROTHEN, H. U., (*ESA*) A.114
WEIGAND, M. *see* VOGT, N., (*ESA*) A.84
WEINDLMAYR-GÖTTEL, M. *see* BURGMANN, H. 324–327; RECKENDORFER, H. 89–92
WEINSTABL, C. *see* KAPRAL, S., (*ESA*) A.145; LANGENECKER, S., (*ESA*) A.143; PERNERSTORFER, T., (*ESA*) A.51; TRAUNMÜLLER, C., (*ESA*) A.21
WEISKOPF, R. B., SAMPSON, D. and MOORE, M. A. The desflurane (Tec 6) vaporizer: design, design considerations and performance evaluation 474–479
WEISS, B. M., PASCH, T., BINSWANGER, U., GAUTSCHI, K. and SEIFERT, B. Forced perioperative erythropoiesis in patients undergoing major urologic procedures, (*ESA*) A.123
WELLS, F. C. *see* SNOW, D. J. 185–189
WELSCH, P. *see* ALTMAYER, P., (*ESA*) A.29
WELSH, K. R. *see* LOUGHNAN, B. A. 620–623

WENNGREN, B.-I. *see* NYSTRÖM, E., (*ESA*) A.97
WENSTONE, R. and WILKES, R. G. Clinical management of ARDS, (*E*) 617–619
WESSELING, K. *see* KINGMA, R., (*ESA*) A.60
WESTENBERG, A. M. *see* GALLETLY, D. C. 177–180
WESTFELT, U. *see* LUNDIN, S., (*ESA*) A.106
WHALLEY, D. G. and EBRAHIM, Z. Influence of carbamazepine on the dose–response relationship of vecuronium 125–126
WHITE, A. *see* BRIMACOMBE, J., (*C*) 732–733
WHITE, D. A. *see* VALDRIGHI, J. B. 237–239
WHITEHEAD, C., SANDERS, L., APPADURAI, I., POWER, I., ROSEN, M. and ROBINSON, J. Zopiclone as a preoperative night hypnotic: a double-blind comparison with temazepam and placebo 443–446
WHITEHEAD, C., SANDERS, L. D., OLDROYD, G., HAYNES, T., MARSHALL, R. W., ROSEN, M. and ROBINSON, J. O. The subjective effects of low-dose propofol, (*ESA*) A.172
WHITELEY, S. M. Anaesthesia for carotid artery surgery, (*C*) 734–735
WIERDA, J. M. K. H., VAN DEN BROEK, L. and SMEULERS, N. J. Dose requirements, reversibility and pharmacokinetics of Org 9487, (*ESA*) A.154
WIKINSKI, S., LOMBARDO, M., MEDINA, J. H. and RUBIO, M. C. Lack of anxiolytic effect of diazepam in pre-anaesthetic medication 694–696
WIKLUND, C. *see* REHDER, K., (*ESA*) A.98
WIKLUND, U. *see* REIZ, S., (*ESA*) A.62
WILDER-SMITH, O. H. G., RAVUSSIN, P., BORGEAT, A., BETTEX, D. and DESPLANDS, P. A. Propofol and thiopental induction: EEG and clinical endpoints, (*ESA*) A.133
WILDSCHIØDTZ, G. *see* ROSENBERG, J. 145–150
WILDSMITH, J. A. W. *see* MORRISON, L. M. M. 164–169
WILKES, R. G. *see* WENSTONE, R., (*E*) 617–619
WILKINSON, P. C. *see* HULSE, D., (*ARS*) 491–492P
WILLIAMS, C. *see* CLARKE, F., (*C*) 609
WILLIAMS, P. J. and BAILEY, P. M. The reinforced laryngeal mask airway for adenotonsillectomy, (*C*) 729
WILLIAMSON, J. A. and RUNCIMAN, W. B. Difficult intubation, (*C*) 366
WILSON, A. *see* POLLARD, B. J. 559–566
WILSON, I. G. Difficulty in assessing the correct position of the laryngeal mask airway, (*C*) 366
WILSON, I. G. *see* ASAI, T., (*C*) 366
WILSON, S. J. Magnetic resonance imaging of extradural blood patches, (*C*) 499
WILTON, N. C. T. *see* MUNRO, H. M. 624–628
WINBERG, P. *see* LÖNNQVIST, P. A., (*ESA*) A.188
WINSÖ, O. *see* SEEMAN-LODDING, H., (*ESA*) A.81
WIRTAVUORI, K. *see* MERETOJA, O. A., (*ESA*) A.150; 686–687
DE WIT, L. *see* RADEMAKER, B. M. P. 263–266
WITTMANN, F. W. and WITTMANN, P. H. Revision of total hip replacement in Jehovah's Witnesses, (*C*) 252
WITTMANN, P. H. *see* WITTMANN, F. W., (*C*) 252
WONG, D. T. *see* BARROW, P. M. 361–365
WONG, J. *see* SHORT, T. G. 302–306; TEH, J. 62–65
WONG, K.-W. The accuracy of impedance cardiography in measurement of cardiac output in comparison with thermodilution method, (*ESA*) A.30
WOOD, M. L. B. *see* MCHALE, S. P. 195–197
WOOD, M. L. D. *see* MCHALE, S. P., (*C*) 732
WOOD, P. R. *see* KONG, R. S. 358–360
WOODS, L. A. *see* LEVITT, M. J., (*C*) 497–498
WOODWARD, W. M., BARKER, I. and PEACOCK, J. E. Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, (*ESA*) A.179
WOOLFREY, S. G. *see* DAS, P. A. 426–429
WRAIGHT, A. *see* CHAMBERLAIN, G., (*R*) 614–615
WRIGHT, D. G., MURTHY, B. V. S, FITZPATRICK, K. and FEE, J. P. H. A comparison of three epidural infusion techniques in labour, (*ESA*) A.197
WRIGLEY, S. R. *see* PARSONS, R. S. 430–438
WU, T.-L. *see* CHOU, H.-C., (*C*) 368; GENTIL, B., (*C*) 368
WUTTKE, W. *see* CROZIER, T. A. 280–285
WYSOCKI, M. *see* MARTIN, C., (*ESA*) A.222
WYSS, E., MONS, P., TEISSIER, J. M., GUILLAUME, J. L. and PIERROT, B. Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, (*ESA*) A.201

XIONG, L. *see* DYAR, O., (*ARS*) 484–485P

YENTIS, S. M., HIRSCH, N. P. and SMITH , G. B. *Anaesthesia A to Z: An Encyclopaedia of Principles and Practice*, (*R*) 613
YENTIS, S. M., SONI, N. and RICHES, P. G. *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care patients, (*ARS*) 487–488P
YERNAULT, J.-C. *see* BARDOCZKY, G. 25–28
YERNAULT, J. C. *see* BARDOCZKY, G., (*ESA*) A.101
YLI-HANKALA, A. *see* KIRVELÄ, M., (*ESA*) A.121
YONEDA, I., GOTO, H., NISHIZAWA, M., UNRUH, G. K. and ARAKAWA, K. Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs 679–682
YOROZU, S. *see* INABA, H. 348–350
YOSHIKAWA, D. *see* MORITA, T. 465–467
YOUNG, J. D. *see* DYAR, O., (*ARS*) 484–485P

ZAOUK, G., GILBART, E., LEJEUNE, Ph., ELBANNA, S. and BALATONI, E. Comparison of cemented *vs* non-cemented total hip implants on cardiopulmonary function, (*ESA*) A.22
ZAPPI, L., REHDER, K., ROCCHI, D., BRUSASCO, V. and NICOSIA, F. Opioid receptors in isolated bovine tracheal muscle, (*ESA*) A.99
ZAZZO, J.-F. *see* LHERM, T., (*ESA*) A.211; (*ESA*) A.212
ZECH, D. *see* RADBRUCH, L., (*ESA*) A.242
ZENZ, M. *see* SCHULTE-TAMBUREN, A. M., (*ESA*) A.43; TRYBA, M., (*ESA*) A.157
ZETLAOUI, P. *see* FLETCHER, D., (*ESA*) A.235
ZICOT, M. *see* BRICHANT, J. F., (*ESA*) A.147
ZIEHMER, M., GRUNDMANN, U., KREIENMEYER, J., ALTMAYER, P. and LARSEN, R. Effect of propofol on hepatic blood flow in humans, (*ESA*) A.168
ZIEHMER, M. *see* GRUNDMANN, U., (*ESA*) A.170
ZISMAN, E. *see* ROSENBERG, B., (*ESA*) A.115
ZORICA, J. and IVAN, P. Does the position of the intrapleural catheter change the results of the intrapleural analgesia? (*ESA*) A.232
ZOUAOUI, A. *see* BODIN, L., (*ESA*) A.221; LAURENT, P., (*ESA*) A.220
ZUBICKI, A. *see* BERTRAND, M., (*ESA*) A.2; CORIAT, P., (*ESA*) A.6; MAINTENANT, J., (*ESA*) A.7
ZWANOWETZ, M. *see* SCHINNERL, A. A., (*ESA*) A.226

SUBJECT INDEX

Acetylcholine, Choline acetyltransferase activity of rat synaptosomes is sensitive to enflurane, but not halothane or isoflurane, GRIFFITHS, R., *et al.* 577–580

Acid–base equilibrium, metabolic acidosis, Metabolic acidosis developing during intraoperative (extreme) normovolaemic haemodilution, SINGBARTL, G., *et al.*, (*ESA*) A.46

Acid–base equilibrium, pH, Is the difference between systemic and intramucosal pH–pH gap—an indicator of tissue ischaemia? STAENDER, S., *et al.*, (*ESA*) A.94

——, Measurements of gastric intramucosal pH in patients after cardiac surgery, BEKRAR, Y., *et al.*, (*ESA*) A.74

Acid–base equilibrium, respiratory acidosis, Variations of arterial P_{CO_2} (Pa_{CO_2}) despite constant end-tidal P_{CO_2} (PET_{CO_2}) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39

Acid–base equilibrium, respiratory alkalosis, Influence of respiratory alkalosis on hepatic metabolism in patients with head trauma, ICHAI, C., *et al.*, (*ESA*) A.118

Adolescents, Morbidity following spinal anaesthesia in adolescents, RADBRUCH, L., *et al.*, (*ESA*) A.144

Age factors, Haemodynamic changes during laparoscopic cholecystectomy in the elderly (preliminary results), DHOSTE, K., *et al.*, (*ESA*) A.32

——, Induction of anaesthesia in the elderly using eltanolone, MYINT, Y., *et al.*, (*ARS*) 492–493P

——, Influence of aging of the population on the workload of an anaesthesia service, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.1

——, Low quantal content of the endplate potential reduces safety factor for neuromuscular transmission in the diaphragm of the newborn rat, WAREHAM, A. C., *et al.* 205–209

——, Pharmacodynamics of doxacurium in elderly patients, HARPER, N. J. N., *et al.*, (*ARS*) 493P

Airway, obstruction, Expiratory obstruction in co-axial breathing system, GAYLARD, D. G., (*C*) 734

——, Expiratory obstruction in co-axial breathing system, MOON, J. R. A., (*C*) 734

Airway, resistance, On-line expiratory flow–volume curves during thoracic surgery: occurrence of auto-PEEP, BARDOCZKY, G., *et al.* 25–28

Alcohol, Effect of alcohol on gastric emptying in volunteers, MUSHAMBI, M. C., *et al.*, (*e*) 253

Anaesthesia A to Z: An Encyclopaedia of Principles and Practice, YENTIS, S. M., *et al.*, (*R*) 613

Anaesthesia, audit, Anaesthetic preoperative assessment in outpatient clinic. A survey of the opinion of anaesthetists, surgeons and hospital directors in Switzerland, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.13

——, Effect of education on oxygen mask placement, GOLDHILL, D. R., *et al.* 234–236

——, Preoperative checking of the anaesthetic machine. A survey in a university department of anaesthesiology, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.20

Anaesthesia, day-case, A comparison between ketorolac or diclofenac as an adjunct to anaesthesia for short outpatient procedures, JAKOBSSON, J., *et al.*, (*ESA*) A.11

——, Analgesia of two doses of intra-articular morphine in day-case arthroscopy, JUELSGAARD, P., *et al.*, (*ESA*) A.230

——, Emergence characteristics after sevoflurane *versus* propofol anaesthesia in adult outpatients, WANDEL, CH., *et al.*, (*ESA*) A.15

——, Rocuronium in dental day-case patients, CHETTY, M. S., *et al.*, (*ARS*) 486P

Anaesthesia, dental, Rocuronium in dental day-case patients, CHETTY, M. S., *et al.*, (*ARS*) 486P

Anaesthesia, depth, Conscious levels during anaesthesia, CORMACK, R. S., (*C*) 497

——, Conscious levels during anaesthesia, JAMES, M. F. M., (*C*) 496–497

——, Respiratory sinus arrhythmia: comparison with EEG indices during isoflurane anaesthesia at 0.65 and 1.2 MAC, POMFRETT, C. J. D., *et al.* 397–402

——, Therapeutic suggestions during general anaesthesia, ANDRADE, J., *et al.*, (*C*) 730

——, Therapeutic suggestions during general anaesthesia, MILLAR, K., (*C*) 730–731

Anaesthesia, duration, Influence of aging of the population on the workload of an anaesthesia service, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.1

Anaesthesia for Burns, Maxillofacial and Plastic Surgery, PATEL, H., (editor), (*R*) 141

Anaesthesia for Thoracic Surgery, 2nd Edn, GOTHARD, J. W. W., (*R*) 501

Anaesthesia, general, Mechanisms of atelectasis formation during general anaesthesia, ROTHEN, H. U., *et al.*, (*ESA*) A.114

——, Prolonged decrease in heart rate variability after elective hip arthroplasty, MARSCH, S. C. U., *et al.* 643–649

——, The effect of anaesthetic techniques on peripartietal maternal interleukin-6 levels, DE JONGH, R., *et al.*, (*ESA*) A.195

——, Therapeutic suggestions during general anaesthesia, ANDRADE, J., *et al.*, (*C*) 730

——, Therapeutic suggestions during general anaesthesia, MILLAR, K., (*C*) 730–731

Anaesthesia, geriatric, Influence of aging of the population on the workload of an anaesthesia service, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.1

Anaesthesia, gynaecological, Outpatient anaesthesia consultation and early detection of risk factors for difficult intubation in obstetric patients, HAMZA, J., *et al.*, (*ESA*) A.192

Anaesthesia, journals, Who publishes in the large anaesthesia journals? POMAROLI, A., *et al.* 723–725

Anaesthesia, neurosurgical, Effect of 1 or 2 MAC isoflurane with or without ketanserin on cerebral blood flow autoregulation in man, OLSEN, K. S., *et al.* 66–71

Anaesthesia, obstetric, Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, WYSS, E., *et al.*, (*ESA*) A.201

——, Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia, BAILEY, C. R., *et al.* 58–61

——, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203

——, Management of a term parturient with tracheal stenosis, SALAMA, D. J., *et al.* 354–357

——, Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, MCCRIRRICK, A., *et al.* 122–124

——, Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, MCCRIRRICK, A., *et al.*, (*e*) 371

——, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661

——, Sequential spinal-epidural block for elective Caesarean section. Efficacy of subarachnoidal sufentanil, MÖLLMANN, M., *et al.*, (*ESA*) A.202

——, Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate, CLARK, V., *et al.* 221–223

——, The effect of anaesthetic techniques on peripartietal maternal interleukin-6 levels, DE JONGH, R., *et al.*, (*ESA*) A.195

Anaesthesia, paediatric, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.*, (*e*) 371

——, A prospective evaluation of pharmacokinetic model controlled infusion of propofol in paediatric patients, SHORT, T. G., *et al.* 302–306

——, After transsacral epidural, where does the catheter go? LE PELLEY, E., *et al.*, (*ESA*) A.182

——, Calculation of mean skin temperature and changes in body heat content during paediatric anaesthesia, PUHAKKA, K., *et al.* 548–553

——, Comparison of different bolus doses of morphine for

patient-controlled analgesia in children, DOYLE, E., *et al.* 160–163
——, Comparison of induction and recovery characteristics of sevoflurane and halothane in children, PIAT, V., *et al.*, (*ESA*) A.178
——, Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery, MUNRO, H. M., *et al.* 624–628
——, Comparison of the haemodynamic effects of dobutamine with enoximone after open heart surgery in small children, INNES, P. A., *et al.* 77–81
——, Induction of anaesthesia with sevoflurane in children: haemodynamic effects, DUBOIS, M. C., *et al.*, (*ESA*) A.189
——, Interest of heat and moisture exchanger during short operations in young children, MONRIGAL, J. P., *et al.*, (*ESA*) A.187
——, Isoflurane and the neuromuscular effects of mivacurium in paediatric patients, VAN LERSBERGHE, C., *et al.*, (*ESA*) A.180
——, Postoperative analgesia in children using continuous s.c. morphine, MCNICOL, R., (*e*) 253
——, Postoperative extradural analgesia in children: comparison of morphine with fentanyl, LEJUS, C., *et al.* 156–159
——, Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance, AUN, C. S. T., *et al.* 554–558
——, Sevoflurane *versus* halothane in paediatric anaesthesia, TAIVAINEN, T., *et al.*, (*ESA*) A.177
Anaesthesia: Review 10, KAUFMAN, L., (editor), (*R*) 736
Anaesthesia, thoracic, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
Anaesthetic techniques, extradural, A comparison of three epidural infusion techniques in labour, WRIGHT, D. G., *et al.*, (*ESA*) A.197
——, After transsacral epidural, where does the catheter go? LE PELLEY, E., *et al.*, (*ESA*) A.182
——, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, WYSS, E., *et al.*, (*ESA*) A.201
——, Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia, BAILEY, C. R., *et al.* 58–61
——, Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, JORROT, J. C., *et al.*, (*ESA*) A.198
——, Dysphoria after extradural diamorphine, HOLDER, K. J., *et al.*, (*C*) 728
——, Efficacy and kinetics of extradural ropivacaine: comparison with bupivacaine, MORRISON, L. M. M., *et al.* 164–169
——, Extradural clonidine—the need for well designed controlled trials, MACDONALD, R., (*E*) 255–257
——, Impaired efficacy of epidural analgesia and anaesthesia in parturients after previous dural puncture, FULGENCIO, J.-P., *et al.*, (*ESA*) A.196
——, Indirect sonographic guidance for epidural anaesthesia, BONAZZI, M., *et al.*, (*ESA*) A.146
——, Ketoprofen for pain after hip and knee arthroplasty, HOMMERIL, J.-L., *et al.* 383–387
——, Magnetic resonance imaging of extradural blood patches, BEARDS, S. C., *et al.*, (*C*) 499–500
——, Magnetic resonance imaging of extradural blood patches, WILSON, S. J., (*C*) 499
——, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661
——, Pressure in the extradural space, GUEDJ, P., (*C*) 251
——, Pressure in the extradural space, PAWSEY, S. D., (*C*) 251
——, Respiratory depression after extradural fentanyl, CHRUBASIK, J., *et al.*, (*C*) 251–252
——, Respiratory depression after extradural fentanyl, NOBLE, D. W., *et al.*, (*C*) 251–252
——, Review of 253 epidural catheters inserted at the lumbar or thoracic level in children less than 2 years old, DELBROUCK, D., *et al.*, (*ESA*) A.181
——, Sequential spinal-epidural block for elective Caesarean section. Efficacy of subarachnoidal sufentanil, MÖLLMANN, M., *et al.*, (*ESA*) A.202
——, Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate, CLARK, V., *et al.* 221–223
——, The effect of anaesthetic techniques on peripartietal maternal interleukin-6 levels, DE JONGH, R., *et al.*, (*ESA*) A.195
——, The size of the dural sac is unaffected by body position, BRICHANT, J. F., *et al.*, (*ESA*) A.149
——, Why postoperative epidural analgesia is not complete for every patient? FARHAT, F., *et al.*, (*ESA*) A.148
Anaesthetic techniques, hypotensive, Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin, SHIRAISHI, Y., *et al.* 439–442
Anaesthetic techniques, induction, Changes in arterial and jugular venous propofol concentrations during induction of anaesthesia, PEACOCK, J. E., *et al.*, (*ARS*) 480–481P
——, Induction of anaesthesia in the elderly using eltanolone, MYINT, Y., *et al.*, (*ARS*) 492–493P
Anaesthetic techniques, inhalation, Effects of halothane on myoplasmic calcium concentration in L6 muscle cells, URWYLER, A., *et al.*, (*ARS*) 481–482P
——, Isoflurane decreases noradrenaline release in the rat locus coeruleus by a mechanism not involving autoreceptors, STAMFORD, J. A., *et al.*, (*ARS*) 481P
——, I.v. *vs* halothane anaesthesia in ponies: hormonal changes in the CSF, pituitary effluent and peripheral blood, LUNA, S. P. L., *et al.*, (*ARS*) 480P
——, Recovery after oral surgery with halothane, enflurane, isoflurane or propofol anaesthesia, POLLARD, B. J., *et al.* 559–566
Anaesthetic techniques, i.p., Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function, RADEMAKER, B. M. P., *et al.* 263–266
Anaesthetic techniques, i.v., I.v. *vs* halothane anaesthesia in ponies: hormonal changes in the CSF, pituitary effluent and peripheral blood, LUNA, S. P. L., *et al.*, (*ARS*) 480P
——, Recovery after oral surgery with halothane, enflurane, isoflurane or propofol anaesthesia, POLLARD, B. J., *et al.* 559–566
Anaesthetic techniques, i.v. infusion, Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance, AUN, C. S. T., *et al.* 554–558
Anaesthetic techniques, preoxygenation, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*E*) 3–4
——, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*e*) 612
——, Preoxygenation in healthy volunteers: a graph of oxygen "washin" using end-tidal oxygraphy, BERRY, C. B., *et al.* 116–118
Anaesthetic techniques, regional, Arterial and peripheral venous concentrations of bupivacaine following combined sciatic and femoral 3-in-1 blocks, MISRA, U., *et al.*, (*ESA*) A.139
——, Effect of ilioinguinal and iliohypogastric nerve block and wound infiltration with 0.5% bupivacaine on postoperative pain after hernia repair, HARRISON, C. A., *et al.* 691–693
——, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
Anaesthetic techniques, regional, axillary plexus, Axillary plexus block for postoperative analgesia in children, GAUTSCHI-MEYER, S., *et al.*, (*ESA*) A.183
Anaesthetic techniques, regional, inguinal, Comparison of the effectiveness of bilateral ilioinguinal nerve block and wound infiltration for postoperative analgesia after Caesarean section, GANTA, R., *et al.* 229–230
Anaesthetic techniques, regional, interpleural, Inspiratory muscle strength after interpleural bupivacaine in healthy humans, GALLART, L., *et al.*, (*ESA*) A.96
——, Interpleural analgesia, MURPHY, D. F., (*C*) 250
——, Interpleural analgesia, RICHARDSON, J., *et al.*, (*C*) 250
Anaesthetic techniques, regional, intra-articular, Addition of morphine to intra-articular bupivacaine does not improve analgesia after day-case arthroscopy, LAURENT, S. C., *et al.* 170–173
Anaesthetic techniques, regional, lumbar plexus, Lower limb blood flow and lumbar plexus blockade, BRICHANT, J. F., *et al.*, (*ESA*) A.147
Anaesthetic techniques, regional, paravertebral, Video-assisted thoracoscopic placement of paravertebral catheters: a technique for postoperative analgesia for bilateral thoracoscopic surgery, SONI, A. K., *et al.* 462–464
Anaesthetic techniques, regional, retrobulbar, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., *et al.* 119–121
Anaesthetic techniques, regional, stellate ganglion, Ultrasonographic guided stellatum ganglion blockade, KAPRAL, S., *et al.*, (*ESA*) A.145

Anaesthetic techniques, subarachnoid, A survey of 730000 spinal anaesthesias, AUROY, Y., *et al.*, (*ESA*) A.4
——, Changes in haemodynamic variables during transurethral resection of the prostate: comparison of general and spinal anaesthesia, DOBSON, P. M. S., *et al.* 267–271
——, Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, WYSS, E., *et al.*, (*ESA*) A.201
——, Duration of analgesia following Caesarean section under spinal anaesthesia—the effect of spinal morphine and rectal sodium diclofenac, ROONEY, M. J., *et al.*, (*ESA*) A.205
——, Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic, LANGERMAN, L., *et al.* 456–459
——, Hypertonic saline prehydration in patients undergoing transurethral resection of the prostate under spinal anaesthesia, BARAKA, A., *et al.* 227–228
——, Hypotension during subarachnoid anaesthesia: haemodynamic analysis of three treatments, CRITCHLEY, L. A. H., *et al.* 151–155
——, Intrathecal position of microcatheters, BIBOULET, P. H., *et al.*, (*C*) 611–612
——, Intrathecal position of microcatheters, STANDL, T. H., *et al.*, (*C*) 612
——, Morbidity following spinal anaesthesia in adolescents, RADBRUCH, L., *et al.*, (*ESA*) A.144
——, Prolonged decrease in heart rate variability after elective hip arthroplasty, MARSCH, S. C. U., *et al.* 643–649
——, Sequential spinal-epidural block for elective Caesarean section. Efficacy of subarachnoidal sufentanil, MÖLLMANN, M., *et al.*, (*ESA*) A.202
——, Spinal anaesthesia in a patient with Takayasu's disease, HAMPL, K. F., *et al.* 129–132
——, Spinal clonidine prolongs onset of motor blockade of bupivacaine, LANGENECKER, S., *et al.*, (*ESA*) A.143
Anaesthetic techniques, topical, Comparison of percutaneous anaesthesia for venous cannulation after topical application of either amethocaine or EMLA cream, MOLODECKA, J., *et al.* 174–176
——, Kinetics of intranasal cocaine for topical anaesthesia in nasal surgery, LE PELLEY, E., *et al.*, (*ESA*) A.164
Anaesthetics gases, nitrogen dioxide, The role of soda lime during administration of inhaled nitric oxide, PICKETT, J. A., *et al.* 683–685
Anaesthetics gases, nitrous oxide, Effect of nitrous oxide on cerebral blood flow, FIELD, L. M., (*C*) 251
——, Effect of nitrous oxide on cerebral blood flow, SJÖBERG, F., *et al.*, (*C*) 250–251
——, Effects of 20% nitrous oxide on the ventilatory response to hypercapnia and sustained isocapnic hypoxia in man, DAHAN, A., *et al.* 17–20
——, Fate of extradural air bubbles during inhalation of nitrous oxide, STEVENS, R., *et al.*, (*ARS*) 482–483P
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
——, Nitrous oxide as an analgesic for painful procedures outside the operating theatre, GUDMARSSON, A. N., (*ESA*) A.241
——, Nitrous oxide does not influence operating conditions or postoperative course in colonic surgery, KROGH, B., *et al.* 55–57
——, Nitrous oxide elimination, EINARSSON, S., *et al.*, (*C*) 730
——, Nitrous oxide elimination, LIN, C.-Y., (*C*) 729–730
——, Nitrous oxide induces central and obstructive apnoeas in normal subjects, BEYDON, L., *et al.*, (*ESA*) A.113
——, Venous carbon dioxide emboli. Does nitrous oxide make difference? NYARWAYA, J. B., *et al.*, (*ESA*) A.90
Anaesthetics i.v., eltanolone, Induction of anaesthesia in the elderly using eltanolone, MYINT, Y., *et al.*, (*ARS*) 492–493P
Anaesthetics i.v., etomidate, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
Anaesthetics i.v., halothane, QT interval after isoflurane or halothane administration during surgical procedures, KANAKOUDES, F., *et al.*, (*ESA*) A.63
Anaesthetics i.v., ketamine, Analgesic effects of epidural ketamine and clonidine for postoperative pain relief, CHIARI, A., *et al.*, (*ESA*) A.240
——, Differential effects of propofol and ketamine on cytosolic calcium concentrations of astrocytes in primary culture, MANTZ, J., *et al.* 351–353
——, Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, MANSOOR, O., *et al.*, (*ESA*) A.92
——, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
Anaesthetics i.v., pentobarbitone, Molecular actions of pentobarbitone on sodium channels in lipid bilayers: role of channel structure, WARTENBERG, H. C., *et al.* 668–673
——, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
Anaesthetics i.v., propofol, A prospective evaluation of pharmacokinetic model controlled infusion of propofol in paediatric patients, SHORT, T. G., *et al.* 302–306
——, Absence of pressor response following early insertion of laryngeal mask airway after induction with fentanyl and propofol, GREEN, D., *et al.*, (*ESA*) A.54
——, Alfentanil and propofol for difficult tracheal intubation, GILLESPIE, J. A., *et al.*, (*C*) 498
——, Alfentanil and propofol for difficult tracheal intubation, LEVITT, M. J., *et al.*, (*C*) 497–498
——, Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, WOODWARD, W. M., *et al.*, (*ESA*) A.179
——, Comparison of the effects of isoflurane and propofol on hepatic glutathione-S-transferase concentrations during and after prolonged anaesthesia, MURRAY, J. M., *et al.* 599–601
——, Continuous infusions of propofol administered to dogs: effects on ICG and propofol disposition, SEAR, J. W., *et al.* 451–455
——, Differential effects of propofol and ketamine on cytosolic calcium concentrations of astrocytes in primary culture, MANTZ, J., *et al.* 351–353
——, Do infusions of midazolam and propofol pose an infection risk to critically ill patients? FARRINGTON, M., *et al.* 415–417
——, Does tolerance develop to the anaesthetic effects of propofol in rats? FASSOULAKI, A., *et al.* 127–128
——, Early cortical auditory evoked potentials during sedation with propofol, BAXENDALE, B. R., *et al.*, (*ESA*) A.171
——, Effect of propofol and thiopentone on inducible nitric oxide production, O'DONNELL, N. G., *et al.*, (*ARS*) 492P
——, Effect of propofol on hepatic blood flow in humans, ZIEHMER, M., *et al.*, (*ESA*) A.168
——, Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, TUGRUL, M., *et al.*, (*ESA*) A.88
——, Emergence characteristics after sevoflurane *versus* propofol anaesthesia in adult outpatients, WANDEL, CH., *et al.*, (*ESA*) A.15
——, Haemodynamic and catecholamine changes after induction of anaesthesia with either thiopentone or propofol with suxamethonium, BROSSY, M. J., *et al.* 596–598
——, Haemodynamic effects of propofol, GINSBERG, R., *et al.*, (*C*) 370–371
——, Haemodynamic effects of propofol, PENSADO, A., *et al.*, (*C*) 371
——, Haemodynamics of liver reperfusion: comparison of two anaesthetic techniques, WEBSTER, N. R., *et al.* 418–421
——, Heart rate variability during propofol anaesthesia, GALLETLY, D. C., *et al.* 219–220
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
——, Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, AMSELLEM, D., *et al.*, (*ESA*) A.174
——, Mid-latency auditory evoked potentials and circulatory response to loud sounds, SCHWENDER, D., *et al.* 307–314
——, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
——, Pharmacokinetic interactions between midazolam and propofol: an infusion study, TEH, J., *et al.* 62–65
——, Pretreatment with alfentanil reduces pain caused by propofol, FLETCHER, J. E., *et al.* 342–344
——, Propofol and oxpentifylline during spinal cord ischaemia in dogs, MCCOY, D., *et al.*, (*ARS*) 484P
——, Propofol and thiopental induction: EEG and clinical endpoints, WILDER-SMITH, O. H. G., *et al.*, (*ESA*) A.133
——, Propofol and thiopentone inhibit membrane mobility and

locomotor response of neutrophils, HULSE, D., *et al.*, (*ARS*) 491–492P
——, Propofol and volatile anaesthetics, GRUNDMANN, U., *et al.*, (*ESA*) A.170
——, Propofol attenuates glutamate toxicity mediated by NMDA receptor on fetal rat hippocampal neurones, HANS, P., *et al.*, (*ESA*) A.129
——, Propofol binding in human blood, ALTMAYER, P., *et al.*, (*ESA*) A.167
——, Propofol effects upon apomorphine induced vomiting, THÖRN, S.-E., *et al.*, (*ESA*) A.175
——, Propofol infusion and the suppression of consciousness: dose requirements to induce loss of consciousness and to suppress response to noxious and non-noxious stimuli, DUNNET, J. M., *et al.* 29–34
——, Propofol infusion and the suppression of consciousness: the EEG and dose requirements, FORREST, F. C., *et al.* 35–41
——, Propofol infusion for maintenance of anaesthesia: cardiovascular repercussions and costs, LARANJEIRA, L., *et al.*, (*ESA*) A.58
——, Propofol-alfentanil and isoflurane-alfentanil anaesthesia for major thoracic surgery, BARDOCZKY, G. I., *et al.*, (*ESA*) A.169
——, Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance, AUN, C. S. T., *et al.* 554–558
——, Sedation with propofol does not interfere with gastric emptying, HVARFNER, A., *et al.*, (*ESA*) A.173
——, The subjective effects of low-dose propofol, WHITEHEAD, C., *et al.*, (*ESA*) A.172
Anaesthetics i.v., thiopentone, Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, WOODWARD, W. M., *et al.*, (*ESA*) A.179
——, Effect of propofol and thiopentone on inducible nitric oxide production, O'DONNELL, N. G., *et al.*, (*ARS*) 492P
——, Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, TUGRUL, M., *et al.*, (*ESA*) A.88
——, Haemodynamic and catecholamine changes after induction of anaesthesia with either thiopentone or propofol with suxamethonium, BROSSY, M. J., *et al.* 596–598
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
——, Propofol and thiopental induction: EEG and clinical endpoints, WILDER-SMITH, O. H. G., *et al.*, (*ESA*) A.133
——, Propofol and thiopentone inhibit membrane mobility and locomotor response of neutrophils, HULSE, D., *et al.*, (*ARS*) 491–492P
——, Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance, AUN, C. S. T., *et al.* 554–558
Anaesthetics local, amethocaine, Comparison of percutaneous anaesthesia for venous cannulation after topical application of either amethocaine or EMLA cream, MOLODECKA, J., *et al.* 174–176
——, Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic, LANGERMAN, L., *et al.* 456–459
Anaesthetics local, bupivacaine, A comparison of three epidural infusion techniques in labour, WRIGHT, D. G., *et al.*, (*ESA*) A.197
——, Addition of morphine to intra-articular bupivacaine does not improve analgesia after day-case arthroscopy, LAURENT, S. C., *et al.* 170–173
——, Arterial and peripheral venous concentrations of bupivacaine following combined sciatic and femoral 3-in-1 blocks, MISRA, U., *et al.*, (*ESA*) A.139
——, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children, LEE, J. J., *et al.* 258–262
——, Comparison of bupivacaine and ropivacaine metabolic effects in rat cardiac skinned fibres, SZTARK, F., *et al.*, (*ESA*) A.138
——, Comparison of the effectiveness of bilateral ilioinguinal nerve block and wound infiltration for postoperative analgesia after Caesarean section, GANTA, R., *et al.* 229–230
——, Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia, BAILEY, C. R., *et al.* 58–61
——, Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.97
——, Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, JORROT, J. C., *et al.*, (*ESA*) A.198
——, Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic, LANGERMAN, L., *et al.* 456–459
——, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203
——, Efficacy and kinetics of extradural ropivacaine: comparison with bupivacaine, MORRISON, L. M. M., *et al.* 164–169
——, Hastening of ischaemia-induced fall of electrical fibrillation threshold by bupivacaine at moderate plasma levels, FREYSZ, M., *et al.*, (*ESA*) A.93
——, Inspiratory muscle strength after interpleural bupivacaine in healthy humans, GALLART, L., *et al.*, (*ESA*) A.96
——, Intraperitoneal bupivacaine does not reduce postoperative pain after laparoscopic cholecystectomy, THIRY, E., *et al.*, (*ESA*) 231
——, Long-term continuous intrathecal administration of morphine/bupivacaine at the upper cervical level for pain due to progressive intra-oral cancer. Access by lateral CI–II approach, CRUL, B. J. P., *et al.*, (*ESA*) A.244
——, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
——, Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? LACOSTE, L., *et al.*, (*ESA*) A.229
——, Preliminary *in vivo* evaluation of intrathecal liposomal bupivacaine, BENHAMOU, D., *et al.*, (*ESA*) A.141
——, Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate, CLARK, V., *et al.* 221–223
——, Spinal clonidine prolongs onset of motor blockade of bupivacaine, LANGENECKER, S., *et al.*, (*ESA*) A.143
Anaesthetics local, cocaine, Kinetics of intranasal cocaine for topical anaesthesia in nasal surgery, LE PELLEY, E., *et al.*, (*ESA*) A.164
Anaesthetics local, EMLA, Comparison of percutaneous anaesthesia for venous cannulation after topical application of either amethocaine or EMLA cream, MOLODECKA, J., *et al.* 174–176
Anaesthetics local, etidocaine, Etidocaine and extradural somatosensory evoked potentials after posterior tibial nerve stimulation, LOUGHNAN, B. A., *et al.* 620–623
Anaesthetics local, lignocaine, Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.97
——, Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic, LANGERMAN, L., *et al.* 456–459
——, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
——, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661
——, Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate, CLARK, V., *et al.* 221–223
Anaesthetics local, procaine, Duration of spinal anaesthesia is determined by the partition coefficient of local anaesthetic, LANGERMAN, L., *et al.* 456–459
Anaesthetics local, ropivacaine, Comparison of bupivacaine and ropivacaine metabolic effects in rat cardiac skinned fibres, SZTARK, F., *et al.*, (*ESA*) A.138
——, Efficacy and kinetics of extradural ropivacaine: comparison with bupivacaine, MORRISON, L. M. M., *et al.* 164–169
Anaesthetics volatile, Choline acetyltransferase activity of rat synaptosomes is sensitive to enflurane, but not halothane or isoflurane, GRIFFITHS, R., *et al.* 577–580
——, Effects of potent inhalational agents on Ca^{2+} transport in synaptic plasma membranes from rat brain, HORN, J. L., *et al.*, (*ESA*) A.130
——, Propofol and volatile anaesthetics, GRUNDMANN, U., *et al.*, (*ESA*) A.170
Anaesthetics volatile, desflurane, Comparison of desflurane and fentanyl-based anaesthetic techniques for coronary artery bypass surgery, PARSONS, R. S., *et al.* 430–438

——, The desflurane Tec 6 vaporizer, GRAHAM, S. G. 470–473
——, The desflurane (Tec 6) vaporizer: design, design considerations and performance evaluation, WEISKOPF, R. B., *et al.* 474–479
——, Use of desflurane during resection of phaeochromocytoma, LIPPMANN, M., *et al.* 707–709
Anaesthetics volatile, enflurane, Effect of low-dose enflurane on the ventilatory response to hypoxia in humans, NAGYOVA, B., *et al.* 509–514
——, Influence of halothane and isoflurane on the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 581–586
——, Volatile agents and the ventilatory response to hypoxia, GOODMAN, N. W., (*E*) 503–505
Anaesthetics volatile, halothane, Comparison of induction and recovery characteristics of sevoflurane and halothane in children, PIAT, V., *et al.*, (*ESA*) A.178
——, Effect of dopexamine on portal blood flow and liver function with halothane anaesthesia, DARLING, J. R., *et al.*, (*ARS*) 482P
——, Effect of halothane, isoflurane and fentanyl on spectral components of heart rate variability, GALLETLY, D. C., *et al.* 177–180
——, Effects of halothane on myoplasmic calcium concentration in L6 muscle cells, URWYLER, A., *et al.*, (*ARS*) 481–482P
——, Effects of isoflurane–nitrous oxide and halothane–nitrous oxide anaesthesia on myocardial contractility assessed by transoesophageal echocardiography, KIKURA, M., *et al.* 315–320
——, Influence of halothane and isoflurane on the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 581–586
——, Recovery after propofol infusion anaesthesia in children: comparison with propofol, thiopentone or halothane induction followed by halothane maintenance, AUN, C. S. T., *et al.* 554–558
——, Sevoflurane *versus* halothane in paediatric anaesthesia, TAIVAINEN, T., *et al.*, (*ESA*) A.177
Anaesthetics volatile, isoflurane, Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, WOODWARD, W. M., *et al.*, (*ESA*) A.179
——, Comparison of the effects of isoflurane and propofol on hepatic glutathione-S-transferase concentrations during and after prolonged anaesthesia, MURRAY, J. M., *et al.* 599–601
——, Effect of 1 or 2 MAC isoflurane with or without ketanserin on cerebral blood flow autoregulation in man, OLSEN, K. S., *et al.* 66–71
——, Effect of anaesthesia on the cytokine responses to abdominal surgery, CROZIER, T. A., *et al.* 280–285
——, Effect of halothane, isoflurane and fentanyl on spectral components of heart rate variability, GALLETLY, D. C., *et al.* 177–180
——, Effects of intravenous urapidil on isoflurane-induced hypotension during ear surgery, DERAMOUDT, V., *et al.*, (*ESA*) A.59
——, Effects of isoflurane–nitrous oxide and halothane–nitrous oxide anaesthesia on myocardial contractility assessed by transoesophageal echocardiography, KIKURA, M., *et al.* 315–320
——, Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, SEEMAN-LODDING, H., *et al.*, (*ESA*) A.81
——, Haemodynamics of liver reperfusion: comparison of two anaesthetic techniques, WEBSTER, N. R., *et al.* 418–421
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
——, Intraoperative requirements of isoflurane after the administration of intramuscular or epidural clonidine, VALLÈS, J., *et al.*, (*ESA*) A.158
——, Isoflurane and the neuromuscular effects of mivacurium in paediatric patients, VAN LERSBERGHE, C., *et al.*, (*ESA*) A.180
——, Isoflurane decreases noradrenaline release in the rat locus coeruleus by a mechanism not involving autoreceptors, STAMFORD, J. A., *et al.*, (*ARS*) 481P
——, Jugular bulb venous oximetry and cerebral blood flow in fentanyl/isoflurane anaesthetized patients, ALGOTSSON, L., (*ESA*) A.76
——, MAC reduction of isoflurane by sufentanil, BRUNNER, M. D., *et al.* 42–46
——, Mid-latency auditory evoked potentials and circulatory response to loud sounds, SCHWENDER, D., *et al.* 307–314
——, Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, MCCRIRRICK, A., *et al.* 122–124
——, Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, MCCRIRRICK, A., *et al.*, (*e*) 371
——, Propofol-alfentanil and isoflurane-alfentanil anaesthesia for major thoracic surgery, BARDOCZKY, G. I., *et al.*, (*ESA*) A.169
——, QT interval after isoflurane or halothane administration during surgical procedures, KANAKOUDES, F., *et al.*, (*ESA*) A.63
——, Recovery from sevoflurane and isoflurane after outpatient gynaecological laparoscopy, KALLELA, H., *et al.*, (*ESA*) A.14
——, The effect of isoflurane anaesthesia on glucose tolerance in surgical patients, KNOWLES, M., *et al.*, (*ESA*) A.126
——, The effects of sevoflurane are similar to those of isoflurane on the neuromuscular block produced by vecuronium, MORITA, T., *et al.* 465–467
——, Thenar muscle blood flow and neuromuscular effects of vecuronium in patients receiving balanced or isoflurane anaesthesia, ABDULATIF, M., *et al.* 650–653
Anaesthetics volatile, sevoflurane, Comparison of induction and recovery characteristics of sevoflurane and halothane in children, PIAT, V., *et al.*, (*ESA*) A.178
——, Emergence characteristics after sevoflurane *versus* propofol anaesthesia in adult outpatients, WANDEL, CH., *et al.*, (*ESA*) A.15
——, Induction of anaesthesia with sevoflurane in children: haemodynamic effects, DUBOIS, M. C., *et al.*, (*ESA*) A.189
——, Plasma inorganic fluoride ion levels following sevoflurane anaesthesia, NEWMAN, P. J., *et al.*, (*ESA*) A.166
——, Recovery from sevoflurane and isoflurane after outpatient gynaecological laparoscopy, KALLELA, H., *et al.*, (*ESA*) A.14
——, Sevoflurane *versus* halothane in paediatric anaesthesia, TAIVAINEN, T., *et al.*, (*ESA*) A.177
——, The effects of sevoflurane are similar to those of isoflurane on the neuromuscular block produced by vecuronium, MORITA, T., *et al.* 465–467
Anaesthetist, activity, Improvement of stress tolerance in anaesthesiologists by cardiovascular fitness training, TRAUNMÜLLER, C., *et al.*, (*ESA*) A.21
Analgesia, obstetric, A comparison of three epidural infusion techniques in labour, WRIGHT, D. G., *et al.*, (*ESA*) A.197
——, Continuous epidural infusion of sufentanil after Caesarean section: concentration in breast milk, AUSSEUR, A., *et al.*, (*ESA*) A.206
——, Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, JORROT, J. C., *et al.*, (*ESA*) A.198
——, Duration of analgesia following Caesarean section under spinal anaesthesia—the effect of spinal morphine and rectal sodium diclofenac, ROONEY, M. J., *et al.*, (*ESA*) A.205
——, Impaired efficacy of epidural analgesia and anaesthesia in parturients after previous dural puncture, FULGENCIO, J.-P., *et al.*, (*ESA*) A.196
——, Prediction of maternal infection before performing epidural analgesia of labour, DUCLOY, A. S., *et al.*, (*ESA*) A.194
——, The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, CELLENO, D., *et al.*, (*ESA*) A.204
Analgesia, paediatric, Axillary plexus block for postoperative analgesia in children, GAUTSCHI-MEYER, S., *et al.*, (*ESA*) A.183
——, Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children, LEE, J. J., *et al.* 258–262
——, Comparison of patient-controlled analgesia in children by i.v. and s.c. routes of administration, DOYLE, E., *et al.* 533–536
——, Patient-controlled analgesia (PCA) in children. A comparison of age-related postoperative morphine requirements, HANSEN, T. G., *et al.*, (*ESA*) A.184
——, Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, PREGO, M., *et al.*, (*ESA*) A.185
——, Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia, DOYLE, E., *et al.* 72–76
Analgesia, patient-controlled, Comparison of different bolus doses of morphine for patient-controlled analgesia in children, DOYLE, E., *et al.* 160–163
——, Comparison of ondansetron, droperidol and saline for prevention of nausea and vomiting with patient controlled

analgesia following orthopaedic surgery, ALEXANDER, R., *et al.*, (*ESA*) A.234
——, Comparison of patient-controlled analgesia in children by i.v. and s.c. routes of administration, DOYLE, E., *et al.* 533–536
——, Getting to grips with PCA—an evaluation of handgrip disability, JANI, K., *et al.*, (*ESA*) A.228
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.* 460–461
——, Morphine and droperidol combined in patient-controlled analgesia: reduction of nausea and vomiting, CLARKE, F., *et al.*, (*C*) 609
——, Patient-controlled analgesia (PCA) in children. A comparison of age-related postoperative morphine requirements, HANSEN, T. G., *et al.*, (*ESA*) A.184
——, Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia, DOYLE, E., *et al.* 72–76
Analgesia, postoperative, Addition of morphine to intra-articular bupivacaine does not improve analgesia after day-case arthroscopy, LAURENT, S. C., *et al.* 170–173
——, Addition of oral clonidine to postoperative patient-controlled analgesia with i.v. morphine, BENHAMOU, D., *et al.* 537–540
——, Axillary plexus block for postoperative analgesia in children, GAUTSCHI-MEYER, S., *et al.*, (*ESA*) A.183
——, Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, WYSS, E., *et al.*, (*ESA*) A.201
——, Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children, LEE, J. J., *et al.* 258–262
——, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203
——, Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? LACOSTE, L., *et al.*, (*ESA*) A.229
——, Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, PREGO, M., *et al.*, (*ESA*) A.185
——, Postoperative analgesia in children using continuous s.c. morphine, MCNICOL, R., (*e*) 253
——, Postoperative extradural analgesia in children: comparison of morphine with fentanyl, LEJUS, C., *et al.* 156–159
——, Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia, DOYLE, E., *et al.* 72–76
——, The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, CELLENO, D., *et al.*, (*ESA*) A.204
——, Why postoperative epidural analgesia is not complete for every patient? FARHAT, F., *et al.*, (*ESA*) A.148
Analgesia, pre-emptive, Comparison of preoperative with postoperative lignocaine infiltration on postoperative analgesic requirements, TURNER, G. A., *et al.* 541–543
——, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
——, Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? LACOSTE, L., *et al.*, (*ESA*) A.229
——, Pre-emptive analgesia with ketorolac in orthopaedic surgery: a double blinded randomized study, FLETCHER, D., *et al.*, (*ESA*) A.235
Analgesic techniques, caudal, Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children, LEE, J. J., *et al.* 258–262
Analgesic techniques, extradural, Analgesic effects of epidural ketamine and clonidine for postoperative pain relief, CHIARI, A., *et al.*, (*ESA*) A.240
——, Continuous epidural infusion of sufentanil after Caesarean section: concentration in breast milk, AUSSEUR, A., *et al.*, (*ESA*) A.206
——, Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia, BAILEY, C. R., *et al.* 58–61
——, Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.97
——, Fate of extradural air bubbles during inhalation of nitrous oxide, STEVENS, R., *et al.*, (*ARS*) 482–483P
——, Heart rate variability changes induced by cervicothoracic extradural analgesia, REIZ, S., *et al.*, (*ESA*) A.62
——, Impaired efficacy of epidural analgesia and anaesthesia in parturients after previous dural puncture, FULGENCIO, J.-P., *et al.*, (*ESA*) A.196
——, Postoperative extradural analgesia in children: comparison of morphine with fentanyl, LEJUS, C., *et al.* 156–159
——, Prediction of maternal infection before performing epidural analgesia of labour, DUCLOY, A. S., *et al.*, (*ESA*) A.194
——, Speed of onset of sensory block for elective extradural Caesarean section: choice of agent and temperature of injectate, CLARK, V., *et al.* 221–223
——, The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, CELLENO, D., *et al.*, (*ESA*) A.204
——, The elective use of oxytocin infusion during labour in nulliparous women using epidural analgesia: a randomized double blind placebo controlled trial, SHENNAN, A. H., *et al.*, (*ESA*) A.199
Analgesic techniques, infiltration, Comparison of preoperative with postoperative lignocaine infiltration on postoperative analgesic requirements, TURNER, G. A., *et al.* 541–543
Analgesic techniques, nasal, Pharmacokinetics of intranasal alfentanil, STRIEBEL, H. W., *et al.*, (*ESA*) A.161
Analgesic techniques, regional, interpleural, Does the position of the intrapleural catheter change the results of the intrapleural analgesia? ZORICA, J., *et al.*, (*ESA*) A.232
——, Interpleural analgesia, MURPHY, D. F., (*C*) 250
——, Interpleural analgesia, RICHARDSON, J., *et al.*, (*C*) 250
Analgesic techniques, subarachnoid, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203
Analgesics non-opioid, diclofenac, A comparison between ketorolac or diclofenac as an adjunct to anaesthesia for short outpatient procedures, JAKOBSSON, J., *et al.*, (*ESA*) A.11
——, A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, O'HANLON, J., *et al.*, (*ESA*) A.237
——, Duration of analgesia following Caesarean section under spinal anaesthesia—the effect of spinal morphine and rectal sodium diclofenac, ROONEY, M. J., *et al.*, (*ESA*) A.205
——, Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, PREGO, M., *et al.*, (*ESA*) A.185
Analgesics non-opioid, ketoprofen, Comparative effect of ketorolac and ketoprofen on a nociceptive flexion reflex in humans, DUPONT, X., *et al.*, (*ESA*) A.238
——, Ketoprofen for pain after hip and knee arthroplasty, HOMMERIL, J.-L., *et al.* 383–387
Analgesics non-opioid, ketorolac, A comparison between ketorolac or diclofenac as an adjunct to anaesthesia for short outpatient procedures, JAKOBSSON, J., *et al.*, (*ESA*) A.11
——, A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, O'HANLON, J., *et al.*, (*ESA*) A.237
——, Comparative effect of ketorolac and ketoprofen on a nociceptive flexion reflex in humans, DUPONT, X., *et al.*, (*ESA*) A.238
——, Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery, MUNRO, H. M., *et al.* 624–628
——, Ketorolac as a component of balanced analgesia after thoracotomy, POWER, I., *et al.* 224–226
——, Ketorolac tromethamine for postoperative analgesia in oral surgery, PENDEVILLE, PH. E., *et al.*, (*ESA*) A.236
——, Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, PREGO, M., *et al.*, (*ESA*) A.185
——, Pre-emptive analgesia with ketorolac in orthopaedic surgery: a double blinded randomized study, FLETCHER, D., *et al.*, (*ESA*) A.235
Analgesics non-opioid, piroxicam, A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, O'HANLON, J., *et al.*, (*ESA*) A.237
Analgesics opioid, Symptomatic pain management for patients with scleroderma, RADBRUCH, L., *et al.*, (*ESA*) A.242
Analgesics opioid, alfentanil, A comparison of three epidural infusion techniques in labour, WRIGHT, D. G., *et al.*, (*ESA*) A.197
——, Alfentanil and propofol for difficult tracheal intubation, GILLESPIE, J. A., *et al.*, (*C*) 498
——, Alfentanil and propofol for difficult tracheal intubation, LEVITT, M. J., *et al.*, (*C*) 497–498
——, Effect of anaesthesia on the cytokine responses to abdominal surgery, CROZIER, T. A., *et al.* 280–285
——, Effect of haemodynamics on the first-pass retention of alfentanil in pigs, BOER, F., *et al.*, (*ESA*) A.162

——, No acute tolerance to alfentanil during anaesthesia, LEMMENS, H. J. M., *et al.*, (*ESA*) A.160
——, Pharmacokinetics of intranasal alfentanil, STRIEBEL, H. W., *et al.*, (*ESA*) A.161
——, Plasma concentration and protein binding of alfentanil during high-dose infusion for cardiac surgery, HYNYNEN, M., *et al.* 571–576
——, Pretreatment with alfentanil reduces pain caused by propofol, FLETCHER, J. E., *et al.* 342–344
——, Propofol-alfentanil and isoflurane-alfentanil anaesthesia for major thoracic surgery, BARDOCZKY, G. I., *et al.*, (*ESA*) A.169
——, Tracheal intubation without neuromuscular block in children, STEYN, M. P., *et al.* 403–406
Analgesics opioid, buprenorphine, Combined spinal epidural anaesthesia for Caesarean section using the needle through needle technique: effects of subcutaneous or epidural buprenorphine (BU) for prolongation of postoperative analgesia, WYSS, E., *et al.*, (*ESA*) A.201
——, Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? LACOSTE, L., *et al.*, (*ESA*) A.229
Analgesics opioid, diamorphine, Diamorphine–bupivacaine mixture compared with plain bupivacaine for analgesia, BAILEY, C. R., *et al.* 58–61
——, Dysphoria after extradural diamorphine, HOLDER, K. J., *et al.*, (*C*) 728
Analgesics opioid, fentanyl, A comparison of three epidural infusion techniques in labour, WRIGHT, D. G., *et al.*, (*ESA*) A.197
——, Absence of pressor response following early insertion of laryngeal mask airway after induction with fentanyl and propofol, GREEN, D., *et al.*, (*ESA*) A.54
——, Comparison of desflurane and fentanyl-based anaesthetic techniques for coronary artery bypass surgery, PARSONS, R. S., *et al.* 430–438
——, Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, JORROT, J. C., *et al.*, (*ESA*) A.198
——, Effect of halothane, isoflurane and fentanyl on spectral components of heart rate variability, GALLETLY, D. C., *et al.* 177–180
——, Effects of sufentanil and fentanyl on the cerebral haemodynamics after a noxious stimulus, JAMALI, S., *et al.*, (*ESA*) A.136
——, Fentanyl inhibits the release of [^{3}H]noradrenaline from SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 98–103
——, Jugular bulb venous oximetry and cerebral blood flow in fentanyl/isoflurane anaesthetized patients, ALGOTSSON, L., (*ESA*) A.76
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.* 181–184
——, Mid-latency auditory evoked potentials and circulatory response to loud sounds, SCHWENDER, D., *et al.* 307–314
——, Postoperative extradural analgesia in children: comparison of morphine with fentanyl, LEJUS, C., *et al.* 156–159
——, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
——, Respiratory depression after extradural fentanyl, CHRUBASIK, J., *et al.*, (*C*) 251–252
——, Respiratory depression after extradural fentanyl, NOBLE, D. W., *et al.*, (*C*) 251
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*ESA*) A.135
Analgesics opioid, morphine, Addition of morphine to intra-articular bupivacaine does not improve analgesia after day-case arthroscopy, LAURENT, S. C., *et al.* 170–173
——, Addition of oral clonidine to postoperative patient-controlled analgesia with i.v. morphine, BENHAMOU, D., *et al.* 537–540
——, Analgesia of two doses of intra-articular morphine in day-case arthroscopy, JUELSGAARD, P., *et al.*, (*ESA*) A.230
——, Comparison of different bolus doses of morphine for patient-controlled analgesia in children, DOYLE, E., *et al.* 160–163
——, Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery, MUNRO, H. M., *et al.* 624–628
——, Duration of analgesia following Caesarean section under spinal anaesthesia—the effect of spinal morphine and rectal sodium diclofenac, ROONEY, M. J., *et al.*, (*ESA*) A.205
——, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203
——, Ketoprofen for pain after hip and knee arthroplasty, HOMMERIL, J.-L., *et al.* 383–387
——, Long-term continuous intrathecal administration of morphine/bupivacaine at the upper cervical level for pain due to progressive intra-oral cancer. Access by lateral CI–II approach, CRUL, B. J. P., *et al.*, (*ESA*) A.244
——, Nimodipine does not potentiate oral morphine in cancer pain. A preliminary study, ROCA, G., *et al.*, (*ESA*) A.243
——, Patient-controlled analgesia (PCA) in children. A comparison of age-related postoperative morphine requirements, HANSEN, T. G., *et al.*, (*ESA*) A.184
——, Post thyroidectomy analgesia: morphine, buprenorphine or bupivacaine? LACOSTE, L., *et al.*, (*ESA*) A.229
——, Postoperative extradural analgesia in children: comparison of morphine with fentanyl, LEJUS, C., *et al.* 156–159
——, Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia, DOYLE, E., *et al.* 72–76
——, The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, CELLENO, D., *et al.*, (*ESA*) A.204
Analgesics opioid, sufentanil, Continuous epidural infusion of sufentanil after Caesarean section: concentration in breast milk, AUSSEUR, A., *et al.*, (*ESA*) A.206
——, Coughing during induction caused by morphinomimetic drugs, BOIDIN, M. P., (*C*) 610
——, Double-blind comparison of obstetrical analgesia with sufentanil or fentanyl associated with 0.25% bupivacaine, JORROT, J. C., *et al.*, (*ESA*) A.198
——, Effects of sufentanil and fentanyl on the cerebral haemodynamics after a noxious stimulus, JAMALI, S., *et al.*, (*ESA*) A.136
——, Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, AMSELLEM, D., *et al.*, (*ESA*) A.174
——, Intra- and postoperative effects of information presented during sufentanil anaesthesia, VERHAMME, B., *et al.*, (*ESA*) A.132
——, MAC reduction of isoflurane by sufentanil, BRUNNER, M. D., *et al.* 42–46
——, Prevention of postoperative nausea and vomiting by ondansetron, NICHOLSON, G., *et al.*, (*ARS*) 489P
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*ESA*) A.135
——, Sequential spinal-epidural block for elective Caesarean section. Efficacy of subarachnoidal sufentanil, MÖLLMANN, M., *et al.*, (*ESA*) A.202
Anesthesia and the Patient with Co-existing Heart Disease, SIMPSON, J. I., (editor), (*R*) 501
Anesthesia and Uncommon Pediatric Diseases, 2nd Edn, KATZ, J., *et al.*, (editors), (*R*) 372
Anesthesia for Obstetrics, 3rd Edn, SHNIDER, S., *et al.*, (editors), (*R*) 253
Antagonists neuromuscular block, edrophonium, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
Antagonists neuromuscular block, neostigmine, Effect of antagonizing residual neuromuscular block by neostigmine and atropine on postoperative vomiting, BOEKE, A. J., *et al.* 654–656
——, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
——, Optimum dose of neostigmine at two levels of atracurium-induced neuromuscular block, HARPER, N. J. N., *et al.* 82–85
Antagonists neuromuscular block, pyridostigmine, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
Arterial pressure, hypotension, Hormonal responses to hypotensive anaesthesia, MATSON, A. M., *et al.*, (*ESA*) A.124
Arterial pressure, measurement, Power spectral analysis of heart rate and arterial blood pressure variability during intraoperative unintentional hypothermia, PIRONKOV, A., *et al.*, (*ESA*) A.61
——, Slow arterial pressure oscillations during brain death, DECLÈRE, A. D., *et al.*, (*ESA*) A.209
——, The systolic pressure variation reflects left ventricular end-diastolic volume (LVEDV) during graded haemorrhage in pigs, PREISMAN, S., *et al.*, (*ESA*) A.82
Arteries, cerebral, Influence of halothane and isoflurane on the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 581–586
Asthma, Asthma in pregnancy, GOLLO, E., *et al.*, (*ESA*) A.190

Blood, coagulation, Comparative analysis of coagulatory

proteins after retransfusion of postoperatively salvaged non-washed and washed autologous blood, SINGBARTL, G., *et al.*, (*ESA*) A.44
——, Fibrinolytic activity during intentional normovolaemic haemodilution, SAMSON, D., *et al.*, (*ESA*) A.47
——, Haemostasis and thrombelastography, GUPTA, N. K., *et al.*, (*C*) 139
——, Influence of intraoperative high-dose hydroxyethyl starch 200 0.5% on plasmatic oncotic function compared to albumin 5%, VOGT, N., *et al.*, (*ESA*) A.50
——, Place of bleeding time in diagnosis of haemostatic abnormality in pregnancy, CANEVET, C., *et al.*, (*ESA*) A.193
——, Platelet aggregation, Von Willebrand factor antigen and activity, and inhaled nitric oxyde (NO) in ARDS patients, SAMAMA, CHM., *et al.*, (*ESA*) A.214
Blood, colloid osmotic pressure, Influence of chemical structure of hydroxyethyl starch on oncotic function of plasma, VOGT, N., *et al.*, (*ESA*) A.84
——, Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, OLTHOF, C. G., *et al.*, (*ESA*) A.64
Blood, endotoxin, Suppression by methylprednisolone of augmented plasma endotoxin-like activity and interleukin-6 during cardiopulmonary bypass, INABA, H., *et al.* 348–350
Blood, erythrocytes, Forced perioperative erythropoiesis in patients undergoing major urologic procedures, WEISS, B. M., *et al.*, (*ESA*) A.123
Blood, flow, Effect of propofol on hepatic blood flow in humans, ZIEHMER, M., *et al.*, (*ESA*) A.168
Blood, flow, peripheral, Lower limb blood flow and lumbar plexus blockade, BRICHANT, J. F., *et al.*, (*ESA*) A.147
Blood, glucose, Administration of insulin during surgery, RAUCOULES-AIME, M., *et al.*, (*C*) 735
——, Administration of insulin during surgery, SANAI, L., (*C*) 735
Blood, haemodilution, Fibrinolytic activity during intentional normovolaemic haemodilution, SAMSON, D., *et al.*, (*ESA*) A.47
——, Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, OLTHOF, C. G., *et al.*, (*ESA*) A.64
——, Metabolic acidosis developing during intraoperative (extreme) normovolaemic haemodilution, SINGBARTL, G., *et al.*, (*ESA*) A.46
Blood, haemoglobin, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
——, Propofol binding in human blood, ALTMAYER, P., *et al.*, (*ESA*) A.167
Blood, iron, High dose intravenous iron supplementation facilitates autologous blood donation, SCHULTE-TAMBUREN, A. M., *et al.*, (*ESA*) A.43
Blood, loss, Iatrogenic non-surgical blood losses in adult cardiac surgical patients, LAVAND'HOMME, P., *et al.*, (*ESA*) A.8
——, Influence of intraoperative high-dose hydroxyethyl starch 200 0.5% on plasmatic oncotic function compared to albumin 5%, VOGT, N., *et al.*, (*ESA*) A.50
Blood, osmolality, Changes in plasma osmolality after NaCl 0.9% *versus* Ringer-lactate and hydroxyethyl starch, DOMINGUEZ, J., *et al.*, (*ESA*) A.49
——, Effects of different intravenous solutions on plasma osmolality, TALIB, R., *et al.*, (*ESA*) A.48
Blood, transfusion, Blood requirements in vascular surgery during 1 year period, GOSGNACH, M., *et al.*, (*ESA*) A.41
——, Comparative analysis of coagulatory proteins after retransfusion of postoperatively salvaged non-washed and washed autologous blood, SINGBARTL, G., *et al.*, (*ESA*) A.44
——, Forced perioperative erythropoiesis in patients undergoing major urologic procedures, WEISS, B. M., *et al.*, (*ESA*) A.123
——, High dose intravenous iron supplementation facilitates autologous blood donation, SCHULTE-TAMBUREN, A. M., *et al.*, (*ESA*) A.43
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Metabolic acidosis developing during intraoperative (extreme) normovolaemic haemodilution, SINGBARTL, G., *et al.*, (*ESA*) A.46
——, Routine preoperative screening tests for infectious diseases in vascular patients, BERTRAND, M., *et al.*, (*ESA*) A.2
Book Reviews
Anaesthesia A to Z: An Encyclopaedia of Principles and Practice, YENTIS, S. M., *et al.*, (*R*) 613
Anaesthesia for Burns, Maxillofacial and Plastic Surgery, PATEL, H., (editor), (*R*) 141
Anaesthesia for Thoracic Surgery, 2nd Edn, GOTHARD, J. W. W., (*R*) 501
Anaesthesia: Review 10, KAUFMAN, L., (editor), (*R*) 736
Anesthesia and the Patient with Co-existing Heart Disease, SIMPSON, J. I., (editor), (*R*) 501
Anesthesia and Uncommon Pediatric Diseases, 2nd Edn, KATZ, J., *et al.*, (editors), (*R*) 372
Anesthesia for Obstetrics, 3rd Edn, SHNIDER, S., *et al.*, (editors), (*R*) 253
Cardiopulmonary Bypass: Principles and Practice, GRAVLEE, G. P., *et al.*, (editors), (*R*) 736
Clinical Anaesthesiology. The Liver and Anaesthesia, STRUNIN, L., *et al.*, (editors), (*R*) 372
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 4th Edn, DAVISON, J. K., *et al.*, (editors), (*R*) 613
Collection d'Anesthésie et de Réanimation, volume 53: Intubation Trachéale (Tracheal Intubation), EURIN, B., *et al.*, (editors), (*R*) 372
Collection D'Anesthésiologie et de Réanimation, volume 37: Réanimation en Cancérologie, LECLERCQ, B., *et al.*, (editors), (*R*) 737
Collection d'Anesthésiologie et de Réanimation, volume 38: Anesthésie pour Coeliochirurgie, SCHOEFFLER, P., (editor), (*R*) 615
Confidence in Post-operative Pain Control, HEATH, M., *et al.*, (*R*) 737
Critical Care Management: The Liver, HAWKER , F., (*R*) 615
Handbook of Critical Care and Pain Management, HAMILL, R. J., *et al.*, (*R*) 737
Inhalation Anaesthesia, PETER, K., *et al.*, (editors), (*R*) 613–614
Lung Function. Assessment and Application in Medicine, 5th Edn, COTES, J. E., (*R*) 372–373
Manual of Drug Interactions for Anaesthesiology, 2nd Edn, MUELLER, R. A., *et al.*, (*R*) 141
Manual of Orthopaedic Anaesthesia and Related Pain Syndromes, BERNSTEIN, R. L., *et al.*, (*R*) 615
MCQ Tutor in Anaesthesia: Clinical Practice, PINNOCK, C. A., *et al.*, (editors), (*R*) 613
Mechanisms of Drugs in Anaesthesia, 2nd Edn, FELDMAN, S. A., *et al.*, (editors), (*R*) 373
Monitoring in Anesthesia, 3rd Edn, SAIDMAN, L. J., *et al.*, (editors), (*R*) 373
Nunn's Applied Respiratory Physiology, 4th Edn, NUNN, J. F., (*R*) 614
Observation Medicine, GRAFF, L. G., (editor), (*R*) 253
Oxygen Transport: Principles and Practice, EDWARDS, J. D., *et al.*, (editors), (*R*) 501
Pain and its Relief in Childbirth, CHAMBERLAIN, G., *et al.*, (*R*) 614–615
Pediatrics for the Anesthesiologist, BERRY, F. A., *et al.*, (editors), (*R*) 737–738
Recent Advances in Anaesthesia and Analgesia 18, ATKINSON, R. S., *et al.*, (editors), (*R*) 736
Société Française D'Anesthésie et de Réanimation. Congrès National D'Anesthésie et de Réanimation: Conférence d'Actualisation, (*R*) 738
Brain, anatomy, Effects of chronic administration of diazepam on the septum and amygdaloid areas of rat, LASHERAS, A., *et al.*, (*ESA*) A.134
Brain, astrocytes, Differential effects of propofol and ketamine on cytosolic calcium concentrations of astrocytes in primary culture, MANTZ, J., *et al.* 351–353
Brain, blood–brain barrier, Changes in plasma osmolality after NaCl 0.9% *versus* Ringer-lactate and hydroxyethyl starch, DOMINGUEZ, J., *et al.*, (*ESA*) A.49
Brain, blood flow, Brain perfusion during cerebral ischaemia protects neurones in rats, SCHMITT, H. J., *et al.*, (*ESA*) A.131
——, Changes in plasma osmolality after NaCl 0.9% *versus* Ringer-lactate and hydroxyethyl starch, DOMINGUEZ, J., *et al.*, (*ESA*) A.49
——, Effect of 1 or 2 MAC isoflurane with or without ketanserin on cerebral blood flow autoregulation in man, OLSEN, K. S., *et al.* 66–71
——, Effect of nitrous oxide on cerebral blood flow, FIELD, L. M., (*C*) 251
——, Effect of nitrous oxide on cerebral blood flow, SJÖBERG, F., *et al.*, (*C*) 250–251
——, Influence of halothane and isoflurane on the contractile responses to potassium and prostaglandin $F_{2\alpha}$ in isolated human pial arteries, REINSTRUP, P., *et al.* 581–586
——, Jugular bulb venous oximetry and cerebral blood flow in fentanyl/isoflurane anaesthetized patients, ALGOTSSON, L., (*ESA*) A.76
——, Response of cerebral blood volume to changes in $PaCO_2$ in

children with congenital heart disease, HUNTER, D. N., *et al.*, (*ESA*) A.137
Brain, electroencephalography, Propofol infusion and the suppression of consciousness: the EEG and dose requirements, FORREST, F. C., *et al.* 35–41
——, Respiratory sinus arrhythmia: comparison with EEG indices during isoflurane anaesthesia at 0.65 and 1.2 MAC, POMFRETT, C. J. D., *et al.* 397–402
Brain, evoked potentials, Mid-latency auditory evoked potentials and circulatory response to loud sounds, SCHWENDER, D., *et al.* 307–314
Brain, intracranial pressure, Effects of sufentanil and fentanyl on the cerebral haemodynamics after a noxious stimulus, JAMALI, S., *et al.*, (*ESA*) A.136
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*ESA*) A.135
Brain, ischaemia, Brain perfusion during cerebral ischaemia protects neurones in rats, SCHMITT, H. J., *et al.*, (*ESA*) A.131

Cancer, Long-term continuous intrathecal administration of morphine/bupivacaine at the upper cervical level for pain due to progressive intra-oral cancer. Access by lateral CI–II approach, CRUL, B. J. P., *et al.*, (*ESA*) A.244
——, Low hepatic dihydropyrimidine dehydrogenase (DPD) activity and lethal 5-fluorouracil (5-FU)-related neurotoxicity, STÉPHAN, F., *et al.*, (*ESA*) A.219
——, Nimodipine does not potentiate oral morphine in cancer pain. A preliminary study, ROCA, G., *et al.*, (*ESA*) A.243
Carbon dioxide, elimination, Inhaled NO reduces alveolar dead space in patients with ARDS and pulmonary hypertension, ROUBY, J. J., *et al.*, (*ESA*) A.102
——, Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin, SHIRAISHI, Y., *et al.* 439–442
——, Variations of arterial P_{CO_2} (P_{aCO_2}) despite constant end-tidal P_{CO_2} (PET_{CO_2}) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39
Carbon dioxide, exogenous, Hyperkalaemia associated with prolonged insufflation of carbon dioxide into the peritoneal cavity, PEARSON, M. R. B., *et al.* 602–604
Carbon dioxide, extracorporeal removal, ARDS evolution during therapeutic optimization leads to $ECCO_2R$-LFPPV indication, PAYEN, D., *et al.*, (*ESA*) A.213
Carbon dioxide, hypercapnia, Reversal of hypercapnia induced acute pulmonary hypertension by inhaled nitric oxide (NO), PUYBASSET, L., *et al.*, (*ESA*) A.109
Carbon dioxide, partial pressure, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? FLETCHER, R., (*C*) 495
——, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? IP-YAM, P. C., (*C*) 495
——, Estimation of end-tidal carbon dioxide by back-propagation artificial neural network, BARRIE, J., *et al.*, (*ARS*) 490–491P
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
——, Response of cerebral blood volume to changes in P_{aCO_2} in children with congenital heart disease, HUNTER, D. N., *et al.*, (*ESA*) A.137
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
——, Variations of arterial P_{CO_2} (P_{aCO_2}) despite constant end-tidal P_{CO_2} (PET_{CO_2}) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39
Carbon dioxide, ventilatory response, Respiratory changes induced by subcutaneous emphysema during laparoscopic fundoplication, CHICHE, J. D., *et al.*, (*ESA*) A.37
Cardiopulmonary Bypass: Principles and Practice, GRAVLEE, G. P., *et al.*, (editors), (*R*) 736
Cardiopulmonary system, effects, Dose-response of nitric oxide inhalation in early acute lung injury, LUNDIN, S., *et al.*, (*ESA*) A.106
——, Inhaled NO in ARDS: predictive factors of pulmonary effects, PUYBASSET, L., *et al.*, (*ESA*) A.108
Cardiorespiratory system, effects, Cardiorespiratory and muscular capacity after laparoscopic cholecystectomy, DELAUNAY, L., *et al.*, (*ESA*) A.35
——, Endoscopic transthoracic sympathectomy of the right chest may cause severe hypoxaemia, ROSENBERG, B., *et al.*, (*ESA*) A.115
Cardiovascular system, effects, Absence of pressor response following early insertion of laryngeal mask airway after induction with fentanyl and propofol, GREEN, D., *et al.*, (*ESA*) A.54
——, Attenuation of haemodynamic responses to tracheal intubation with clonidine and nifedipine, MÉRAY, J., *et al.*, (*ESA*) A.53
——, Catecholamines profile during anaesthesia in diabetic patients with autonomic neuropathy, LUGRIN, D., *et al.*, (*ESA*) A.119
——, Comparison of cemented *vs* non-cemented total hip implants on cardiopulmonary function, ZAOUK, G., *et al.*, (*ESA*) A.22
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
——, Effects of hypothermia and captopril on arterial contraction, LE PELLEY, E., *et al.*, (*ESA*) A.91
——, Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, SEEMAN-LODDING, H., *et al.*, (*ESA*) A.81
——, Haemodynamic and catecholamine responses to induction of anaesthesia in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.*, (*ESA*) A.120
——, Haemodynamic and humoral effects of simultaneous aortic and inferior vena cava clamping during total abdominal ischaemic perfusion, BERKENSTADT, H., *et al.*, (*ESA*) A.79
——, Haemodynamic changes during laparoscopic cholecystectomy in the elderly (preliminary results), DHOSTE, K., *et al.*, (*ESA*) A.32
——, Haemodynamic changes during laparoscopy, MYRE, K., *et al.*, (*ESA*) A.33
——, Haemodynamic effects of laparoscopic cholecystectomy in patients with coronary disease, DUALE, C., *et al.*, (*ESA*) A.31
——, Induction of anaesthesia with sevoflurane in children: haemodynamic effects, DUBOIS, M. C., *et al.*, (*ESA*) A.189
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Intubation-induced stress response: a comparison between direct laryngoscopy and blind oral intubation, PERNERSTORFER, T., *et al.*, (*ESA*) A.51
——, Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, MANSOOR, O., *et al.*, (*ESA*) A.92
——, Propofol and volatile anaesthetics, GRUNDMANN, U., *et al.*, (*ESA*) A.170
——, Propofol infusion for maintenance of anaesthesia: cardiovascular repercussions and costs, LARANJEIRA, L., *et al.*, (*ESA*) A.58
——, Ultrasound delivered energy to the heart does not affect central haemodynamics, coronary vascular dimensions or coronary morphology, ALGOTSSON, L., *et al.*, (*ESA*) A.80
Cat, Neuromuscular interactions between suxamethonium and magnesium sulphate in the cat, TSAI, S. K., *et al.* 674–678
Children, Difficult intubation in children: use of fibreoptic bronchoscope, MONRIGAL, J. P., *et al.*, (*ESA*) A.186
——, Inhaled nitric oxide in children—initial experience, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.188
——, Pharmacokinetics of clonidine after rectal administration in children, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.176
——, Response of cerebral blood volume to changes in P_{aCO_2} in children with congenital heart disease, HUNTER, D. N., *et al.*, (*ESA*) A.137
Clinical Anaesthesiology. The Liver and Anaesthesia, STRUNIN, L., *et al.*, (editors), (*R*) 372
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 4th Edn, DAVISON, J. K., *et al.*, (editors), (*R*) 613
Collection d'Anesthésie et de Réanimation, volume 53: Intubation Trachéale (Tracheal Intubation), EURIN, B., *et al.*, (editors), (*R*) 372
Collection D'Anesthésiologie et de Réanimation, volume 37: Réanimation en Cancérologie, LECLERCQ, B., *et al.*, (editors), (*R*) 737
Collection d'Anesthésiologie et de Réanimation, volume 38: Anesthésie pour Coeliochirurgie, SCHOEFFLER, P., (editor), (*R*) 615
Complications, amyloidosis, Anaesthesia for liver transplantation in familial amyloid polyneuropathy—a preliminary report, VIANA, J. S., *et al.*, (*ESA*) A.127
Complications, aneurysm, Endoluminal pulse oximetry, a new method for continuous monitoring of perfusion of the gut, NAUTA, S. H. M., *et al.*, (*ESA*) A.73
Complications, arrhythmia, Continuous measurement of coronary sinus oxygen saturation during ventricular tachycardia, GALLAIS, Y., *et al.*, (*ESA*) A.57
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive

patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
Complications, arterial spasm, Arterial spasm after administration of diazepam, NG WING TIN, L., *et al.*, (*C*) 139
Complications, aspiration, Incidence of aspiration with the laryngeal mask airway, BRICOMBE, J., *et al.*, (*C*) 495–496
——, Incidence of aspiration with the laryngeal mask airway, HADEN, R. M., *et al.*, (*C*) 496
——, Risk of aspiration with the laryngeal mask, AKHTAR, T. M., *et al.* 447–450
Complications, atelectasis, Mechanisms of atelectasis formation during general anaesthesia, ROTHEN, H. U., *et al.*, (*ESA*) A.114
Complications, brain death, Assessment of left ventricular function during apnoea testing for brain death, CATOIRE, P., *et al.*, (*ESA*) A.208
——, Slow arterial pressure oscillations during brain death, DECLÈRE, A. D., *et al.*, (*ESA*) A.209
Complications, carcinoid syndrome, Review of the anaesthetic management of 21 patients undergoing laparotomy for carcinoid syndrome, VEALL, G. R. Q., *et al.* 335–341
Complications, compartment syndrome, Compartment syndrome after use of an automatic arterial pressure monitoring device, VIDAL, P., *et al.*, (*e*) 738
Complications, death, A comparison of APACHE-III and APACHE-II in ICU patients, BEIN, T., *et al.*, (*ESA*) A.5
Complications, diabetes, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
——, Catecholamines profile during anaesthesia in diabetic patients with autonomic neuropathy, LUGRIN, D., *et al.*, (*ESA*) A.119
——, Haemodynamic and catecholamine responses to induction of anaesthesia in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.*, (*ESA*) A.120
——, Insulin administration in diabetic patients—return of the bolus? HALL, G. M., (*E*) 1–2
——, QTc dispersion in diabetic and non-diabetic patients with uraemia, KIRVELÄ, M., *et al.*, (*ESA*) A.121
Complications, drug resistance, Does tolerance develop to the anaesthetic effects of propofol in rats? FASSOULAKI, A., *et al.* 127–128
Complications, dural puncture, Magnetic resonance imaging of extradural blood patches, BEARDS, S. C., *et al.*, (*C*) 499–500
——, Magnetic resonance imaging of extradural blood patches, WILSON, S. J., (*C*) 499
Complications, embolism, Anybody can detect minimal CO_2 embolism with a transoesophageal Doppler monitor, GILLART, T., *et al.*, (*ESA*) A.24
——, Embolism detected by TEE during cemented total hip arthroplasty, LAFONT, N. D., *et al.*, (*ESA*) A.23
——, Fatal carbon dioxide embolism and severe haemorrhage during laparoscopic salpingectomy, BECK, D. H., *et al.* 243–245
——, Venous carbon dioxide emboli. Does nitrous oxide make difference? NYARWAYA, J. B., *et al.*, (*ESA*) A.90
Complications, epilepsy, Choline acetyltransferase activity of rat synaptosomes is sensitive to enflurane, but not halothane or isoflurane, GRIFFITHS, R., *et al.* 577–580
Complications, extravasation, Use of liposuction and saline washout for the treatment of extensive subcutaneous extravasation of corrosive drugs, MARTIN, P. H., *et al.* 702–704
Complications, extubation tracheal, Role of the LMA in tracheal extubation? GEORGE, S. L., *et al.*, (*C*) 610
Complications, haemorrhage, Fatal carbon dioxide embolism and severe haemorrhage during laparoscopic salpingectomy, BECK, D. H., *et al.* 243–245
——, Place of bleeding time in diagnosis of haemostatic abnormality in pregnancy, CANEVET, C., *et al.*, (*ESA*) A.193
——, Sinus bradycardia associated with traumatic haemothorax, KONG, R. S., *et al.* 358–360
——, The systolic pressure variation reflects left ventricular end-diastolic volume (LVEDV) during graded haemorrhage in pigs, PREISMAN, S., *et al.*, (*ESA*) A.82
Complications, head injury, Influence of respiratory alkalosis on hepatic metabolism in patients with head trauma, ICHAI, C., *et al.*, (*ESA*) A.118
Complications, headache, Effect of previous frequency of headache, duration of fasting and caffeine abstinence on perioperative headache, NIKOLAJSEN, L., *et al.* 295–297
——, Magnetic resonance imaging of extradural blood patches, BEARDS, S. C., *et al.*, (*C*) 499–500
——, Magnetic resonance imaging of extradural blood patches, WILSON, S. J., (*C*) 499
——, Morbidity following spinal anaesthesia in adolescents, RADBRUCH, L., *et al.*, (*ESA*) A.144
——, Treatment for post dural puncture headache, COLLIER, B. B., (*C*) 366–367
Complications, HELLP syndrome, HELLP syndrome: considerations on 42 cases, GOLLO, E., *et al.*, (*ESA*) A.191
Complications, hyperkalaemia, Hyperkalaemia associated with prolonged insufflation of carbon dioxide into the peritoneal cavity, PEARSON, M. R. B., *et al.* 602–604
——, Paralysis caused by hyperkalaemia, CHAUHAN, S., *et al.*, (*C*) 368–369
——, Paralysis caused by hyperkalaemia, FREEMAN, S., (*C*) 369
Complications, hypertension, Comparative effects of inhaled NO in ZEEP and PEEP conditions in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.103
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Inhaled NO reduces alveolar dead space in patients with ARDS and pulmonary hypertension, ROUBY, J. J., *et al.*, (*ESA*) A.102
——, Reversal of hypercapnia induced acute pulmonary hypertension by inhaled nitric oxide (NO), PUYBASSET, L., *et al.*, (*ESA*) A.109
Complications, hypotension, Effects of intravenous urapidil on isoflurane-induced hypotension during ear surgery, DERAMOUDT, V., *et al.*, (*ESA*) A.59
——, Hypotension during subarachnoid anaesthesia: haemodynamic analysis of three treatments, CRITCHLEY, L. A. H., *et al.* 151–155
——, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
Complications, hypothermia, Effects of hypothermia and captopril on arterial contraction, LE PELLEY, E., *et al.*, (*ESA*) A.91
——, Power spectral analysis of heart rate and arterial blood pressure variability during intraoperative unintentional hypothermia, PIRONKOV, A., *et al.*, (*ESA*) A.61
Complications, intubation tracheal, Tracheal rupture after tracheal intubation, REGRAGUI, I. A., *et al.* 705–706
Complications, malignant hyperthermia, Viability criterion of muscle bundles used in the *in vitro* contracture test in patients with neuromuscular diseases, ADNET, P. J., *et al.* 93–97
Complications, muscular rigidity, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
Complications, myalgia, Prostaglandin inhibitors and suxamethonium-induced myalgia, NAGUIB, M., (*C*) 139
Complications, myasthenia gravis, Mivacurium chloride and myasthenia gravis, SEIGNE, R. D., *et al.* 468–469
Complications, myotonias, Anaesthesia and myotonia, RUSSELL, S. H., *et al.* 210–216
Complications, neuropathy, An unusual cause of postoperative brachial plexus palsy, ANDERTON, J. M., *et al.* 605–607
——, Catecholamines profile during anaesthesia in diabetic patients with autonomic neuropathy, LUGRIN, D., *et al.*, (*ESA*) A.119
——, QTc dispersion in diabetic and non-diabetic patients with uraemia, KIRVELÄ, M., *et al.*, (*ESA*) A.121
Complications, obesity, BI-level CPAP (BIPAP) reduces the postoperative restrictive pulmonary syndrome in obese patients after gastroplasty, JORIS, J., *et al.*, (*ESA*) A.111
——, Effect of vecuronium priming on lung volumes and oxygen saturation in mildly obese patients, MAHAJAN, R. P., *et al.*, (*ESA*) A.110
——, Effect of weight loss on pulmonary function in morbidly obese patients, JORIS, J., *et al.*, (*ESA*) A.112
Complications, obstructive sleep apnoea, Difficult intubation and obstructive sleep apnoea syndrome, CHOU, H.-C., *et al.*, (*C*) 368
——, Difficult intubation and obstructive sleep apnoea syndrome, GENTIL, B., *et al.*, (*C*) 368
Complications, oedema, Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, OLTHOF, C. G., *et al.*, (*ESA*) A.64
Complications, paralysis, Paralysis caused by hyperkalaemia, CHAUHAN, S., *et al.*, (*C*) 368–369
——, Paralysis caused by hyperkalaemia, FREEMAN, S., (*C*) 369
Complications, pneumothorax, PEEP for treatment of

intraoperative pneumothorax during laparoscopic fundoplication, CHICHE, J. D., *et al.*, (*ESA*) A.38
Complications, polyarthralgia, Polyarthralgia and amenorrhoea as a complication of intrathecally infused morphine and Dilaudid in the treatment of chronic benign back pain, CHAMBERS, F. A., *et al.*, (*C*) 734
Complications, postoperative restrictive pulmonary syndrome, BI-level CPAP (BIPAP) reduces the postoperative restrictive pulmonary syndrome in obese patients after gastroplasty, JORIS, J., *et al.*, (*ESA*) A.111
Complications, reactive haemophagocytic syndrome, Reactive haemophagocytic syndrome (RHS) during sepsis syndrome, STEPHAN, F., *et al.*, (*ESA*) A.218
Complications, regurgitation, Incidence of aspiration with the laryngeal mask airway, BRICOMBE, J., *et al.*, (*C*) 495–496
——, Incidence of aspiration with the laryngeal mask airway, HADEN, R. M., *et al.*, (*C*) 496
Complications, scleroderma, Symptomatic pain management for patients with scleroderma, RADBRUCH, L., *et al.*, (*ESA*) A.242
Complications, septicaemia, LPS adsorption reverses *in vitro* and *in vivo* vascular depression during septic shock in rabbit, MATEO, J., *et al.*, (*ESA*) A.216
——, Reactive haemophagocytic syndrome (RHS) during sepsis syndrome, STEPHAN, F., *et al.*, (*ESA*) A.218
——, Renal effects of low dose dopamine in patients with septic shock treated with norepinephrine, LHERM, T., *et al.*, (*ESA*) A.212
——, Renal effects of low dose dopamine infusion in patients with sepsis syndrome, LHERM, T., *et al.*, (*ESA*) A.211
Complications, shivering, Anticholinergic premedication influences the incidence of postoperative shivering, BAXENDALE, B. R., *et al.* 291–294
——, Pre-emptive use of the space blanket reduces shivering after general anaesthesia, BUGGY, D., *et al.* 393–396
Complications, sinusitis, Effect of posture on radiologic sinusitis in critically ill patients, LAURENT, P., *et al.*, (*ESA*) A.220
——, Prevention of nosocomial maxillary sinusitis in mechanically ventilated patients, BODIN, L., *et al.*, (*ESA*) A.221
Complications, spinal injury, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, DE COURCY, J. G., (*C*) 731
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, MCHALE, S. P., *et al.* 195–197
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, MCHALE, S. P., *et al.*, (*C*) 732
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, PARR, M. J. A., *et al.*, (*C*) 731–732
Complications, stenosis, Management of a term parturient with tracheal stenosis, SALAMA, D. J., *et al.* 354–357
Complications, Takayasu's disease, Spinal anaesthesia in a patient with Takayasu's disease, HAMPL, K. F., *et al.* 129–132
Complications, thrombocytopenia, Reactive haemophagocytic syndrome (RHS) during sepsis syndrome, STEPHAN, F., *et al.*, (*ESA*) A.218
Complications, thrombosis, Thrombosis rate after mitral surgery. Influence of aprotinin, EZZARANI, D., *et al.*, (*ESA*) A.71
Complications, trauma, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, DE COURCY, J. G., (*C*) 731
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, MCHALE, S. P., *et al.*, (*C*) 732
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, PARR, M. J. A., *et al.*, (*C*) 731–732
——, Echocardiographic assessment of traumatic patients, PHILLIPE, E., *et al.*, (*ESA*) A.224
——, Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery, MOORE, C. M., *et al.* 272–279
——, Influence of respiratory alkalosis on hepatic metabolism in patients with head trauma, ICHAI, C., *et al.*, (*ESA*) A.118
——, Sinus bradycardia associated with traumatic haemothorax, KONG, R. S., *et al.* 358–360
Complications, TURP syndrome, Hypertonic saline prehydration in patients undergoing transurethral resection of the prostate under spinal anaesthesia, BARAKA, A., *et al.* 227–228
Complications, uraemia, Haemodynamic and catecholamine responses to induction of anaesthesia in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.*, (*ESA*) A.120
——, QTc dispersion in diabetic and non-diabetic patients with uraemia, KIRVELÄ, M., *et al.*, (*ESA*) A.121
Confidence in Post-operative Pain Control, HEATH, M., *et al.*, (*R*) 737
Cough, Coughing during induction caused by morphinomimetic drugs, BOIDIN, M. P., (*C*) 610
——, Relationship between expired lung volume, peak flow rate and peak velocity time during a voluntary cough manoeuvre, MAHAJAN, R. P., *et al.* 298–301
Critical Care Management : The Liver, HAWKER , F., (*R*) 615

Dog, Alteration of ventricular function after stellate ganglion block, SCHLACK, W., *et al.*, (*ESA*) A.87
——, Cardiopulmonary bypass and tissue O_2 extraction in dogs: pulsatile *vs* non pulsatile flow, VAN DER LINDEN, P., *et al.*, (*ESA*) A.95
——, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, PEEP induces an independent constraint on the right atrium and ventricle, BELOUCIF, S., *et al.*, (*ESA*) A.89

Enzymes, angiotensin converting, inhibition, ACE inhibitor premedication attenuates sympathetic responses during surgery, BÖTTCHER, M., *et al.* 633–637
Enzymes, cholinesterase, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
——, Plasma cholinesterase activity in elderly and young adults, MADDINENI, V. R., *et al.*, (*C*) 497
Enzymes, glutathione S-transferase, Comparison of the effects of isoflurane and propofol on hepatic glutathione-S-transferase concentrations during and after prolonged anaesthesia, MURRAY, J. M., *et al.* 599–601
Enzymes, hyaluronidase, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
Enzymes, pseudocholinesterase, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
Equipment, airway, Percutaneous tracheostomy using bronchoscopic control and HFJV, VAN BOVEN, M. J., *et al.*, (*ESA*) A.210
Equipment, anaesthesia machines, Preoperative checking of the anaesthetic machine. A survey in a university department of anaesthesiology, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.20
Equipment, blankets, Pre-emptive use of the space blanket reduces shivering after general anaesthesia, BUGGY, D., *et al.* 393–396
Equipment, breathing systems, Expiratory obstruction in co-axial breathing system, GAYLARD, D. G., (*C*) 734
——, Expiratory obstruction in co-axial breathing system, MOON, J. R. A., (*C*) 734
——, Hygiene standards for breathing systems? SNOWDON, S. L., (*E*) 143–144
——, Kinked inner tube of coaxial breathing system, GAYLARD, D., *et al.*, (*C*) 367
——, Oxygen uptake during rebreathing in a Mapleson A system, FRIED, M. J., *et al.* 217–218
Equipment, Cardioscint, Clinical validation of a radionuclide detector to measure ejection fraction in critically ill patients, TIMMINS, A. C., *et al.* 523–528
Equipment, catheter guides, Central venous catheter placement using the ECG-guided Cavafix Certodyn SD catheter, CORSTEN, S. A., *et al.*, (*ESA*) A.26
Equipment, catheters, Prevention of catheter-related infection using silver-sulphadiazine-chlorhexidine (SSC) bonded catheters in an animal model, BACH, A., *et al.*, (*ESA*) A.223
Equipment, catheters central venous, Influence of surface morphology on *in vitro* bacterial adherence to central venous catheters, TEBBS, S. E., *et al.* 587–591
Equipment, catheters extradural, After transsacral epidural, where does the catheter go? LE PELLEY, E., *et al.*, (*ESA*) A.182
——, Review of 253 epidural catheters inserted at the lumbar or thoracic level in children less than 2 years old, DELBROUCK, D., *et al.*, (*ESA*) A.181
Equipment, catheters, pulmonary arterial, Evaluation of continuous cardiac output monitoring with a new pulmonary artery catheter, CATOIRE, P., *et al.*, (*ESA*) A.27
Equipment, catheters subarachnoid, Intrathecal position of microcatheters, BIBOULET, P. H., *et al.*, (*C*) 611–612

——, Intrathecal position of microcatheters, STANDL, T. H., *et al.*, (*C*) 612
Equipment, circulatory support devices, Effect of circulatory support with Thoratec system on renal function, PÉREZ-REINER, R., *et al.*, (*ESA*) A.69
Equipment, extradural space indicators, Epiduroscopy with a thin flexible and deflectable fibrescope, ROSENBERG, P. H., *et al.*, (*ESA*) A.233
Equipment, heat–moisture exchangers, *In vivo* assessment of the work of breathing through dry and wet heat and moisture exchanging devices, QUINN, A. C., *et al.*, (*ESA*) A.17
——, Interest of heat and moisture exchanger during short operations in young children, MONRIGAL, J. P., *et al.*, (*ESA*) A.187
Equipment, laryngoscopes, Comparison of the Belscope with the Macintosh laryngoscope, GAJRAJ, N. M., *et al.*, (*C*) 610–611
——, Comparison of the Belscope with the Macintosh laryngoscope, HODGES, U., (*C*) 611
Equipment, masks anaesthesia, Absence of pressor response following early insertion of laryngeal mask airway after induction with fentanyl and propofol, GREEN, D., *et al.*, (*ESA*) A.54
——, Cricoid pressure impedes placement of the laryngeal mask airway and subsequent tracheal intubation through the mask, ASAI, T., *et al.* 47–51
——, Difficulty in assessing the correct position of the laryngeal mask airway, ASAI, T., *et al.*, (*C*) 366
——, Difficulty in assessing the correct position of the laryngeal mask airway, WILSON, I. G., (*C*) 366
——, Effect of education on oxygen mask placement, GOLDHILL, D. R., *et al.* 234–236
——, Incidence of aspiration with the laryngeal mask airway, BRICOMBE, J., *et al.*, (*C*) 495–496
——, Incidence of aspiration with the laryngeal mask airway, HADEN, R. M., *et al.*, (*C*) 496
——, Oesophageal Vent-Laryngeal Mask to prevent aspiration of gastric contents, AKHTAR, T. M. 52–54
——, Risk of aspiration with the laryngeal mask, AKHTAR, T. M., *et al.* 447–450
——, Role of the LMA in tracheal extubation? GEORGE, S. L., *et al.*, (*C*) 610
——, Single- compared with double-handed cricoid pressure for insertion of an LMA, ASAI, T., *et al.*, (*C*) 733–734
——, Single- compared with double-handed cricoid pressure for insertion of an LMA, BRIMACOMBE, J., *et al.*, (*C*) 732–733
——, The Oesophageal Vent-Laryngeal Mask, AKHTAR, T., (*C*) 727
——, The Oesophageal Vent-Laryngeal Mask, ASAI, T., (*C*) 726
——, The Oesophageal Vent-Laryngeal Mask, BRAIN, A. I. J., (*C*) 727
——, The Oesophageal Vent-Laryngeal Mask, GAJRAJ, N. M., *et al.*, (*C*) 726–727
——, The Oesophageal Vent-Laryngeal Mask, SOROOSHIAN, S. S., (*C*) 726
——, The reinforced laryngeal mask airway for adenotonsillectomy, HEATH, M. L., *et al.*, (*C*) 728–729
——, The reinforced laryngeal mask airway for adenotonsillectomy, WILLIAMS, P. J., *et al.*, (*C*) 729
Equipment, thermometers, Clinical evaluation of liquid crystal skin thermometers, MACKENZIE, R., *et al.* 246–249
Equipment, tubes double-lumen, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.*, (*e*) 371
——, *In vitro* resistance of double-lumen endobronchial tubes: effects of tube size and side, DEBAY, P., *et al.*, (*ESA*) A.100
Equipment, tubes endobronchial, *In vitro* resistance of double-lumen endobronchial tubes: effects of tube size and side, DEBAY, P., *et al.*, (*ESA*) A.100
Equipment, tubes tracheal, Distribution of NO concentrations during 2 methods of NO inhalation, MOURGEON, E., *et al.*, (*ESA*) A.18
Equipment, vaporizers, The desflurane Tec 6 vaporizer, GRAHAM, S. G. 470–473
——, The desflurane (Tec 6) vaporizer: design, design considerations and performance evaluation, WEISKOPF, R. B., *et al.* 474–479
Equipment, videos, Video-assisted thoracoscopic placement of paravertebral catheters: a technique for postoperative analgesia for bilateral thoracoscopic surgery, SONI, A. K., *et al.* 462–464
Errata, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.*, (*e*) 371
——, Compartment syndrome after use of an automatic arterial pressure monitoring device, VIDAL, P., *et al.*, (*e*) 738
——, Effect of alcohol on gastric emptying in volunteers, MUSHAMBI, M. C., *et al.*, (*e*) 253
——, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*e*) 612
——, Overpressure isoflurane at Caesarean section: a study of arterial isoflurane concentrations, MCCRIRRICK, A., *et al.*, (*e*) 371
——, Postoperative analgesia in children using continuous s.c. morphine, MCNICOL, R., (*e*) 253
Explosions, A short history of fires and explosions caused by anaesthetic agents, MACDONALD, A. G. 710–722
Eye, intraocular pressure, Comparative effects of atracurium and vecuronium on intraocular pressure, POLARZ, H., *et al.*, (*ESA*) A.152
——, Intraocular pressure and gynaecological laparoscopy, DUCLOY, J. C., *et al.*, (*ESA*) A.16

Fatigue, Cardiorespiratory and muscular capacity after laparoscopic cholecystectomy, DELAUNAY, L., *et al.*, (*ESA*) A.35
Fluid balance, Effects of different intravenous solutions on plasma osmolality, TALIB, R., *et al.*, (*ESA*) A.48
——, Fluid exchange and oxygen supply during CABG, SIRS, J. A., *et al.*, (*ARS*) 485P
——, Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, OLTHOF, C. G., *et al.*, (*ESA*) A.64
Formulations, bupivacaine, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, Preliminary *in vivo* evaluation of intrathecal liposomal bupivacaine, BENHAMOU, D., *et al.*, (*ESA*) A.141
Formulations, liposomes, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, Preliminary *in vivo* evaluation of intrathecal liposomal bupivacaine, BENHAMOU, D., *et al.*, (*ESA*) A.141

Gases, non-anaesthetic, nitric oxide, The role of soda lime during administration of inhaled nitric oxide, PICKETT, J. A., *et al.* 683–685
Gastrointestinal tract, emptying, Effect of alcohol on gastric emptying in volunteers, MUSHAMBI, M. C., *et al.*, (*e*) 253
——, Sedation with propofol does not interfere with gastric emptying, HVARFNER, A., *et al.*, (*ESA*) A.173
Guineapig, Dissociation of systolic and diastolic function during acute increases in coronary perfusion pressure, SCHLACK, W., *et al.*, (*ESA*) A.86

Handbook of Critical Care and Pain Management, HAMILL, R. J., *et al.*, (*R*) 737
Heart, amrinone, Effects of amrinone on left and right ventricular function in patients with impaired myocardial performance during general anaesthesia, PETRY, A., *et al.* 567–570
Heart, angiography, Clinical predictors of the need for a preoperative myocardial revascularization in patients undergoing aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.6
——, Myocardial revascularization before carotid surgery, MAINTENANT, J., *et al.*, (*ESA*) A.7
Heart, arrhythmia, Anaesthesia for liver transplantation in familial amyloid polyneuropathy—a preliminary report, VIANA, J. S., *et al.*, (*ESA*) A.127
——, Hastening of ischaemia-induced fall of electrical fibrillation threshold by bupivacaine at moderate plasma levels, FREYSZ, M., *et al.*, (*ESA*) A.93
——, Intermittent left bundle branch block revealed during anaesthesia, REYFORD, H., *et al.* 700–701
——, QTc dispersion in diabetic and non-diabetic patients with uraemia, KIRVELÄ, M., *et al.*, (*ESA*) A.121
Heart, arrhythmia, bradycardia, Sinus bradycardia associated with traumatic haemothorax, KONG, R. S., *et al.* 358–360
Heart, blood flow, myocardial, Detection of perioperative myocardial ischaemia, COHEN, A. M., (*C*) 611
——, Detection of perioperative myocardial ischaemia, EDWARDS, N. D., *et al.* 104–115
——, Detection of perioperative myocardial ischaemia, REILLY, C. S., *et al.*, (*C*) 611
Heart, cardiac massage, Comparison of i.v. and intra-tracheal administration of adrenaline, MCCRIRRICK, A., *et al.* 529–532
Heart, cardiac output, Clinical evaluation of continuous cardiac output monitoring in cardiac surgical patients, BÖTTIGER, B. W., *et al.*, (*ESA*) A.28

——, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
——, Determination of cardiac output at different ventilatory conditions—comparison of bioimpedance with thermodilution, ALTMAYER, P., *et al.*, (*ESA*) A.29
——, Evaluation of continuous cardiac output monitoring with a new pulmonary artery catheter, CATOIRE, P., *et al.*, (*ESA*) A.27
——, The accuracy of impedance cardiography in measurement of cardiac output in comparison with thermodilution method, WONG, K.-W., (*ESA*) A.30
Heart, cardiopulmonary bypass, Afterdrop in temperatures after hypothermic cardiopulmonary bypass, PUJOL, A., *et al.*, (*ESA*) A.70
——, Calcium channel inhibitors and perioperative myocardial ischaemia in cardiac surgery, AMRANI, M., *et al.*, (*C*) 609
——, Cardiopulmonary bypass and tissue O_2 extraction in dogs: pulsatile *vs* non pulsatile flow, VAN DER LINDEN, P., *et al.*, (*ESA*) A.95
——, Cardiopulmonary bypass during single lung transplantation among heterogeneous recipients, CARRERA, J. A., *et al.*, (*ESA*) A.66
——, Early postoperative management after cardiomyoplasty procedure, RATSEP, I., *et al.*, (*ESA*) A.72
——, Fluid exchange and oxygen supply during CABG, SIRS, J. A., *et al.*, (*ARS*) 485P
——, Is there a benefit to process blood remaining in cardiopulmonary bypass (CPB) by cell separation technique? BARON, J. F., *et al.*, (*ESA*) A.45
——, Plasma concentration and protein binding of alfentanil during high-dose infusion for cardiac surgery, HYNYNEN, M., *et al.* 571–576
Heart, catheterization, Comparison between two techniques of haemodynamic evaluation in the ICU: a prospective study, EYRAUD, D., *et al.*, (*ESA*) A.207
——, Iatrogenic non-surgical blood losses in adult cardiac surgical patients, LAVAND'HOMME, P., *et al.*, (*ESA*) A.8
Heart, conduction, Intermittent left bundle branch block revealed during anaesthesia, REYFORD, H., *et al.* 700–701
Heart, contractility, Alteration of ventricular function after stellate ganglion block, SCHLACK, W., *et al.*, (*ESA*) A.87
——, Effects of isoflurane–nitrous oxide and halothane–nitrous oxide anaesthesia on myocardial contractility assessed by transoesophageal echocardiography, KIKURA, M., *et al.* 315–320
——, Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, TUGRUL, M., *et al.*, (*ESA*) A.88
Heart, coronary artery bypass, Clinical predictors of the need for a preoperative myocardial revascularization in patients undergoing aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.6
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
——, Endothelin clearance by pulmonary circulation in patients undergoing aortocoronary bypass grafting, HÄHNEL, J. H., *et al.*, (*ESA*) A.67
——, Intra- and postoperative effects of information presented during sufentanil anaesthesia, VERHAMME, B., *et al.*, (*ESA*) A.132
——, Misoprostol reduces gastroduodenal lesions after CABG surgery, ISETTA, C., *et al.*, (*ESA*) A.75
——, Myocardial revascularization before carotid surgery, MAINTENANT, J., *et al.*, (*ESA*) A.7
Heart, coronary occlusion, Haemodynamic and humoral effects of simultaneous aortic and inferior vena cava clamping during total abdominal ischaemic perfusion, BERKENSTADT, H., *et al.*, (*ESA*) A.79
Heart, dobutamine, Comparison of the haemodynamic effects of dobutamine with enoximone after open heart surgery in small children, INNES, P. A., *et al.* 77–81
Heart, dopexamine, Effect of dopexamine on portal blood flow and liver function with halothane anaesthesia, DARLING, J. R., *et al.*, (*ARS*) 482P
Heart, enoximone, Comparison of the haemodynamic effects of dobutamine with enoximone after open heart surgery in small children, INNES, P. A., *et al.* 77–81
Heart, esmolol, A controlled trial of the effects of esmolol on cardiac function, ALEXANDER, R., *et al.* 594–595
Heart, heart rate, Effect of halothane, isoflurane and fentanyl on spectral components of heart rate variability, GALLETLY, D. C., *et al.* 177–180
——, Evidence of sympathetic cardiac reinnervation after heart transplantation in children, CONSTANT, I., *et al.*, (*ESA*) A.68
——, Heart rate variability changes induced by cervicothoracic extradural analgesia, REIZ, S., *et al.*, (*ESA*) A.62
——, Heart rate variability during propofol anaesthesia, GALLETLY, D. C., *et al.* 219–220
——, Power spectral analysis of heart rate and arterial blood pressure variability during intraoperative unintentional hypothermia, PIRONKOV, A., *et al.*, (*ESA*) A.61
——, Prolonged decrease in heart rate variability after elective hip arthroplasty, MARSCH, S. C. U., *et al.* 643–649
——, Respiratory sinus arrhythmia: comparison with EEG indices during isoflurane anaesthesia at 0.65 and 1.2 MAC, POMFRETT, C. J. D., *et al.* 397–402
——, Spectral analysis of the effects of ketanserin on beat-to-beat cardiovascular parameters in humans, KINGMA, R., *et al.*, (*ESA*) A.60
Heart, inotropism, Involvement of Na-Ca exchanger in the positive inotropic effect of hypertonic saline. *In vitro* study in a blood-perfused isolated heart preparation, MION, G., *et al.*, (*ESA*) A.83
Heart, ischaemia, Echocardiographic prediction of cardiac complications to vascular surgery, HOHNER, P., *et al.*, (*ESA*) A.3
——, Effects of amrinone on left and right ventricular function in patients with impaired myocardial performance during general anaesthesia, PETRY, A., *et al.* 567–570
——, Hastening of ischaemia-induced fall of electrical fibrillation threshold by bupivacaine at moderate plasma levels, FREYSZ, M., *et al.*, (*ESA*) A.93
——, Influence of mode of weaning on postoperative myocardial ischaemia, DROC, G., *et al.*, (*ESA*) A.78
——, Myocardial ischaemia during intubation and extubation, EDWARDS, N. D., *et al.*, (*ARS*) 483–484P
Heart, isolated preparation, Involvement of Na-Ca exchanger in the positive inotropic effect of hypertonic saline. *In vitro* study in a blood-perfused isolated heart preparation, MION, G., *et al.*, (*ESA*) A.83
Heart, milrinone, Disposition of milrinone in patients after cardiac surgery, DAS, P. A., *et al.* 426–429
——, Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, SEEMAN-LODDING, H., *et al.*, (*ESA*) A.81
Heart, myocardial function, Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography, LEPAGE, J.-Y., *et al.* 638–642
——, Alteration of ventricular function after stellate ganglion block, SCHLACK, W., *et al.*, (*ESA*) A.87
——, Assessment of left ventricular function during apnoea testing for brain death, CATOIRE, P., *et al.*, (*ESA*) A.208
——, Clinical validation of a radionuclide detector to measure ejection fraction in critically ill patients, TIMMINS, A. C., *et al.* 523–528
——, Continuous infusions of propofol administered to dogs: effects on ICG and propofol disposition, SEAR, J. W., *et al.* 451–455
——, Detection of perioperative myocardial ischaemia, COHEN, A. M., (*C*) 611
——, Detection of perioperative myocardial ischaemia, EDWARDS, N. D., *et al.* 104–115
——, Detection of perioperative myocardial ischaemia, REILLY, C. S., *et al.*, (*C*) 611
——, Dissociation of systolic and diastolic function during acute increases in coronary perfusion pressure, SCHLACK, W., *et al.*, (*ESA*) A.86
——, Effects of amrinone on left and right ventricular function in patients with impaired myocardial performance during general anaesthesia, PETRY, A., *et al.* 567–570
——, Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, TUGRUL, M., *et al.*, (*ESA*) A.88
——, Evaluation of the effects of rocuronium bromide (rocuronium 9426) on haemodynamics and left ventricular function in patients undergoing abdominal aortic surgery, GOMEZ, C., *et al.*, (*ESA*) A.155
——, PEEP induces an independent constraint on the right atrium and ventricle, BELOUCIF, S., *et al.*, (*ESA*) A.89
Heart, pentoxifylline, Effect of pentoxifylline on oxygen transport during aortic reconstruction (preliminary report), PICCINNI, P., *et al.*, (*ESA*) A.77
Heart, resuscitation, Improved outcome of out-of-hospital cardiopulmonary resuscitation, SCHINNERL, A. A., *et al.*, (*ESA*) A.226
——, Intravenous and tracheal adrenaline compared: implications for advanced cardiac life support, MCCRIRRICK, A., *et al.*, (*ESA*) A.225
——, Use of liposuction and saline washout for the treatment of extensive subcutaneous extravasation of corrosive drugs, MARTIN, P. H., *et al.* 702–704

Heart, sodium nitroprusside, Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, SEEMAN-LODDING, H., *et al.*, (*ESA*) A.81
Heart, transplantation, Evidence of sympathetic cardiac reinnervation after heart transplantation in children, CONSTANT, I., *et al.*, (*ESA*) A.68
Heart, ventricles, Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography, LEPAGE, J.-Y., *et al.* 638–642
——, Effects of amrinone on left and right ventricular function in patients with impaired myocardial performance during general anaesthesia, PETRY, A., *et al.* 567–570
Heart, verapamil, Calcium channel inhibitors and perioperative myocardial ischaemia in cardiac surgery, AMRANI, M., *et al.*, (*C*) 609
Histamine, Atracurium induced vasodilatation is not mediated by histamine in the isolated rabbit femoral artery, DE JONG, D., *et al.*, (*ESA*) A.85
History, anaesthesia, A short history of fires and explosions caused by anaesthetic agents, MACDONALD, A. G. 710–722
Hormones, adrenal, Isoflurane decreases noradrenaline release in the rat locus coeruleus by a mechanism not involving autoreceptors, STAMFORD, J. A., *et al.*, (*ARS*) 481P
Hormones, adrenocorticotrophic, Hormonal responses to hypotensive anaesthesia, MATSON, A. M., *et al.*, (*ESA*) A.124
——, I.v. *vs* halothane anaesthesia in ponies: hormonal changes in the CSF, pituitary effluent and peripheral blood, LUNA, S. P. L., *et al.*, (*ARS*) 480P
Hormones, aldosterone, Hormonal responses to hypotensive anaesthesia, MATSON, A. M., *et al.*, (*ESA*) A.124
Hormones, glucocorticoid, Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery, MOORE, C. M., *et al.* 272–279
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., *et al.* 119–121
Hormones, growth, Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery, MOORE, C. M., *et al.* 272–279
Hormones, insulin, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
——, Insulin administration in diabetic patients—return of the bolus? HALL, G. M., (*E*) 1–2
Hormones, prostaglandins, Effects of prostaglandin E_1 in orthotopic liver transplantation, MONEDERO, P., *et al.*, (*ESA*) A.117
Hypnotics benzodiazepine, Safety and effectiveness of an oral premedication regime before cardiac surgery, BÖTTIGER, B. W., *et al.*, (*ESA*) A.65
Hypnotics benzodiazepine, diazepam, Arterial spasm after administration of diazepam, NG WING TIN, L., *et al.*, (*C*) 139
——, Effects of chronic administration of diazepam on the septum and amygdaloid areas of rat, LASHERAS, A., *et al.*, (*ESA*) A.134
Hypnotics benzodiazepine, flunitrazepam, Mid-latency auditory evoked potentials and circulatory response to loud sounds, SCHWENDER, D., *et al.* 307–314
——, Safety and effectiveness of an oral premedication regime before cardiac surgery, BÖTTIGER, B. W., *et al.*, (*ESA*) A.65
——, Sedative and anxiolytic interactions of clonidine and benzodiazepines, KULKA, P. J., *et al.*, (*ESA*) A.156
Hypnotics benzodiazepine, midazolam, Comparison of desflurane and fentanyl-based anaesthetic techniques for coronary artery bypass surgery, PARSONS, R. S., *et al.* 430–438
——, Do infusions of midazolam and propofol pose an infection risk to critically ill patients? FARRINGTON, M., *et al.* 415–417
——, Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, AMSELLEM, D., *et al.*, (*ESA*) A.174
——, Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, MANSOOR, O., *et al.*, (*ESA*) A.92
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.* 181–184
——, Pharmacokinetic interactions between midazolam and propofol: an infusion study, TEH, J., *et al.* 62–65
Hypnotics benzodiazepine, temazepam, Zopiclone as a preoperative night hypnotic: a double-blind comparison with temazepam and placebo, WHITEHEAD, C., *et al.* 443–446
Hypnotics cyclopyrrolone, zopiclone, Zopiclone as a preoperative night hypnotic: a double-blind comparison with temazepam and placebo, WHITEHEAD, C., *et al.* 443–446
Hypoxaemia, Almitrine magnifies the beneficial effect of inhaled NO in severe hypoxaemic ARDS, PAYEN, D., *et al.*, (*ESA*) A.215
——, Endoscopic transthoracic sympathectomy of the right chest may cause severe hypoxaemia, ROSENBERG, B., *et al.*, (*ESA*) A.115
——, Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern, ROSENBERG, J., *et al.* 145–150
——, Postoperative delirium: treatment with supplementary oxygen, AAKERLUND, L. P., *et al.* 286–290
——, Use of two oximeters to investigate a method of movement artefact rejection using photoplethysmographic signals, VISRAM, A. R., *et al.* 388–392
Hypoxia, Nitrous oxide elimination, EINARSSON, S., *et al.*, (*C*) 730
——, Nitrous oxide elimination, LIN, C.-Y., (*C*) 729–730

Induction, anaesthesia, Coughing during induction caused by morphinomimetic drugs, BOIDIN, M. P., (*C*) 610
——, Induction of anaesthesia with sevoflurane in children: haemodynamic effects, DUBOIS, M. C., *et al.*, (*ESA*) A.189
——, Propofol and thiopental induction: EEG and clinical endpoints, WILDER-SMITH, O. H. G., *et al.*, (*ESA*) A.133
Infants, Inhaled nitric oxide in children—initial experience, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.188
——, Review of 253 epidural catheters inserted at the lumbar or thoracic level in children less than 2 years old, DELBROUCK, D., *et al.*, (*ESA*) A.181
Infection, bacterial, Culture results of 702 protected specimen brushes obtained in 688 ventilated patients with suspected nosocomial pneumonia, MARTIN, C., *et al.*, (*ESA*) A.222
——, Do infusions of midazolam and propofol pose an infection risk to critically ill patients? FARRINGTON, M., *et al.* 415–417
——, Homologous blood transfusion as a risk factor for postoperative infection after abdominal aortic surgery, BERTRAND, M., *et al.*, (*ESA*) A.9
——, Influence of surface morphology on *in vitro* bacterial adherence to central venous catheters, TEBBS, S. E., *et al.* 587–591
——, Post cardiac surgery infection rate after autologous or homologous transfusion, BERGAOUI, F., *et al.*, (*ESA*) A.10
——, Prediction of maternal infection before performing epidural analgesia of labour, DUCLOY, A. S., *et al.*, (*ESA*) A.194
Infection, breathing systems, Hygiene standards for breathing systems? SNOWDON, S. L., (*E*) 143–144
Infection, nosocomial, Culture results of 702 protected specimen brushes obtained in 688 ventilated patients with suspected nosocomial pneumonia, MARTIN, C., *et al.*, (*ESA*) A.222
——, Prevention of catheter-related infection using silver-sulphadiazine-chlorhexidine (SSC) bonded catheters in an animal model, BACH, A., *et al.*, (*ESA*) A.223
Inhalation Anaesthesia, PETER, K., *et al.*, (editors), (*R*) 613–614
Intensive care, A comparison of APACHE-III and APACHE-II in ICU patients, BEIN, T., *et al.*, (*ESA*) A.5
——, Comparison between two techniques of haemodynamic evaluation in the ICU: a prospective study, EYRAUD, D., *et al.*, (*ESA*) A.207
——, Doppler-guided puncture of the axillary vein in ICU patients, SCHREGEL, W., *et al.*, (*ESA*) A.25
——, Exhaled n-pentane is not an index of lipid peroxidation in mechanically ventilated intensive care patients, BÖHRER, H., *et al.*, (*ESA*) A.217
——, Improved outcome of out-of-hospital cardiopulmonary resuscitation, SCHINNERL, A. A., *et al.*, (*ESA*) A.226
——, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care patients, YENTIS, S. M., *et al.*, (*ARS*) 487–488P
——, Infusion requirements of patients receiving 51W89 in the intensive care unit, STONE, A. J., *et al.*, (*ARS*) 486–487P
Intubation endobronchial, On-line expiratory flow–volume curves during thoracic surgery: occurrence of auto-PEEP, BARDOCZKY, G., *et al.* 25–28
Intubation nasotracheal, difficult, Single- compared with double-handed cricoid pressure for insertion of an LMA, ASAI, T., *et al.*, (*C*) 733–734
——, Single- compared with double-handed cricoid pressure for insertion of an LMA, BRIMACOMBE, J., *et al.*, (*C*) 732–733
Intubation nasotracheal, technique, A survey of nasotracheal intubating skills among Advanced Trauma

Life Support course graduates, McHALE, S. P., *et al.* 195–197
——, Inflation of the tracheal tube cuff as an aid to blind nasotracheal intubation, CAVDARSKI, A., (*C*) 139–140
——, Inflation of the tracheal tube cuff as an aid to blind nasotracheal intubation, GAJRAJ, N. M., *et al.*, (*C*) 140
Intubation nasotracheal, training, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, DE COURCY, J. G., (*C*) 731
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, McHALE, S. P., *et al.* 195–197
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, McHALE, S. P., *et al.*, (*C*) 732
——, A survey of nasotracheal intubating skills among Advanced Trauma Life Support course graduates, PARR, M. J. A., *et al.*, (*C*) 731–732
Intubation tracheal, Difficulty in assessing the correct position of the laryngeal mask airway, ASAI, T., *et al.*, (*C*) 366
——, Difficulty in assessing the correct position of the laryngeal mask airway, WILSON, I. G., (*C*) 366
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
——, Ferrous distortion during MRI, CARROLL, M., *et al.*, (*C*) 727–728
——, Intubation-induced stress response: a comparison between direct laryngoscopy and blind oral intubation, PERNERSTORFER, T., *et al.*, (*ESA*) A.51
——, Myocardial ischaemia during intubation and extubation, EDWARDS, N. D., *et al.*, (*ARS*) 483–484P
——, Onset time and intubation characteristics of mivacurium, DE MEY, J.-C., *et al.*, (*ESA*) A.151
——, Tracheal intubation without neuromuscular block in children, STEYN, M. P., *et al.* 403–406
Intubation tracheal, complications, Alfentanil and propofol for difficult tracheal intubation, GILLESPIE, J. A., *et al.*, (*C*) 498
——, Alfentanil and propofol for difficult tracheal intubation, LEVITT, M. J., *et al.*, (*C*) 497–498
——, Predicting difficult intubation, BELLHOUSE, C. B., (*C*) 494
——, Predicting difficult intubation, SAVVA, D., (*C*) 494
——, Tracheal rupture after tracheal intubation, REGRAGUI, I. A., *et al.* 705–706
Intubation tracheal, difficult, Difficult intubation, WILLIAMSON, J. A., *et al.*, (*C*) 366
——, Difficult intubation and obstructive sleep apnoea syndrome, CHOU, H.-C., *et al.*, (*C*) 368
——, Difficult intubation and obstructive sleep apnoea syndrome, GENTIL, B., *et al.*, (*C*) 368
——, Difficult intubation in children: use of fibreoptic bronchoscope, MONRIGAL, J. P., *et al.*, (*ESA*) A.186
——, Outpatient anaesthesia consultation and early detection of risk factors for difficult intubation in obstetric patients, HAMZA, J., *et al.*, (*ESA*) A.192
——, Prevention of nosocomial maxillary sinusitis in mechanically ventilated patients, BODIN, L., *et al.*, (*ESA*) A.221
Intubation tracheal, extubation, Role of the LMA in tracheal extubation? GEORGE, S. L., *et al.*, (*C*) 610
Intubation tracheal, responses, Haemodynamic and catecholamine changes after induction of anaesthesia with either thiopentone or propofol with suxamethonium, BROSSY, M. J., *et al.* 596–598
Intubation tracheal, training, Comparison of the Belscope with the Macintosh laryngoscope, GAJRAJ, N. M., *et al.*, (*C*) 610–611
——, Comparison of the Belscope with the Macintosh laryngoscope, HODGES, U., (*C*) 611
Ions, calcium, Effects of potent inhalational agents on Ca^{2+} transport in synaptic plasma membranes from rat brain, HORN, J. L., *et al.*, (*ESA*) A.130
——, Involvement of Na-Ca exchanger in the positive inotropic effect of hypertonic saline. *In vitro* study in a blood-perfused isolated heart preparation, MION, G., *et al.*, (*ESA*) A.83
Ions, fluoride, Direct toxicity of fluoride ions on human kidney cells, CITTANOVA, M. L., *et al.*, (*ESA*) A.165
——, Plasma inorganic fluoride ion levels following sevoflurane anaesthesia, NEWMAN, P. J., *et al.*, (*ESA*) A.166
Ions, ion channels, Molecular actions of pentobarbitone on sodium channels in lipid bilayers: role of channel structure, WARTENBERG, H. C., *et al.* 668–673
Ions, magnesium, Brain perfusion during cerebral ischaemia protects neurones in rats, SCHMITT, H. J., *et al.*, (*ESA*) A.131
Ions, sodium, Involvement of Na-Ca exchanger in the positive inotropic effect of hypertonic saline. *In vitro* study in a blood-perfused isolated heart preparation, MION, G., *et al.*, (*ESA*) A.83

Kidney, failure, Pharmacodynamics of the single isomer of atracurium (51W89) in patients with or without renal failure, BOYD, A. H., *et al.*, (*ARS*) 486P
Kidney, function, Anaesthetic implications of transjugular intrahepatic portosystemic shunt in orthotopic liver transplantation, LÓPEZ-OLAONDO, L., *et al.*, (*ESA*) A.116
——, Effect of circulatory support with Thoratec system on renal function, PÉREZ-REINER, R., *et al.*, (*ESA*) A.69
——, Effects of prostaglandin E_1 in orthotopic liver transplantation, MONEDERO, P., *et al.*, (*ESA*) A.117
——, Renal effects of low dose dopamine in patients with septic shock treated with norepinephrine, LHERM, T., *et al.*, (*ESA*) A.212
——, Renal effects of low dose dopamine infusion in patients with sepsis syndrome, LHERM, T., *et al.*, (*ESA*) A.211

Larnyx, anatomy, Differential neuromuscular effects of vecuronium on the adductor and abductor laryngeal muscles and tibialis anterior muscle in dogs, IWASAKI, H., *et al.* 321–323
Larynx, cricoid pressure, Cricoid pressure impedes placement of the laryngeal mask airway and subsequent tracheal intubation through the mask, ASAI, T., *et al.* 47–51
——, Single- compared with double-handed cricoid pressure for insertion of an LMA, ASAI, T., *et al.*, (*C*) 733–734
——, Single- compared with double-handed cricoid pressure for insertion of an LMA, BRIMACOMBE, J., *et al.*, (*C*) 732–733
Larynx, vocal cords, Differential neuromuscular effects of vecuronium on the adductor and abductor laryngeal muscles and tibialis anterior muscle in dogs, IWASAKI, H., *et al.* 321–323
Liver, blood flow, Effect of propofol on hepatic blood flow in humans, ZIEHMER, M., *et al.*, (*ESA*) A.168
Liver, damage, Comparison of the effects of isoflurane and propofol on hepatic glutathione-S-transferase concentrations during and after prolonged anaesthesia, MURRAY, J. M., *et al.* 599–601
——, Effect of dopexamine on portal blood flow and liver function with halothane anaesthesia, DARLING, J. R., *et al.*, (*ARS*) 482P
Liver, function, Anaesthetic implications of transjugular intrahepatic portosystemic shunt in orthotopic liver transplantation, LÓPEZ-OLAONDO, L., *et al.*, (*ESA*) A.116
——, Effects of prostaglandin E_1 in orthotopic liver transplantation, MONEDERO, P., *et al.*, (*ESA*) A.117
Liver, metabolism, Administration of atracurium during reperfusion of rat livers after 21 h of cold ischaemic storage in different solutions, RECKENDORFER, H., *et al.* 89–92
——, Influence of respiratory alkalosis on hepatic metabolism in patients with head trauma, ICHAI, C., *et al.*, (*ESA*) A.118
——, Anaesthesia for liver transplantation in familial amyloid polyneuropathy—a preliminary report, VIANA, J. S., *et al.*, (*ESA*) A.127
——, Effects of prostaglandin E_1 in orthotopic liver transplantation, MONEDERO, P., *et al.*, (*ESA*) A.117
Liver, transplantation, Anaesthetic implications of transjugular intrahepatic portosystemic shunt in orthotopic liver transplantation, LÓPEZ-OLAONDO, L., *et al.*, (*ESA*) A.116
——, Haemodynamics of liver reperfusion: comparison of two anaesthetic techniques, WEBSTER, N. R., *et al.* 418–421
Lung, adult respiratory distress syndrome, Almitrine magnifies the beneficial effect of inhaled NO in severe hypoxaemic ARDS, PAYEN, D., *et al.*, (*ESA*) A.215
——, ARDS evolution during therapeutic optimization leads to $ECco_2R$-LFPPV indication, PAYEN, D., *et al.*, (*ESA*) A.213
——, Clinical management of ARDS, WENSTONE, R., *et al.*, (*E*) 617–619
——, Comparative effects of inhaled NO in ZEEP and PEEP conditions in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.103
——, Effects of inhaled nitric oxide (NO) on respiratory resistance in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.104
——, Inhaled NO in ARDS: dose-response curves, PUYBASSET, L., *et al.*, (*ESA*) A.107
——, Inhaled NO in ARDS: predictive factors of pulmonary effects, PUYBASSET, L., *et al.*, (*ESA*) A.108
——, Inhaled NO reduces alveolar dead space in patients with

ARDS and pulmonary hypertension, ROUBY, J. J., *et al.*, (*ESA*) A.102
——, Platelet aggregation, Von Willebrand factor antigen and activity, and inhaled nitric oxyde (NO) in ARDS patients, SAMAMA, CHM., *et al.*, (*ESA*) A.214
——, Respiratory effects of inhaled nitric oxide at a concentration of 10–80 ppm, PUYBASSET, L., *et al.*, (*ESA*) A.105
——, Reversal of hypercapnia induced acute pulmonary hypertension by inhaled nitric oxide (NO), PUYBASSET, L., *et al.*, (*ESA*) A.109
Lung, atelectasis, Mechanisms of atelectasis formation during general anaesthesia, ROTHEN, H. U., *et al.*, (*ESA*) A.114
Lung, blood flow, Effect of haemodynamics on the first-pass retention of alfentanil in pigs, BOER, F., *et al.*, (*ESA*) A.162
——, Inhaled nitric oxide in patients with normal and increased pulmonary vascular resistance after cardiac surgery, SNOW, D. J., *et al.* 185–189
Lung, damage, Dose-response of nitric oxide inhalation in early acute lung injury, LUNDIN, S., *et al.*, (*ESA*) A.106
Lung, deadspace, Inhaled NO reduces alveolar dead space in patients with ARDS and pulmonary hypertension, ROUBY, J. J., *et al.*, (*ESA*) A.102
Lung, function, Effect of weight loss on pulmonary function in morbidly obese patients, JORIS, J., *et al.*, (*ESA*) A.112
——, Pulmonary function after laparoscopic cholecystectomy, NIELSEN, P. R., *et al.*, (*ESA*) A.36
Lung Function. Assessment and Application in Medicine, 5th Edn, COTES, J. E., (*R*) 372–373
Lung, functional residual capacity, Pulmonary function after laparoscopic cholecystectomy, NIELSEN, P. R., *et al.*, (*ESA*) A.36
Lung, gas exchange, Dose-response of nitric oxide inhalation in early acute lung injury, LUNDIN, S., *et al.*, (*ESA*) A.106
——, Mechanisms of atelectasis formation during general anaesthesia, ROTHEN, H. U., *et al.*, (*ESA*) A.114
——, Modification of the iso-shunt lines for low inspired oxygen concentrations, PETROS, A. J., *et al.* 515–522
Lung, intravascular pressures, Effect of methylene blue on pulmonary vasodilatation caused by nitric oxide in hypoxic sheep, DYAR, O., *et al.*, (*ARS*) 484–485P
Lung, metabolic function, Effect of haemodynamics on the first-pass retention of alfentanil in pigs, BOER, F., *et al.*, (*ESA*) A.162
——, First-pass pulmonary uptake of theophylline in ventilated patients, JAMBOU, P., *et al.*, (*ESA*) A.163
Lung, respiratory distress syndrome, Distribution of NO concentrations during 2 methods of NO inhalation, MOURGEON, E., *et al.*, (*ESA*) A.18
Lung, respiratory resistance, Effects of inhaled nitric oxide (NO) on respiratory resistance in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.104
Lung, shunting, Modification of the iso-shunt lines for low inspired oxygen concentrations, PETROS, A. J., *et al.* 515–522
Lung, tidal volume, Resonant volume amplification during high frequency jet ventilation in humans, BOURGAIN, J. L., *et al.*, (*ESA*) A.19
Lung, transplantation, Cardiopulmonary bypass during single lung transplantation among heterogeneous recipients, CARRERA, J. A., *et al.*, (*ESA*) A.66
Lung, volume, Effect of vecuronium priming on lung volumes and oxygen saturation in mildly obese patients, MAHAJAN, R. P., *et al.*, (*ESA*) A.110

Malignant hyperthermia, Are the *in vitro* contracture tests available in patients with various neuromuscular diseases? ADNET, P. J., *et al.*, (*ESA*) A.125
——, Effects of halothane on myoplasmic calcium concentration in L6 muscle cells, URWYLER, A., *et al.*, (*ARS*) 481–482P
——, High-purity ryanodine and 9,21-dehydroryanodine for *in vitro* diagnosis of malignant hyperthermia in man, WAPPLER, F., *et al.* 240–242
Manual of Drug Interactions for Anaesthesiology, 2nd Edn, MUELLER, R. A., *et al.*, (*R*) 141
Manual of Orthopaedic Anaesthesia and Related Pain Syndromes, BERNSTEIN, R. L., *et al.*, (*R*) 615
MCQ Tutor in Anaesthesia: Clinical Practice, PINNOCK, C. A., *et al.*, (editors), (*R*) 613
Measurement techniques, airway pressure, Raised end-expiratory alveolar pressures during cardiac surgery, FLETCHER, R. 629–632
Measurement techniques, arterial pressure, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
Measurement techniques, carbon dioxide, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
Measurement techniques, cardiac output, Clinical evaluation of continuous cardiac output monitoring in cardiac surgical patients, BÖTTIGER, B. W., *et al.*, (*ESA*) A.28
——, Evaluation of continuous cardiac output monitoring with a new pulmonary artery catheter, CATOIRE, P., *et al.*, (*ESA*) A.27
——, Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound, CASTOR, G., *et al.* 133–138
Measurement techniques, contracture test for MH, Are the *in vitro* contracture tests available in patients with various neuromuscular diseases? ADNET, P. J., *et al.*, (*ESA*) A.125
——, Viability criterion of muscle bundles used in the *in vitro* contracture test in patients with neuromuscular diseases, ADNET, P. J., *et al.* 93–97
Measurement techniques, Doppler echocardiography, Anybody can detect minimal CO_2 embolism with a transoesophageal Doppler monitor, GILLART, T., *et al.*, (*ESA*) A.24
——, Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound, CASTOR, G., *et al.* 133–138
Measurement techniques, electromyography, Influence of muscle temperature and forearm position on evoked electromyography in the hand, SMITH, D. C., *et al.* 407–410
——, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
Measurement techniques, fibreoptic, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
Measurement techniques, flowmetry, Thenar muscle blood flow and neuromuscular effects of vecuronium in patients receiving balanced or isoflurane anaesthesia, ABDULATIF, M., *et al.* 650–653
Measurement techniques, neuromuscular block, Frequency of a train-of-four ulnar nerve stimulation influences neuromuscular response, MERETOJA, O. A., *et al.*, (*ESA*) A.150
Measurement techniques, nuclear magnetic resonance, Ferrous distortion during MRI, CARROLL, M., *et al.*, (*C*) 727–728
Measurement techniques, oximeters, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
——, Endoluminal pulse oximetry, a new method for continuous monitoring of perfusion of the gut, NAUTA, S. H. M., *et al.*, (*ESA*) A.73
——, Jugular bulb venous oximetry and cerebral blood flow in fentanyl/isoflurane anaesthetized patients, ALGOTSSON, L., (*ESA*) A.76
——, Use of two oximeters to investigate a method of movement artefact rejection using photoplethysmographic signals, VISRAM, A. R., *et al.* 388–392
Measurement techniques, pulse oximetry, Postoperative analgesia in children using continuous s.c. morphine, MCNICOL, R., (*e*) 253
Measurement techniques, spectral analysis, Evaluation of bispectral index of EEG for monitoring of anaesthetic drug effect, BILLARD, V., *et al.*, (*ESA*) A.128
——, Heart rate variability changes induced by cervicothoracic extradural analgesia, REIZ, S., *et al.*, (*ESA*) A.62
——, Power spectral analysis of electromyographic and systemic arterial pressure signals during fentanyl-induced muscular rigidity in the rat, LEE, T.-Y., *et al.* 328–334
——, Power spectral analysis of heart rate and arterial blood pressure variability during intraoperative unintentional hypothermia, PIRONKOV, A., *et al.*, (*ESA*) A.61
——, Spectral analysis of the effects of ketanserin on beat-to-beat cardiovascular parameters in humans, KINGMA, R., *et al.*, (*ESA*) A.60
Measurement techniques, thermodilution, Determination of cardiac output at different ventilatory conditions—comparison of bioimpedance with thermodilution, ALTMAYER, P., *et al.*, (*ESA*) A.29
——, Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound, CASTOR, G., *et al.* 133–138
——, The accuracy of impedance cardiography in measurement of cardiac output in comparison with thermodilution method, WONG, K.-W., (*ESA*) A.30
Measurement techniques, thoracic impedance

cardiography, Determination of cardiac output at different ventilatory conditions—comparison of bioimpedance with thermodilution, ALTMAYER, P., *et al.*, (*ESA*) A.29
——, Simultaneous measurement of cardiac output by thermodilution, thoracic electrical bioimpedance and Doppler ultrasound, CASTOR, G., *et al.* 133–138
——, The accuracy of impedance cardiography in measurement of cardiac output in comparison with thermodilution method, WONG, K.-W., (*ESA*) A.30
Measurement techniques, thrombelastography, Haemostasis and thrombelastography, GUPTA, N. K., *et al.*, (*C*) 139
Measurement techniques, tomography, Effect of alcohol on gastric emptying in volunteers, MUSHAMBI, M. C., *et al.*, (*e*) 253
Measurement techniques, tussometry, Relationship between expired lung volume, peak flow rate and peak velocity time during a voluntary cough manoeuvre, MAHAJAN, R. P., *et al.* 298–301
Measurement techniques, ultrasound, Doppler-guided puncture of the axillary vein in ICU patients, SCHREGEL, W., *et al.*, (*ESA*) A.25
——, Indirect sonographic guidance for epidural anaesthesia, BONAZZI, M., *et al.*, (*ESA*) A.146
——, Ultrasonographic guided stellatum ganglion blockade, KAPRAL, S., *et al.*, (*ESA*) A.145
——, Ultrasound delivered energy to the heart does not affect central haemodynamics, coronary vascular dimensions or coronary morphology, ALGOTSSON, L., *et al.*, (*ESA*) A.80
Measurement techniques, visual analogue scale, Evaluation of a pain therapy protocol in a post-anaesthesia care unit, BENHAMOU, D., *et al.*, (*ESA*) A.227
Mechanisms of Drugs in Anaesthesia, 2nd Edn, FELDMAN, S. A., *et al.*, (editors), (*R*) 373
Membrane, cell, Molecular actions of pentobarbitone on sodium channels in lipid bilayers: role of channel structure, WARTENBERG, H. C., *et al.* 668–673
Membrane, lipid layer, Propofol and thiopentone inhibit membrane mobility and locomotor response of neutrophils, HULSE, D., *et al.*, (*ARS*) 491–492P
Memory, Intra- and postoperative effects of information presented during sufentanil anaesthesia, VERHAMME, B., *et al.*, (*ESA*) A.132
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.* 181–184
——, Therapeutic suggestions during general anaesthesia, ANDRADE, J., *et al.*, (*C*) 730
——, Therapeutic suggestions during general anaesthesia, MILLAR, K., (*C*) 730–731
Metabolism, fasting, Effect of previous frequency of headache, duration of fasting and caffeine abstinence on perioperative headache, NIKOLAJSEN, L., *et al.* 295–297
Metabolism, glucose, Administration of insulin during surgery, RAUCOULES-AIME, M., *et al.*, (*C*) 735
——, Administration of insulin during surgery, SANAI, L., (*C*) 735
——, Insulin administration in diabetic patients—return of the bolus? HALL, G. M., (*E*) 1–2
——, The effect of isoflurane anaesthesia on glucose tolerance in surgical patients, KNOWLES, M., *et al.*, (*ESA*) A.126
Metabolism, hyperglycaemia, Administration of insulin during surgery, RAUCOULES-AIME, M., *et al.*, (*C*) 735
——, Administration of insulin during surgery, SANAI, L., (*C*) 735
——, Comparison of two methods of i.v. insulin administration in the diabetic patient during the perioperative period, RAUCOULES-AIME, M., *et al.* 5–10
Metabolism, hypoglycaemia, Comparison of two methods of i.v. insulin administration in the diabetic patient during the perioperative period, RAUCOULES-AIME, M., *et al.* 5–10
Metabolism, insulin, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
——, Comparison of two methods of i.v. insulin administration in the diabetic patient during the perioperative period, RAUCOULES-AIME, M., *et al.* 5–10
——, Insulin administration in diabetic patients—return of the bolus? HALL, G. M., (*E*) 1–2
Metabolism, mitochondria, Comparison of bupivacaine and ropivacaine metabolic effects in rat cardiac skinned fibres, SZTARK, F., *et al.*, (*ESA*) A.138
Metabolism, oxygen consumption, Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin, SHIRAISHI, Y., *et al.* 439–442
Metabolism, protein, The modifying influence of anaesthesia on postoperative protein catabolism, GIESECKE, K., *et al.* 697–699
Metabolism, protein, acute phase, Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery, MOORE, C. M., *et al.* 272–279
Model, mathematical, A method for designing back-propagation artificial neural networks for small data sets, BEATTY, P. C. W., (*ARS*) 490P
——, Estimation of end-tidal carbon dioxide by back-propagation artificial neural network, BARRIE, J., *et al.*, (*ARS*) 490–491P
Model, pharmaco–physiological, A method for designing back-propagation artificial neural networks for small data sets, BEATTY, P. C. W., (*ARS*) 490P
Model, rabbit, LPS adsorption reverses *in vitro* and *in vivo* vascular depression during septic shock in rabbit, MATEO, J., *et al.*, (*ESA*) A.216
Model, rat, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
Monitoring, arterial pressure, Compartment syndrome after use of an automatic arterial pressure monitoring device, VIDAL, P., *et al.*, (*e*) 738
Monitoring, echocardiography, Clinical validation of a radionuclide detector to measure ejection fraction in critically ill patients, TIMMINS, A. C., *et al.* 523–528
——, Comparison between two techniques of haemodynamic evaluation in the ICU: a prospective study, EYRAUD, D., *et al.*, (*ESA*) A.207
——, Echocardiographic assessment of traumatic patients, PHILLIPE, E., *et al.*, (*ESA*) A.224
——, Echocardiographic prediction of cardiac complications to vascular surgery, HOHNER, P., *et al.*, (*ESA*) A.3
——, Effects of isoflurane–nitrous oxide and halothane–nitrous oxide anaesthesia on myocardial contractility assessed by transoesophageal echocardiography, KIKURA, M., *et al.* 315–320
——, Embolism detected by TEE during cemented total hip arthroplasty, LAFONT, N. D., *et al.*, (*ESA*) A.23
——, The systolic pressure variation reflects left ventricular end-diastolic volume (LVEDV) during graded haemorrhage in pigs, PREISMAN, S., *et al.*, (*ESA*) A.82
Monitoring, electrocardiography, Central venous catheter placement using the ECG-guided Cavafix Certodyn SD catheter, CORSTEN, S. A., *et al.*, (*ESA*) A.26
——, Detection of perioperative myocardial ischaemia, COHEN, A. M., (*C*) 611
——, Detection of perioperative myocardial ischaemia, EDWARDS, N. D., *et al.* 104–115
——, Detection of perioperative myocardial ischaemia, REILLY, C. S., *et al.*, (*C*) 611
——, Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern, ROSENBERG, J., *et al.* 145–150
——, Oxytocin (O) causes ST-segment depression during Caesarean section—a double blind comparison with methylergometrine (M), SVANSTRÖM, M., *et al.*, (*ESA*) A.200
——, Prolonged decrease in heart rate variability after elective hip arthroplasty, MARSCH, S. C. U., *et al.* 643–649
——, QT interval after isoflurane or halothane administration during surgical procedures, KANAKOUDES, F., *et al.*, (*ESA*) A.63
Monitoring, electroencephalography, Evaluation of bispectral index of EEG for monitoring of anaesthetic drug effect, BILLARD, V., *et al.*, (*ESA*) A.128
——, Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern, ROSENBERG, J., *et al.* 145–150
——, Propofol and thiopental induction: EEG and clinical endpoints, WILDER-SMITH, O. H. G., *et al.*, (*ESA*) A.133
Monitoring, electromyography, Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern, ROSENBERG, J., *et al.* 145–150
Monitoring, evoked potentials, Early cortical auditory evoked potentials during sedation with propofol, BAXENDALE, B. R., *et al.*, (*ESA*) A.171
——, Effect of temperature on the auditory evoked response, HETT, D. A., *et al.*, (*ARS*) 487P
——, Etidocaine and extradural somatosensory evoked potentials after posterior tibial nerve stimulation, LOUGHNAN, B. A., *et al.* 620–623
Monitoring in Anesthesia, 3rd Edn, SAIDMAN, L. J., *et al.*, (editors), (*R*) 373
Monitoring, motion artefact, Use of two oximeters to investigate a method of movement artefact rejection using photoplethysmographic signals, VISRAM, A. R., *et al.* 388–392
Monitoring, neuromuscular function, Changes in skin–electrode impedance with time for four different electrodes, SMITH, D. C., (*ARS*) 483P
——, Differential neuromuscular effects of vecuronium on the

adductor and abductor laryngeal muscles and tibialis anterior muscle in dogs, IWASAKI, H., *et al.* 321–323
——, Effect of skin puncture on skin–electrode impedance, SMITH, D. C., (*ARS*) 483P
——, Frequency of train-of-four stimulation influences neuromuscular response, MERETOJA, O. A., *et al.* 686–687
——, Monitoring neuromuscular block by acceleromyography: comparison of the Mini-Accelograph with the Myograph 2000, HARPER, N. J. N., *et al.* 411–414
——, Post-tetanic count and single twitch height at the onset of reflex movement after administration of vecuronium under different types of anaesthesia, SAITOH, Y., *et al.* 688–690
——, Recovery from vecuronium after different anaesthetics, SAITOH, Y., *et al.*, (*C*) 370
——, Recovery from vecuronium after different anaesthetics, TAKEDA, J., *et al.*, (*C*) 369–370
——, The effects of sevoflurane are similar to those of isoflurane on the neuromuscular block produced by vecuronium, MORITA, T., *et al.* 465–467
Monitoring, oxygen, Comparison of arterial blood-gas tensions achieved using three variable performance devices for postoperative oxygen therapy, MCBRIEN, M. E., *et al.*, (*ARS*) 489–490P
——, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
——, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*E*) 3–4
——, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*e*) 612
Monitoring, pH oesophageal, Is the difference between systemic and intramucosal pH–pH gap—an indicator of tissue ischaemia? STAENDER, S., *et al.*, (*ESA*) A.94
——, Measurements of gastric intramucosal pH in patients after cardiac surgery, BEKRAR, Y., *et al.*, (*ESA*) A.74
Monitoring, spirometry, On-line expiratory flow–volume curves during thoracic surgery: occurrence of auto-PEEP, BARDOCZKY, G., *et al.* 25–28
Monitoring, temperature, Influence of muscle temperature and forearm position on evoked electromyography in the hand, SMITH, D. C., *et al.* 407–410
Monitoring, ventilation, Effects of external PEEP on respiratory mechanics during one lung ventilation, BARDOCZKY, G., *et al.*, (*ESA*) A.101
Muscle respiratory, Opioid receptors in isolated bovine tracheal muscle, ZAPPI, L., *et al.*, (*ESA*) A.99
——, Relaxant action of ketamine isomers on isolated tracheal muscle, REHDER, K., *et al.*, (*ESA*) A.98
Muscle skeletal, Anaesthesia and myotonia, RUSSELL, S. H., *et al.* 210–216
Muscle skeletal, contractility, Are the *in vitro* contracture tests available in patients with various neuromuscular diseases? ADNET, P. J., *et al.*, (*ESA*) A.125

Neonates, Inhaled nitric oxide in children—initial experience, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.188
Nerve, membrane, Effects of potent inhalational agents on Ca^{2+} transport in synaptic plasma membranes from rat brain, HORN, J. L., *et al.*, (*ESA*) A.130
Nerve, neurotransmitters, Fentanyl inhibits the release of [^{3}H]noradrenaline from SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 98–103
Neuromuscular block, Spinal clonidine prolongs onset of motor blockade of bupivacaine, LANGENECKER, S., *et al.*, (*ESA*) A.143
Neuromuscular block, 51W89, Infusion requirements of patients receiving 51W89 in the intensive care unit, STONE, A. J., *et al.*, (*ARS*) 486–487P
——, Pharmacodynamics of the single isomer of atracurium (51W89) in patients with or without renal failure, BOYD, A. H., *et al.*, (*ARS*) 486P
Neuromuscular block, atracurium, Administration of atracurium during reperfusion of rat livers after 21 h of cold ischaemic storage in different solutions, RECKENDORFER, H., *et al.* 89–92
——, Comparative effects of atracurium and vecuronium on intraocular pressure, POLARZ, H., *et al.*, (*ESA*) A.152
——, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, Frequency of train-of-four stimulation influences neuromuscular response, MERETOJA, O. A., *et al.* 686–687
——, Influence of incubated atracurium on rat liver function, BURGMANN, H., *et al.* 324–327
——, Monitoring neuromuscular block by acceleromyography: comparison of the Mini-Accelograph with the Myograph 2000, HARPER, N. J. N., *et al.* 411–414
——, Optimum dose of neostigmine at two levels of atracurium-induced neuromuscular block, HARPER, N. J. N., *et al.* 82–85
——, Residual curarization following vecuronium or atracurium by bolus or infusion, FAWCETT, W. J., *et al.*, (*ESA*) A.153
Neuromuscular block, doxacurium, Pharmacodynamics of doxacurium in elderly patients, HARPER, N. J. N., *et al.*, (*ARS*) 493P
Neuromuscular block, magnesium, Neuromuscular interactions between suxamethonium and magnesium sulphate in the cat, TSAI, S. K., *et al.* 674–678
Neuromuscular block, measurement of response, Frequency of a train-of-four ulnar nerve stimulation influences neuromuscular response, MERETOJA, O. A., *et al.*, (*ESA*) A.150
Neuromuscular block, mivacurium, Frequency of train-of-four stimulation influences neuromuscular response, MERETOJA, O. A., *et al.* 686–687
——, Isoflurane and the neuromuscular effects of mivacurium in paediatric patients, VAN LERSBERGHE, C., *et al.*, (*ESA*) A.180
——, Mivacurium chloride and myasthenia gravis, SEIGNE, R. D., *et al.* 468–469
——, Mivacurium priming intervals, HAXBY, E. J., *et al.*, (*ARS*) 485P
——, Onset time and intubation characteristics of mivacurium, DE MEY, J.-C., *et al.*, (*ESA*) A.151
——, Outliers and extrapolation: child's age and infusion rates of mivacurium, GOODMAN, N. W., (*C*) 609–610
Neuromuscular block, Org 9487, Dose requirements, reversibility and pharmacokinetics of Org 9487, WIERDA, J. M. K. H., *et al.*, (*ESA*) A.154
Neuromuscular block, pancuronium, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors, APPADU, B. L., *et al.* 86–88
Neuromuscular block, pipecuronium, Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors, APPADU, B. L., *et al.* 86–88
Neuromuscular block, priming, Mivacurium priming intervals, HAXBY, E. J., *et al.*, (*ARS*) 485P
Neuromuscular block, rocuronium, Evaluation of the effects of rocuronium bromide (rocuronium 9426) on haemodynamics and left ventricular function in patients undergoing abdominal aortic surgery, GOMEZ, C., *et al.*, (*ESA*) A.155
——, Rocuronium in dental day-case patients, CHETTY, M. S., *et al.*, (*ARS*) 486P
——, Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors, APPADU, B. L., *et al.* 86–88
Neuromuscular block, suxamethonium, Effects of cholinesterase inhibitors on the neuromuscular blocking action of suxamethonium, VALDRIGHI, J. B., *et al.* 237–239
——, Interactions between suxamethonium and non-depolarizing neuromuscular blocking drugs, BRAGA, M. F. M., *et al.* 198–204
——, Neuromuscular interactions between suxamethonium and magnesium sulphate in the cat, TSAI, S. K., *et al.* 674–678
——, Prostaglandin inhibitors and suxamethonium-induced myalgia, NAGUIB, M., (*C*) 139
——, Tracheal intubation without neuromuscular block in children, STEYN, M. P., *et al.* 403–406
Neuromuscular block, tubocurarine, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, Low quantal content of the endplate potential reduces safety factor for neuromuscular transmission in the diaphragm of the newborn rat, WAREHAM, A. C., *et al.* 205–209
Neuromuscular block, vecuronium, Comparative effects of atracurium and vecuronium on intraocular pressure, POLARZ, H., *et al.*, (*ESA*) A.152
——, Differential neuromuscular effects of vecuronium on the adductor and abductor laryngeal muscles and tibialis anterior muscle in dogs, IWASAKI, H., *et al.* 321–323
——, Effect of antagonizing residual neuromuscular block by neostigmine and atropine on postoperative vomiting, BOEKE, A. J., *et al.* 654–656
——, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, Effect of vecuronium priming on lung volumes and oxygen saturation in mildly obese patients, MAHAJAN, R. P., *et al.*, (*ESA*) A.110

——, Frequency of train-of-four stimulation influences neuromuscular response, MERETOJA, O. A., *et al.* 686–687
——, Influence of carbamazepine on the dose–response relationship of vecuronium, WHALLEY, D. G., *et al.* 125–126
——, Post-tetanic count and single twitch height at the onset of reflex movement after administration of vecuronium under different types of anaesthesia, SAITOH, Y., *et al.* 688–690
——, Recovery from vecuronium after different anaesthetics, SAITOH, Y., *et al.*, (*C*) 370
——, Recovery from vecuronium after different anaesthetics, TAKEDA, J., *et al.*, (*C*) 369–370
——, Relative potency of vecuronium in male and female patients in Britain and Australia, SEMPLE, P., *et al.* 190–194
——, Residual curarization following vecuronium or atracurium by bolus or infusion, FAWCETT, W. J., *et al.*, (*ESA*) A.153
——, Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors, APPADU, B. L., *et al.* 86–88
——, The effects of sevoflurane are similar to those of isoflurane on the neuromuscular block produced by vecuronium, MORITA, T., *et al.* 465–467
——, Thenar muscle blood flow and neuromuscular effects of vecuronium in patients receiving balanced or isoflurane anaesthesia, ABDULATIF, M., *et al.* 650–653
Neuromuscular transmission, Influence of muscle temperature and forearm position on evoked electromyography in the hand, SMITH, D. C., *et al.* 407–410
Nunn's Applied Respiratory Physiology, 4th Edn, NUNN, J. F., (*R*) 614

Observation Medicine, GRAFF, L. G., (editor), (*R*) 253
Operating rooms, contamination, The role of soda lime during administration of inhaled nitric oxide, PICKETT, J. A., *et al.* 683–685
Organizations, Jehovah's Witnesses, Revision of total hip replacement in Jehovah's Witnesses, WITTMANN, F. W., *et al.*, (*C*) 252
Oxygen, consumption, Cardiopulmonary bypass and tissue O_2 extraction in dogs: pulsatile *vs* non pulsatile flow, VAN DER LINDEN, P., *et al.*, (*ESA*) A.95
——, Cardiorespiratory and muscular capacity after laparoscopic cholecystectomy, DELAUNAY, L., *et al.*, (*ESA*) A.35
——, Continuous measurement of coronary sinus oxygen saturation during ventricular tachycardia, GALLAIS, Y., *et al.*, (*ESA*) A.57
——, Continuous monitoring of mixed venous oxygen saturation for detecting alterations in cardiac output after discontinuation of cardiopulmonary bypass, INOMATA, S., *et al.* 11–16
——, Oxygen uptake during rebreathing in a Mapleson A system, FRIED, M. J., *et al.* 217–218
Oxygen, delivery systems, Comparison of arterial blood-gas tensions achieved using three variable performance devices for postoperative oxygen therapy, MCBRIEN, M. E., *et al.*, (*ARS*) 489–490P
Oxygen, inspired concentration, Preoxygenation in healthy volunteers: a graph of oxygen "washin" using end-tidal oxygraphy, BERRY, C. B., *et al.* 116–118
Oxygen, measurement, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (*E*) 3–4
——, Monitoring preoxygenation, CAMPBELL, I. T., *et al.*, (***e***) 612
Oxygen, saturation, Continuous measurement of coronary sinus oxygen saturation during ventricular tachycardia, GALLAIS, Y., *et al.*, (*ESA*) A.57
——, Effect of vecuronium priming on lung volumes and oxygen saturation in mildly obese patients, MAHAJAN, R. P., *et al.*, (*ESA*) A.110
——, Safety and effectiveness of an oral premedication regime before cardiac surgery, BÖTTIGER, B. W., *et al.*, (*ESA*) A.65
Oxygen, therapy, Effect of education on oxygen mask placement, GOLDHILL, D. R., *et al.* 234–236
Oxygen, tissue, Cardiopulmonary bypass and tissue O_2 extraction in dogs: pulsatile *vs* non pulsatile flow, VAN DER LINDEN, P., *et al.*, (*ESA*) A.95
——, Is the difference between systemic and intramucosal pH–pH gap—an indicator of tissue ischaemia? STAENDER, S., *et al.*, (*ESA*) A.94
Oxygen, transport, Effect of pentoxifylline on oxygen transport during aortic reconstruction (preliminary report), PICCINNI, P., *et al.*, (*ESA*) A.77
Oxygen Transport: Principles and Practice, EDWARDS, J. D., *et al.*, (editors), (*R*) 501
Oxygen, uptake, Fluid exchange and oxygen supply during CABG, SIRS, J. A., *et al.*, (*ARS*) 485P
——, Preoxygenation in healthy volunteers: a graph of oxygen "washin" using end-tidal oxygraphy, BERRY, C. B., *et al.* 116–118

Pain and its Relief in Childbirth, CHAMBERLAIN, G., *et al.*, (*R*) 614–615
Pain, chronic, Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.97
——, Long-term continuous intrathecal administration of morphine/bupivacaine at the upper cervical level for pain due to progressive intra-oral cancer. Access by lateral C1–II approach, CRUL, B. J. P., *et al.*, (*ESA*) A.244
——, Polyarthralgia and amenorrhoea as a complication of intrathecally infused morphine and Dilaudid in the treatment of chronic benign back pain, CHAMBERS, F. A., *et al.*, (*C*) 734
Pain, experimental, Topical glucocorticoid has no antinociceptive or anti-inflammatory effect in thermal injury, PEDERSEN, J. L., *et al.* 379–382
Pain, injection, Pretreatment with alfentanil reduces pain caused by propofol, FLETCHER, J. E., *et al.* 342–344
Pain, measurement, Topical glucocorticoid has no antinociceptive or anti-inflammatory effect in thermal injury, PEDERSEN, J. L., *et al.* 379–382
Pain, postoperative, A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, O'HANLON, J., *et al.*, (*ESA*) A.237
——, Analgesic effects of epidural ketamine and clonidine for postoperative pain relief, CHIARI, A., *et al.*, (*ESA*) A.240
——, Comparison of the effectiveness of bilateral ilioinguinal nerve block and wound infiltration for postoperative analgesia after Caesarean section, GANTA, R., *et al.* 229–230
——, Does the position of the intrapleural catheter change the results of the intrapleural analgesia? ZORICA, J., *et al.*, (*ESA*) A.232
——, Effect of ilioinguinal and iliohypogastric nerve block and wound infiltration with 0.5% bupivacaine on postoperative pain after hernia repair, HARRISON, C. A., *et al.* 691–693
——, Effect of the addition of intrathecal morphine on the extent and quality of spinal analgesia produced by bupivacaine, KNIGHTS, D. T., *et al.*, (*ESA*) A.203
——, Evaluation of a pain therapy protocol in a post-anaesthesia care unit, BENHAMOU, D., *et al.*, (*ESA*) A.227
——, Intraperitoneal bupivacaine does not reduce postoperative pain after laparoscopic cholecystectomy, THIRY, E., *et al.*, (*ESA*) 231
——, Ketoprofen for pain after hip and knee arthroplasty, HOMMERIL, J.-L., *et al.* 383–387
——, Ketorolac tromethamine for postoperative analgesia in oral surgery, PENDEVILLE, PH. E., *et al.*, (*ESA*) A.236
——, Nitrous oxide as an analgesic for painful procedures outside the operating theatre, GUDMARSSON, A. N., (*ESA*) A.241
——, Postoperative pain relief—what is the issue? KEHLET, H., (*E*) 375–378
——, Prevention of postoperative nausea and vomiting by ondansetron, NICHOLSON, G., *et al.*, (*ARS*) 489P
——, Video-assisted thoracoscopic placement of paravertebral catheters: a technique for postoperative analgesia for bilateral thoracoscopic surgery, SONI, A. K., *et al.* 462–464
——, Why postoperative epidural analgesia is not complete for every patient? FARHAT, F., *et al.*, (*ESA*) A.148
Pain, somatic, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661
Pain, visceral, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661
Partial pressure, arterial, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? FLETCHER, R., (*C*) 495
——, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? IP-YAM, P. C., (*C*) 495
——, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
Partial pressure, arterial–end-tidal, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? FLETCHER, R., (*C*) 495
——, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? IP-YAM, P. C., (*C*) 495

——, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
Partial pressure, carbon dioxide, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? FLETCHER, R., (*C*) 495
——, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? IP-YAM, P. C., (*C*) 495
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
——, Response of cerebral blood volume to changes in $Paco_2$ in children with congenital heart disease, HUNTER, D. N., *et al.*, (*ESA*) A.137
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
——, Variations of arterial P_{CO_2} ($Paco_2$) despite constant end-tidal P_{CO_2} ($PETco_2$) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39
Partial pressure, end-tidal, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? FLETCHER, R., (*C*) 495
——, Can one predict arterial P_{CO_2} from end-tidal P_{CO_2}? IP-YAM, P. C., (*C*) 495
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Prediction of arterial from end-tidal P_{CO_2}, DRUMMOND, G. B., (*C*) 498
——, Prediction of arterial from end-tidal P_{CO_2}, FARMERY, A. D., (*C*) 498–499
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
——, Variations of arterial P_{CO_2} ($Paco_2$) despite constant end-tidal P_{CO_2} ($PETco_2$) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39
Pediatrics for the Anesthesiologist, BERRY, F. A., *et al.*, (editors), (*R*) 737–738
Pharmacodynamics, Infusion requirements of patients receiving 51W89 in the intensive care unit, STONE, A. J., *et al.*, (*ARS*) 486–487P
——, Pharmacodynamics of doxacurium in elderly patients, HARPER, N. J. N., *et al.*, (*ARS*) 493P
——, Pharmacodynamics of the single isomer of atracurium (51W89) in patients with or without renal failure, BOYD, A. H., *et al.*, (*ARS*) 486P
——, Plasma concentration and protein binding of alfentanil during high-dose infusion for cardiac surgery, HYNYNEN, M., *et al.* 571–576
Pharmacokinetics, alfentanil, Effect of xylazine and ketamine on the pharmacokinetics of alfentanil during halothane anaesthesia, PASCOE, P. J., *et al.* 345–347
——, Pharmacokinetics of intranasal alfentanil, STRIEBEL, H. W., *et al.*, (*ESA*) A.161
Pharmacokinetics, bupivacaine, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
Pharmacokinetics, cocaine, Kinetics of intranasal cocaine for topical anaesthesia in nasal surgery, LE PELLEY, E., *et al.*, (*ESA*) A.164
Pharmacokinetics, lignocaine, Pharmacokinetics of lidocaine and bupivacaine with hyaluronidase for peribulbar blocks, NATHAN, N., *et al.*, (*ESA*) A.140
Pharmacokinetics, methoxypsoralen, Pharmacokinetics of 8-methoxypsoralen (8-MOP) in humans prior to routine use for platelet decontamination: preliminary results, BILLARD, V., *et al.*, (*ESA*) A.40
Pharmacokinetics, models, A prospective evaluation of pharmacokinetic model controlled infusion of propofol in paediatric patients, SHORT, T. G., *et al.* 302–306
Pharmacokinetics, Org 9487, Dose requirements, reversibility and pharmacokinetics of Org 9487, WIERDA, J. M. K. H., *et al.*, (*ESA*) A.154
Pharmacokinetics, propofol, Changes in arterial and jugular venous propofol concentrations during induction of anaesthesia, PEACOCK, J. E., *et al.*, (*ARS*) 480–481P
Pharmacokinetics, psoralen, Pharmacokinetics of 8-methoxypsoralen (8-MOP) in humans prior to routine use for platelet decontamination: preliminary results, BILLARD, V., *et al.*, (*ESA*) A.40
Pharmacokinetics, ropivacaine, Efficacy and kinetics of extradural ropivacaine: comparison with bupivacaine, MORRISON, L. M. M., *et al.* 164–169
Pharmacokinetics, theophylline, First-pass pulmonary uptake of theophylline in ventilated patients, JAMBOU, P., *et al.*, (*ESA*) A.163
Pharmacology, 5-HT antagonists, Evaluation of the antiemetic properties of dolasetron mesilate in gynaecological surgery, DIEMUNSCH, P., *et al.*, (*ESA*) A.159
Pharmacology, antagonists adrenergic, A controlled trial of the effects of esmolol on cardiac function, ALEXANDER, R., *et al.* 594–595
Pharmacology, atracurium, Atracurium induced vasodilatation is not mediated by histamine in the isolated rabbit femoral artery, DE JONG, D., *et al.*, (*ESA*) A.85
Pharmacology, caffeine, Effect of previous frequency of headache, duration of fasting and caffeine abstinence on perioperative headache, NIKOLAJSEN, L., *et al.* 295–297
Pharmacology, captopril, Effects of hypothermia and captopril on arterial contraction, LE PELLEY, E., *et al.*, (*ESA*) A.91
Pharmacology, carbamazepine, Influence of carbamazepine on the dose–response relationship of vecuronium, WHALLEY, D. G., *et al.* 125–126
Pharmacology, Centoxin, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care patients, YENTIS, S. M., *et al.*, (*ARS*) 487–488P
Pharmacology, clonidine, Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography, LEPAGE, J.-Y., *et al.* 638–642
——, Attenuation of haemodynamic responses to tracheal intubation with clonidine and nifedipine, MÉRAY, J., *et al.*, (*ESA*) A.53
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
Pharmacology, dose–response, Influence of carbamazepine on the dose–response relationship of vecuronium, WHALLEY, D. G., *et al.* 125–126
——, Inhaled NO in ARDS: dose-response curves, PUYBASSET, L., *et al.*, (*ESA*) A.107
Pharmacology, doxapram, Interaction of doxapram with opioid receptors, OGILVY, A. J., *et al.*, (*ARS*) 491P
Pharmacology, glucocorticoids, Topical glucocorticoid has no antinociceptive or anti-inflammatory effect in thermal injury, PEDERSEN, J. L., *et al.* 379–382
Pharmacology, histamine, Atracurium induced vasodilatation is not mediated by histamine in the isolated rabbit femoral artery, DE JONG, D., *et al.*, (*ESA*) A.85
Pharmacology, ketamine, Relaxant action of ketamine isomers on isolated tracheal muscle, REHDER, K., *et al.*, (*ESA*) A.98
Pharmacology, ketanserin, Effect of 1 or 2 MAC isoflurane with or without ketanserin on cerebral blood flow autoregulation in man, OLSEN, K. S., *et al.* 66–71
——, Spectral analysis of the effects of ketanserin on beat-to-beat cardiovascular parameters in humans, KINGMA, R., *et al.*, (*ESA*) A.60
Pharmacology, metoclopramide, Antimetics in laparoscopic surgery, HITCHCOCK, M., *et al.*, (*C*) 608
——, Antimetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*C*) 608–609
——, Effects of metoclopramide on a nociceptive flexion reflex in humans, MENIGAUX, C., *et al.*, (*ESA*) A.239
——, Nausea and vomiting after gynaecological laparoscopy: comparison of premedication with oral ondansetron, metoclopramide and placebo, MALINS, A. F., *et al.* 231–233
Pharmacology, misoprostol, Misoprostol reduces gastroduodenal lesions after CABG surgery, ISETTA, C., *et al.*, (*ESA*) A.75
Pharmacology, nifedipine, Attenuation of haemodynamic responses to tracheal intubation with clonidine and nifedipine, MÉRAY, J., *et al.*, (*ESA*) A.53
Pharmacology, nimodipine, Nimodipine does not potentiate oral morphine in cancer pain. A preliminary study, ROCA, G., *et al.*, (*ESA*) A.243
Pharmacology, nitric oxide, Almitrine magnifies the beneficial effect of inhaled NO in severe hypoxaemic ARDS, PAYEN, D., *et al.*, (*ESA*) A.215
——, Comparative effects of inhaled NO in ZEEP and PEEP conditions in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.103
——, Distribution of NO concentrations during 2 methods of NO inhalation, MOURGEON, E., *et al.*, (*ESA*) A.18

——, Dose-response of nitric oxide inhalation in early acute lung injury, LUNDIN, S., *et al.*, (*ESA*) A.106
——, Effect of methylene blue on pulmonary vasodilatation caused by nitric oxide in hypoxic sheep, DYAR, O., *et al.*, (*ARS*) 484–485P
——, Effect of propofol and thiopentone on inducible nitric oxide production, O'DONNELL, N. G., *et al.*, (*ARS*) 492P
——, Effects of inhaled nitric oxide (NO) on respiratory resistance in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.104
——, Inhaled nitric oxide in children—initial experience, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.188
——, Inhaled nitric oxide in patients with normal and increased pulmonary vascular resistance after cardiac surgery, SNOW, D. J., *et al.* 185–189
——, Inhaled NO in ARDS: dose-response curves, PUYBASSET, L., *et al.*, (*ESA*) A.107
——, Inhaled NO in ARDS: predictive factors of pulmonary effects, PUYBASSET, L., *et al.*, (*ESA*) A.108
——, Inhaled NO reduces alveolar dead space in patients with ARDS and pulmonary hypertension, ROUBY, J. J., *et al.*, (*ESA*) A.102
——, Platelet aggregation, Von Willebrand factor antigen and activity, and inhaled nitric oxyde (NO) in ARDS patients, SAMAMA, CHM., *et al.*, (*ESA*) A.214
——, Respiratory effects of inhaled nitric oxide at a concentration of 10–80 ppm, PUYBASSET, L., *et al.*, (*ESA*) A.105
——, Reversal of hypercapnia induced acute pulmonary hypertension by inhaled nitric oxide (NO), PUYBASSET, L., *et al.*, (*ESA*) A.109
Pharmacology, nitroglycerine, Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin, SHIRAISHI, Y., *et al.* 439–442
Pharmacology, octreotide, Review of the anaesthetic management of 21 patients undergoing laparotomy for carcinoid syndrome, VEALL, G. R. Q., *et al.* 335–341
Pharmacology, ondansetron, Antimetics in laparoscopic surgery, HITCHCOCK, M., *et al.*, (*C*) 608
——, Antimetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*C*) 608–609
——, Nausea and vomiting after gynaecological laparoscopy: comparison of premedication with oral ondansetron, metoclopramide and placebo, MALINS, A. F., *et al.* 231–233
Pharmacology, phosphodiesterase inhibitors, Disposition of milrinone in patients after cardiac surgery, DAS, P. A., *et al.* 426–429
Pharmacology, prostaglandins, Oxygen uptake and carbon dioxide elimination during controlled hypotension induced by prostaglandin E_1 or nitroglycerin, SHIRAISHI, Y., *et al.* 439–442
Pharmacology, synergism, Pharmacokinetic interactions between midazolam and propofol: an infusion study, TEH, J., *et al.* 62–65
Pharmacology, urapidil, Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography, LEPAGE, J.-Y., *et al.* 638–642
——, Effects of intravenous urapidil on isoflurane-induced hypotension during ear surgery, DERAMOUDT, V., *et al.*, (*ESA*) A.59
Pharmacology, vecuronium, Influence of carbamazepine on the dose–response relationship of vecuronium, WHALLEY, D. G., *et al.* 125–126
Pharmacology, verapamil, Overdose of sustained-release verapamil, BARROW, P. M., *et al.* 361–365
Pig, Effect of haemodynamics on the first-pass retention of alfentanil in pigs, BOER, F., *et al.*, (*ESA*) A.162
——, Effects of milrinone, sodium nitroprusside and isoflurane on cardiovascular responses to experimental abdominal aortic cross-clamping, SEEMAN-LODDING, H., *et al.*, (*ESA*) A.81
——, Effects of propofol and thiopentone on load dependent and independent indices of left ventricular (LV) contractility, TUGRUL, M., *et al.*, (*ESA*) A.88
——, Hastening of ischaemia-induced fall of electrical fibrillation threshold by bupivacaine at moderate plasma levels, FREYSZ, M., *et al.*, (*ESA*) A.93
——, Is the difference between systemic and intramucosal pH–pH gap—an indicator of tissue ischaemia? STAENDER, S., *et al.*, (*ESA*) A.94
——, Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, MANSOOR, O., *et al.*, (*ESA*) A.92
——, Ultrasound delivered energy to the heart does not affect central haemodynamics, coronary vascular dimensions or coronary morphology, ALGOTSSON, L., *et al.*, (*ESA*) A.80
——, Venous carbon dioxide emboli. Does nitrous oxide make difference? NYARWAYA, J. B., *et al.*, (*ESA*) A.90
Polypeptides, aprotinin, Thrombosis rate after mitral surgery. Influence of aprotinin, EZZARANI, D., *et al.*, (*ESA*) A.71
Polypeptides, cytokines, Effect of anaesthesia on the cytokine responses to abdominal surgery, CROZIER, T. A., *et al.* 280–285
——, Effects of extradural anaesthesia on interleukin-6 and acute phase response to surgery, MOORE, C. M., *et al.* 272–279
——, Formation of cytokines by retransfusion of shed whole blood, ARNESTAD, J. P., *et al.* 422–425
——, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care patients, YENTIS, S. M., *et al.*, (*ARS*) 487–488P
——, Suppression by methylprednisolone of augmented plasma endotoxin-like activity and interleukin-6 during cardiopulmonary bypass, INABA, H., *et al.* 348–350
——, The effect of anaesthetic techniques on periparietal maternal interleukin-6 levels, DE JONGH, R., *et al.*, (*ESA*) A.195
Polypeptides, endothelin, Endothelin clearance by pulmonary circulation in patients undergoing aortocoronary bypass grafting, HÄHNEL, J. H., *et al.*, (*ESA*) A.67
Position, effects, Effect of posture on radiologic sinusitis in critically ill patients, LAURENT, P., *et al.*, (*ESA*) A.220
Position, lateral decubitus, The size of the dural sac is unaffected by body position, BRICHANT, J. F., *et al.*, (*ESA*) A.149
Position, sitting, The size of the dural sac is unaffected by body position, BRICHANT, J. F., *et al.*, (*ESA*) A.149
Potency, anaesthetic, MAC, MAC reduction of isoflurane by sufentanil, BRUNNER, M. D., *et al.* 42–46
Potency, drug, Relative potency of vecuronium in male and female patients in Britain and Australia, SEMPLE, P., *et al.* 190–194
Potency, drug, tolerance, No acute tolerance to alfentanil during anaesthesia, LEMMENS, H. J. M., *et al.*, (*ESA*) A.160
Pregnancy, Asthma in pregnancy, GOLLO, E., *et al.*, (*ESA*) A.190
——, HELLP syndrome: considerations on 42 cases, GOLLO, E., *et al.*, (*ESA*) A.191
——, Place of bleeding time in diagnosis of haemostatic abnormality in pregnancy, CANEVET, C., *et al.*, (*ESA*) A.193
——, Prediction of maternal infection before performing epidural analgesia of labour, DUCLOY, A. S., *et al.*, (*ESA*) A.194
Premedication, Premedication, a comparison between temazepam, ketobemidone, propranolol and placebo, JAKOBSSON, J., *et al.*, (*ESA*) A.12
——, Safety and effectiveness of an oral premedication regime before cardiac surgery, BÖTTIGER, B. W., *et al.*, (*ESA*) A.65
Premedication, agonists adrenergic, Premedication, a comparison between temazepam, ketobemidone, propranolol and placebo, JAKOBSSON, J., *et al.*, (*ESA*) A.12
Premedication, clonidine, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
Premedication, dexemedetomidine, Premedication with dexmedetomidine: a novel α_2-adrenoceptor agonist: sedative and anxiolytic effects, TRYBA, M., *et al.*, (*ESA*) A.157
Premedication, diazepam, Lack of anxiolytic effect of diazepam in pre-anaesthetic medication, WIKINSKI, S., *et al.* 694–696
Premedication, glycopyrronium, Anticholinergic premedication influences the incidence of postoperative shivering, BAXENDALE, B. R., *et al.* 291–294
Premedication, hyoscine, Anticholinergic premedication influences the incidence of postoperative shivering, BAXENDALE, B. R., *et al.* 291–294
Premedication, ketobemidone, Premedication, a comparison between temazepam, ketobemidone, propranolol and placebo, JAKOBSSON, J., *et al.*, (*ESA*) A.12
Premedication, temazepam, Premedication, a comparison between temazepam, ketobemidone, propranolol and placebo, JAKOBSSON, J., *et al.*, (*ESA*) A.12
Protein, albumin, Influence of intraoperative high-dose hydroxyethyl starch 200 0.5% on plasmatic oncotic function compared to albumin 5%, VOGT, N., *et al.*, (*ESA*) A.50
——, Propofol binding in human blood, ALTMAYER, P., *et al.*, (*ESA*) A.167
Protein, amino acids, Propofol attenuates glutamate toxicity mediated by NMDA receptor on fetal rat hippocampal neurones, HANS, P., *et al.*, (*ESA*) A.129

Protein, binding, Propofol binding in human blood, ALTMAYER, P., *et al.*, (*ESA*) A.167
Psychological responses, Dysphoria after extradural diamorphine, HOLDER, K. J., *et al.*, (*C*) 728
——, Recovery after oral surgery with halothane, enflurane, isoflurane or propofol anaesthesia, POLLARD, B. J., *et al.* 559–566
——, The subjective effects of low-dose propofol, WHITEHEAD, C., *et al.*, (*ESA*) A.172
Psychological responses, postoperative, Postoperative delirium: treatment with supplementary oxygen, AAKERLUND, L. P., *et al.* 286–290
Publications, Who publishes in the large anaesthesia journals? POMAROLI, A., *et al.* 723–725

Rabbit, Atracurium induced vasodilatation is not mediated by histamine in the isolated rabbit femoral artery, DE JONG, D., *et al.*, (*ESA*) A.85
——, Biodistribution of liposomal bupivacaine after epidural administration to rabbits, BOOGAERTS, J. G., *et al.*, (*ESA*) A.142
——, LPS adsorption reverses *in vitro* and *in vivo* vascular depression during septic shock in rabbit, MATEO, J., *et al.*, (*ESA*) A.216
Rat, Brain perfusion during cerebral ischaemia protects neurones in rats, SCHMITT, H. J., *et al.*, (*ESA*) A.131
——, Comparison of bupivacaine and ropivacaine metabolic effects in rat cardiac skinned fibres, SZTARK, F., *et al.*, (*ESA*) A.138
——, Effects of chronic administration of diazepam on the septum and amygdaloid areas of rat, LASHERAS, A., *et al.*, (*ESA*) A.134
——, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
——, Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat, KANEKO, M., *et al.* 657–661
——, Propofol attenuates glutamate toxicity mediated by NMDA receptor on fetal rat hippocampal neurones, HANS, P., *et al.*, (*ESA*) A.129
Recent Advances in Anaesthesia and Analgesia 18, ATKINSON, R. S., *et al.*, (editors), (*R*) 736
Receptors, amino acid, Pentobarbitone, but not propofol, produces pre-emptive analgesia in the rat formalin model, GOTO, T., *et al.* 662–667
Receptors, cholinergic, Studies on the interaction of steroidal neuromuscular blocking drugs with cardiac muscarinic receptors, APPADU, B. L., *et al.* 86–88
Receptors, opioid, Interaction of doxapram with opioid receptors, OGILVY, A. J., *et al.*, (*ARS*) 491P
——, Opioid receptors in isolated bovine tracheal muscle, ZAPPI, L., *et al.*, (*ESA*) A.99

Safety, Hygiene standards for breathing systems? SNOWDON, S. L., (*E*) 143–144
Screening, Routine preoperative screening tests for infectious diseases in vascular patients, BERTRAND, M., *et al.*, (*ESA*) A.2
Sedation, Early cortical auditory evoked potentials during sedation with propofol, BAXENDALE, B. R., *et al.*, (*ESA*) A.171
——, Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, AMSELLEM, D., *et al.*, (*ESA*) A.174
——, Sedation with propofol does not interfere with gastric emptying, HVARFNER, A., *et al.*, (*ESA*) A.173
Serotonin (5-hydroxytryptamine), Is postoperative nausea and vomiting caused by systemic release of 5-hydroxytryptamine during general anaesthesia? BLOOR, G. K., *et al.*, (*ARS*) 488–489P
Serotonin (5-hydroxytryptamine), antagonism, Evaluation of the antiemetic properties of dolasetron mesilate in gynaecological surgery, DIEMUNSCH, P., *et al.*, (*ESA*) A.159
Sleep, Late postoperative nocturnal episodic hypoxaemia and associated sleep pattern, ROSENBERG, J., *et al.* 145–150
——, Sleep neurobiology: relevance for mechanistic studies of anaesthesia, LYDIC, R., *et al.*, (*E*) 506–508
Sleep apnoea, Nitrous oxide induces central and obstructive apnoeas in normal subjects, BEYDON, L., *et al.*, (*ESA*) A.113
Société Française D'Anesthésie et de Réanimation. Congrès National D'Anesthésie et de Réanimation: Conférence d'Actualisation, , , (*R*) 738
Spinal cord, ischaemia, Propofol and oxpentifylline during spinal cord ischaemia in dogs, MCCOY, D., *et al.*, (*ARS*) 484P
Spinal cord, reflexes, Comparative effect of ketorolac and ketoprofen on a nociceptive flexion reflex in humans, DUPONT, X., *et al.*, (*ESA*) A.238
——, Effects of metoclopramide on a nociceptive flexion reflex in humans, MENIGAUX, C., *et al.*, (*ESA*) A.239
Statistics, Displaying data, MACKIE, D., (*C*) 500
——, Displaying data, O'MEARA, M. E., *et al.*, (*C*) 500
——, Outliers and extrapolation: child's age and infusion rates of mivacurium, GOODMAN, N. W., (*C*) 609–610
Stress, ACE inhibitor premedication attenuates sympathetic responses during surgery, BÖTTCHER, M., *et al.* 633–637
——, Improvement of stress tolerance in anaesthesiologists by cardiovascular fitness training, TRAUNMÜLLER, C., *et al.*, (*ESA*) A.21
——, Intubation-induced stress response: a comparison between direct laryngoscopy and blind oral intubation, PERNERSTORFER, T., *et al.*, (*ESA*) A.51
Surgery, abdominal, Endoluminal pulse oximetry, a new method for continuous monitoring of perfusion of the gut, NAUTA, S. H. M., *et al.*, (*ESA*) A.73
——, Haemodynamic and humoral effects of simultaneous aortic and inferior vena cava clamping during total abdominal ischaemic perfusion, BERKENSTADT, H., *et al.*, (*ESA*) A.79
——, Homologous blood transfusion as a risk factor for postoperative infection after abdominal aortic surgery, BERTRAND, M., *et al.*, (*ESA*) A.9
——, Nitrous oxide does not influence operating conditions or postoperative course in colonic surgery, KROGH, B., *et al.* 55–57
Surgery, autonomic response, ACE inhibitor premedication attenuates sympathetic responses during surgery, BÖTTCHER, M., *et al.* 633–637
Surgery, cardiovascular, Acute effects of urapidil on left ventricular function in hypertensive patients: comparison with clonidine using radionuclide angiography, LEPAGE, J.-Y., *et al.* 638–642
——, Afterdrop in temperatures after hypothermic cardiopulmonary bypass, PUJOL, A., *et al.*, (*ESA*) A.70
——, Calcium channel inhibitors and perioperative myocardial ischaemia in cardiac surgery, AMRANI, M., *et al.*, (*C*) 609
——, Clinical evaluation of continuous cardiac output monitoring in cardiac surgical patients, BÖTTIGER, B. W., *et al.*, (*ESA*) A.28
——, Clinical predictors of the need for a preoperative myocardial revascularization in patients undergoing aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.6
——, Comparison of desflurane and fentanyl-based anaesthetic techniques for coronary artery bypass surgery, PARSONS, R. S., *et al.* 430–438
——, Comparison of the haemodynamic effects of dobutamine with enoximone after open heart surgery in small children, INNES, P. A., *et al.* 77–81
——, Disposition of milrinone in patients after cardiac surgery, DAS, P. A., *et al.* 426–429
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
——, Early postoperative management after cardiomyoplasty procedure, RATSEP, I., *et al.*, (*ESA*) A.72
——, Echocardiographic prediction of cardiac complications to vascular surgery, HOHNER, P., *et al.*, (*ESA*) A.3
——, Effect of pentoxifylline on oxygen transport during aortic reconstruction (preliminary report), PICCINNI, P., *et al.*, (*ESA*) A.77
——, Iatrogenic non-surgical blood losses in adult cardiac surgical patients, LAVAND'HOMME, P., *et al.*, (*ESA*) A.8
——, Influence of mode of weaning on postoperative myocardial ischaemia, DROC, G., *et al.*, (*ESA*) A.78
——, Interstitial fluid volume during cardiac surgery measured by means of a non-invasive conductivity method, OLTHOF, C. G., *et al.*, (*ESA*) A.64
——, Intra- and postoperative effects of information presented during sufentanil anaesthesia, VERHAMME, B., *et al.*, (*ESA*) A.132
——, Is there a benefit to process blood remaining in cardiopulmonary bypass (CPB) by cell separation technique? BARON, J. F., *et al.*, (*ESA*) A.45
——, Measurements of gastric intramucosal pH in patients after cardiac surgery, BEKRAR, Y., *et al.*, (*ESA*) A.74
——, Myocardial revascularization before carotid surgery, MAINTENANT, J., *et al.*, (*ESA*) A.7
——, Raised end-expiratory alveolar pressures during cardiac surgery, FLETCHER, R. 629–632
——, Response of cerebral blood volume to changes in $PaCO_2$ in children with congenital heart disease, HUNTER, D. N., *et al.*, (*ESA*) A.137
——, Routine preoperative screening tests for infectious diseases in vascular patients, BERTRAND, M., *et al.*, (*ESA*) A.2

——, Safety and effectiveness of an oral premedication regime before cardiac surgery, BÖTTIGER, B. W., *et al.*, (*ESA*) A.65
——, Suppression by methylprednisolone of augmented plasma endotoxin-like activity and interleukin-6 during cardiopulmonary bypass, INABA, H., *et al.* 348–350
——, Thrombosis rate after mitral surgery. Influence of aprotinin, EZZARANI, D., *et al.*, (*ESA*) A.71
Surgery, cholecystectomy, Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function, RADEMAKER, B. M. P., *et al.* 263–266
Surgery, dental, Ketorolac tromethamine for postoperative analgesia in oral surgery, PENDEVILLE, PH. E., *et al.*, (*ESA*) A.236
——, Postoperative analgesia in children after odontologic procedure: a comparison of diclofenac *versus* ketorolac in the outpatient clinic, PREGO, M., *et al.*, (*ESA*) A.185
Surgery, endarterectomy, Anaesthesia for carotid artery surgery, ASPINALL, R. L., (*C*) 370
——, Anaesthesia for carotid artery surgery, COX, C., *et al.*, (*C*) 252
——, Anaesthesia for carotid artery surgery, FITCH, W., *et al.*, (*C*) 252
——, Anaesthesia for carotid artery surgery, WHITELEY, S. M., (*C*) 734–735
——, Myocardial revascularization before carotid surgery, MAINTENANT, J., *et al.*, (*ESA*) A.7
Surgery, endoscopy, Epiduroscopy with a thin flexible and deflectable fibrescope, ROSENBERG, P. H., *et al.*, (*ESA*) A.233
Surgery, gastrointestinal, BI-level CPAP (BIPAP) reduces the postoperative restrictive pulmonary syndrome in obese patients after gastroplasty, JORIS, J., *et al.*, (*ESA*) A.111
——, Effect of weight loss on pulmonary function in morbidly obese patients, JORIS, J., *et al.*, (*ESA*) A.112
——, Use of two oximeters to investigate a method of movement artefact rejection using photoplethysmographic signals, VISRAM, A. R., *et al.* 388–392
Surgery, gynaecological, Evaluation of the antiemetic properties of dolasetron mesilate in gynaecological surgery, DIEMUNSCH, P., *et al.*, (*ESA*) A.159
——, Recovery from sevoflurane and isoflurane after outpatient gynaecological laparoscopy, KALLELA, H., *et al.*, (*ESA*) A.14
Surgery, hepatic, Anaesthetic implications of transjugular intrahepatic portosystemic shunt in orthotopic liver transplantation, LÓPEZ-OLAONDO, L., *et al.*, (*ESA*) A.116
Surgery, laparoscopy, A comparison of the effect of intramuscular diclofenac, ketorolac, or piroxicam on postoperative pain following laparoscopy, O'HANLON, J., *et al.*, (*ESA*) A.237
——, Antimetics in laparoscopic surgery, HITCHCOCK, M., *et al.*, (*C*) 608
——, Antimetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*C*) 608–609
——, Anybody can detect minimal CO_2 embolism with a transoesophageal Doppler monitor, GILLART, T., *et al.*, (*ESA*) A.24
——, Cardiorespiratory and muscular capacity after laparoscopic cholecystectomy, DELAUNAY, L., *et al.*, (*ESA*) A.35
——, Diaphragmatic function after laparoscopic cholecystectomy, SHARMA, R., *et al.*, (*ESA*) A.34
——, Fatal carbon dioxide embolism and severe haemorrhage during laparoscopic salpingectomy, BECK, D. H., *et al.* 243–245
——, Haemodynamic changes during laparoscopic cholecystectomy in the elderly (preliminary results), DHOSTE, K., *et al.*, (*ESA*) A.32
——, Haemodynamic changes during laparoscopy, MYRE, K., *et al.*, (*ESA*) A.33
——, Haemodynamic effects of laparoscopic cholecystectomy in patients with coronary disease, DUALE, C., *et al.*, (*ESA*) A.31
——, Hyperkalaemia associated with prolonged insufflation of carbon dioxide into the peritoneal cavity, PEARSON, M. R. B., *et al.* 602–604
——, Intraocular pressure and gynaecological laparoscopy, DUCLOY, J. C., *et al.*, (*ESA*) A.16
——, Intraperitoneal bupivacaine does not reduce postoperative pain after laparoscopic cholecystectomy, THIRY, E., *et al.*, (*ESA*) 231
——, Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function, RADEMAKER, B. M. P., *et al.* 263–266
——, Long-lasting laparoscopy: influence of anaesthesia on haemodynamics in pigs, MANSOOR, O., *et al.*, (*ESA*) A.92
——, PEEP for treatment of intraoperative pneumothorax during laparoscopic fundoplication, CHICHE, J. D., *et al.*, (*ESA*) A.38
——, Pulmonary function after laparoscopic cholecystectomy, NIELSEN, P. R., *et al.*, (*ESA*) A.36
——, Recovery from sevoflurane and isoflurane after outpatient gynaecological laparoscopy, KALLELA, H., *et al.*, (*ESA*) A.14
——, Respiratory changes induced by subcutaneous emphysema during laparoscopic fundoplication, CHICHE, J. D., *et al.*, (*ESA*) A.37
——, Variations of arterial P_{CO_2} (Pa_{CO_2}) despite constant end-tidal P_{CO_2} (PET_{CO_2}) during CO_2 pneumoperitoneum, SEGUIER, J. C., *et al.*, (*ESA*) A.39
Surgery, metabolic response, Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function, RADEMAKER, B. M. P., *et al.* 263–266
Surgery, miscellaneous, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.*, (*e*) 371
——, Effects of intravenous urapidil on isoflurane-induced hypotension during ear surgery, DERAMOUDT, V., *et al.*, (*ESA*) A.59
Surgery, neurological, Effects of different intravenous solutions on plasma osmolality, TALIB, R., *et al.*, (*ESA*) A.48
——, Effects of sufentanil and fentanyl on the cerebral haemodynamics after a noxious stimulus, JAMALI, S., *et al.*, (*ESA*) A.136
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*ESA*) A.135
Surgery, ophthalmological, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in normotensive and hypertensive patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.56
——, Influence of the anaesthetic technique on the incidence of ventricular arrhythmias in patients undergoing ophthalmic surgery, VOLPE, N., *et al.*, (*ESA*) A.55
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., *et al.* 119–121
Surgery, orthopaedic, Analgesia of two doses of intra-articular morphine in day-case arthroscopy, JUELSGAARD, P., *et al.*, (*ESA*) A.230
——, Comparison of cemented *vs* non-cemented total hip implants on cardiopulmonary function, ZAOUK, G., *et al.*, (*ESA*) A.22
——, Comparison of ondansetron, droperidol and saline for prevention of nausea and vomiting with patient controlled analgesia following orthopaedic surgery, ALEXANDER, R., *et al.*, (*ESA*) A.234
——, Embolism detected by TEE during cemented total hip arthroplasty, LAFONT, N. D., *et al.*, (*ESA*) A.23
——, Pre-emptive analgesia with ketorolac in orthopaedic surgery: a double blinded randomized study, FLETCHER, D., *et al.*, (*ESA*) A.235
——, Prolonged decrease in heart rate variability after elective hip arthroplasty, MARSCH, S. C. U., *et al.* 643–649
——, Revision of total hip replacement in Jehovah's Witnesses, WITTMANN, F. W., *et al.*, (*C*) 252
Surgery, otolaryngological, Kinetics of intranasal cocaine for topical anaesthesia in nasal surgery, LE PELLEY, E., *et al.*, (*ESA*) A.164
——, The reinforced laryngeal mask airway for adenotonsillectomy, HEATH, M. L., *et al.*, (*C*) 728–729
——, The reinforced laryngeal mask airway for adenotonsillectomy, WILLIAMS, P. J., *et al.*, (*C*) 729
Surgery, phaeochromocytoma, Use of desflurane during resection of phaeochromocytoma, LIPPMANN, M., *et al.* 707–709
Surgery, plastic, Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, WOODWARD, W. M., *et al.*, (*ESA*) A.179
——, Reduction in postoperative vomiting after surgical correction of prominent ears, RIDINGS, P., *et al.* 592–593
Surgery, preoperative period, Anaesthetic preoperative assessment in outpatient clinic. A survey of the opinion of anaesthetists, surgeons and hospital directors in Switzerland, KLOPFENSTEIN, C. E., *et al.*, (*ESA*) A.13
Surgery, thoracic, Ketorolac as a component of balanced analgesia after thoracotomy, POWER, I., *et al.* 224–226
——, Postoperative delirium: treatment with supplementary oxygen, AAKERLUND, L. P., *et al.* 286–290
——, Propofol-alfentanil and isoflurane-alfentanil anaesthesia for major thoracic surgery, BARDOCZKY, G. I., *et al.*, (*ESA*) A.169
Surgery, tracheotomy, Percutaneous tracheostomy using

bronchoscopic control and HFJV, VAN BOVEN, M. J., *et al.*, (*ESA*) A.210
Surgery, transplantation, Cardiopulmonary bypass during single lung transplantation among heterogeneous recipients, CARRERA, J. A., *et al.*, (*ESA*) A.66
——, Evidence of sympathetic cardiac reinnervation after heart transplantation in children, CONSTANT, I., *et al.*, (*ESA*) A.68
Surgery, urological, Changes in haemodynamic variables during transurethral resection of the prostate: comparison of general and spinal anaesthesia, DOBSON, P. M. S., *et al.* 267–271
——, Forced perioperative erythropoiesis in patients undergoing major urologic procedures, WEISS, B. M., *et al.*, (*ESA*) A.123
Surgery, vascular, Blood requirements in vascular surgery during 1 year period, GOSGNACH, M., *et al.*, (*ESA*) A.41
——, Evaluation of the effects of rocuronium bromide (rocuronium 9426) on haemodynamics and left ventricular function in patients undergoing abdominal aortic surgery, GOMEZ, C., *et al.*, (*ESA*) A.155
——, Infusion of propofol *vs* sufentanil-midazolam for sedation following aortic surgery, AMSELLEM, D., *et al.*, (*ESA*) A.174
Sympathetic nervous system, Dissociation of systolic and diastolic function during acute increases in coronary perfusion pressure, SCHLACK, W., *et al.*, (*ESA*) A.86
——, Effect of atracurium, vecuronium, pancuronium and tubocurarine on renal sympathetic nerve activity in baroreceptor denervated dogs, YONEDA, I., *et al.* 679–682
——, Endoscopic transthoracic sympathectomy of the right chest may cause severe hypoxaemia, ROSENBERG, B., *et al.*, (*ESA*) A.115
——, Evidence of sympathetic cardiac reinnervation after heart transplantation in children, CONSTANT, I., *et al.*, (*ESA*) A.68
Sympathetic nervous system, adrenaline, Comparison of i.v. and intra-tracheal administration of adrenaline, MCCRIRRICK, A., *et al.* 529–532
——, Intravenous and tracheal adrenaline compared: implications for advanced cardiac life support, MCCRIRRICK, A., *et al.*, (*ESA*) A.225
Sympathetic nervous system, catecholamines, Catecholamines profile during anaesthesia in diabetic patients with autonomic neuropathy, LUGRIN, D., *et al.*, (*ESA*) A.119
——, Haemodynamic and catecholamine responses to induction of anaesthesia in diabetic and non-diabetic uraemic patients, KIRVELÄ, M., *et al.*, (*ESA*) A.120
Sympathetic nervous system, clonidine, Addition of oral clonidine to postoperative patient-controlled analgesia with i.v. morphine, BENHAMOU, D., *et al.* 537–540
——, Analgesic effects of epidural ketamine and clonidine for postoperative pain relief, CHIARI, A., *et al.*, (*ESA*) A.240
——, Association clonidine-etomidate and insulin requirements in diabetics during minor surgery, RAUCOULES, M., *et al.*, (*ESA*) A.122
——, Comparison of a bupivacaine–clonidine mixture with plain bupivacaine for caudal analgesia in children, LEE, J. J., *et al.* 258–262
——, Dose-response effects on stress reactions of intravenous clonidine in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.52
——, Extradural clonidine—the need for well designed controlled trials, MACDONALD, R., (*E*) 255–257
——, Intraoperative requirements of isoflurane after the administration of intramuscular or epidural clonidine, VALLÈS, J., *et al.*, (*ESA*) A.158
——, Pharmacokinetics of clonidine after rectal administration in children, LÖNNQVIST, P. A., *et al.*, (*ESA*) A.176
——, Sedative and anxiolytic interactions of clonidine and benzodiazepines, KULKA, P. J., *et al.*, (*ESA*) A.156
——, Spinal clonidine prolongs onset of motor blockade of bupivacaine, LANGENECKER, S., *et al.*, (*ESA*) A.143
——, The addition of clonidine to epidural morphine prolongs postoperative analgesia after Caesarean section, CELLENO, D., *et al.*, (*ESA*) A.204
Sympathetic nervous system, dexmedetomidine, Premedication with dexmedetomidine: a novel α_2-adrenoceptor agonist: sedative and anxiolytic effects, TRYBA, M., *et al.*, (*ESA*) A.157
Sympathetic nervous system, dopamine, Renal effects of low dose dopamine in patients with septic shock treated with norepinephrine, LHERM, T., *et al.*, (*ESA*) A.212
——, Renal effects of low dose dopamine infusion in patients with sepsis syndrome, LHERM, T., *et al.*, (*ESA*) A.211
Sympathetic nervous system, ganglion block, Alteration of ventricular function after stellate ganglion block, SCHLACK, W., *et al.*, (*ESA*) A.87
Sympathetic nervous system, metoprolol, ACE inhibitor premedication attenuates sympathetic responses during surgery, BÖTTCHER, M., *et al.* 633–637
Sympathetic nervous system, metyrosine, Use of desflurane during resection of phaeochromocytoma, LIPPMANN, M., *et al.* 707–709
Sympathetic nervous system, noradrenaline, Fentanyl inhibits the release of [^{3}H]noradrenaline from SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 98–103
——, Renal effects of low dose dopamine in patients with septic shock treated with norepinephrine, LHERM, T., *et al.*, (*ESA*) A.212

Temperature, body, Pre-emptive use of the space blanket reduces shivering after general anaesthesia, BUGGY, D., *et al.* 393–396
Temperature, effect, Effect of temperature on the auditory evoked response, HETT, D. A., *et al.*, (*ARS*) 487P
Temperature, measurement, Clinical evaluation of liquid crystal skin thermometers, MACKENZIE, R., *et al.* 246–249
Temperature, monitoring, Afterdrop in temperatures after hypothermic cardiopulmonary bypass, PUJOL, A., *et al.*, (*ESA*) A.70
——, Calculation of mean skin temperature and changes in body heat content during paediatric anaesthesia, PUHAKKA, K., *et al.* 548–553
Theories of anaesthetic action, Sleep neurobiology: relevance for mechanistic studies of anaesthesia, LYDIC, R., *et al.*, (*E*) 506–508
Toxicity, Propofol attenuates glutamate toxicity mediated by NMDA receptor on fetal rat hippocampal neurones, HANS, P., *et al.*, (*ESA*) A.129
Toxicity, hepatic, Influence of incubated atracurium on rat liver function, BURGMANN, H., *et al.* 324–327
Toxicity, neurotoxicity, Low hepatic dihydropyrimidine dehydrogenase (DPD) activity and lethal 5-fluorouracil (5-FU)-related neurotoxicity, STÉPHAN, F., *et al.*, (*ESA*) A.219
Toxicity, renal, Direct toxicity of fluoride ions on human kidney cells, CITTANOVA, M. L., *et al.*, (*ESA*) A.165
Transfusion, Homologous blood transfusion as a risk factor for postoperative infection after abdominal aortic surgery, BERTRAND, M., *et al.*, (*ESA*) A.9
——, Iatrogenic non-surgical blood losses in adult cardiac surgical patients, LAVAND'HOMME, P., *et al.*, (*ESA*) A.8
——, Influence of blood transfusion on cardiac index and end-tidal carbon dioxide tension relationship in anaesthetized patients, DERIAZ, H., *et al.*, (*ESA*) A.42
——, Is there a benefit to process blood remaining in cardiopulmonary bypass (CPB) by cell separation technique? BARON, J. F., *et al.*, (*ESA*) A.45
——, Post cardiac surgery infection rate after autologous or homologous transfusion, BERGAOUI, F., *et al.*, (*ESA*) A.10
Transfusion, autotransfusion, Blood requirements in vascular surgery during 1 year period, GOSGNACH, M., *et al.*, (*ESA*) A.41
——, Comparative analysis of coagulatory proteins after retransfusion of postoperatively salvaged non-washed and washed autologous blood, SINGBARTL, G., *et al.*, (*ESA*) A.44
——, Formation of cytokines by retransfusion of shed whole blood, ARNESTAD, J. P., *et al.* 422–425
——, High dose intravenous iron supplementation facilitates autologous blood donation, SCHULTE-TAMBUREN, A. M., *et al.*, (*ESA*) A.43
——, Metabolic acidosis developing during intraoperative (extreme) normovolaemic haemodilution, SINGBARTL, G., *et al.*, (*ESA*) A.46
——, Post cardiac surgery infection rate after autologous or homologous transfusion, BERGAOUI, F., *et al.*, (*ESA*) A.10
Transfusion, complications, Formation of cytokines by retransfusion of shed whole blood, ARNESTAD, J. P., *et al.* 422–425

Uterus, methylergometrine, Oxytocin (O) causes ST-segment depression during Caesarean section—a double blind comparison with methylergometrine (M), SVANSTRÖM, M., *et al.*, (*ESA*) A.200
Uterus, oxytocin, Oxytocin (O) causes ST-segment depression during Caesarean section—a double blind comparison with methylergometrine (M), SVANSTRÖM, M., *et al.*, (*ESA*) A.200
——, The elective use of oxytocin infusion during labour in nulliparous women using epidural analgesia: a randomized double blind placebo controlled trial, SHENNAN, A. H., *et al.*, (*ESA*) A.199

Veins, axillary, cannulation, Doppler-guided puncture of the axillary vein in ICU patients, SCHREGEL, W., *et al.*, (*ESA*) A.25
Ventilation, airway pressure, Raised end-expiratory alveolar pressures during cardiac surgery, FLETCHER, R. 629–632
Ventilation, apnoea, Apnoea and CPAP for restoration of spontaneous respiration, KARLSTEN, R., (*C*) 367–368
——, Apnoea and CPAP for restoration of spontaneous respiration, SAVVA, D., *et al.*, (*C*) 367–368
——, Assessment of left ventricular function during apnoea testing for brain death, CATOIRE, P., *et al.*, (*ESA*) A.208
——, Nitrous oxide induces central and obstructive apnoeas in normal subjects, BEYDON, L., *et al.*, (*ESA*) A.113
Ventilation, carbon dioxide response, Effects of 20% nitrous oxide on the ventilatory response to hypercapnia and sustained isocapnic hypoxia in man, DAHAN, A., *et al.* 17–20
Ventilation, continuous positive pressure, Apnoea and CPAP for restoration of spontaneous respiration, KARLSTEN, R., (*C*) 367–368
——, Apnoea and CPAP for restoration of spontaneous respiration, SAVVA, D., *et al.*, (*C*) 367–368
——, BI-level CPAP (BIPAP) reduces the postoperative restrictive pulmonary syndrome in obese patients after gastroplasty, JORIS, J., *et al.*, (*ESA*) A.111
Ventilation, effects, Venous carbon dioxide emboli. Does nitrous oxide make difference? NYARWAYA, J. B., *et al.*, (*ESA*) A.90
Ventilation, failure, Paralysis caused by hyperkalaemia, CHAUHAN, S., *et al.*, (*C*) 368–369
——, Paralysis caused by hyperkalaemia, FREEMAN, S., (*C*) 369
Ventilation, high frequency jet, Percutaneous tracheostomy using bronchoscopic control and HFJV, VAN BOVEN, M. J., *et al.*, (*ESA*) A.210
——, Resonant volume amplification during high frequency jet ventilation in humans, BOURGAIN, J. L., *et al.*, (*ESA*) A.19
Ventilation, hypoventilation, Nitrous oxide elimination, EINARSSON, S., *et al.*, (*C*) 730
——, Nitrous oxide elimination, LIN, C.-Y., (*C*) 729–730
Ventilation, hypoxic response, Effect of low-dose enflurane on the ventilatory response to hypoxia in humans, NAGYOVA, B., *et al.* 509–514
——, Effects of 20% nitrous oxide on the ventilatory response to hypercapnia and sustained isocapnic hypoxia in man, DAHAN, A., *et al.* 17–20
——, Nitrous oxide elimination, EINARSSON, S., *et al.*, (*C*) 730
——, Nitrous oxide elimination, LIN, C.-Y., (*C*) 729–730
——, Volatile agents and the ventilatory response to hypoxia, GOODMAN, N. W., (*E*) 503–505
Ventilation, mechanical, ARDS evolution during therapeutic optimization leads to ECco$_2$R-LFPPV indication, PAYEN, D., *et al.*, (*ESA*) A.213
——, Culture results of 702 protected specimen brushes obtained in 688 ventilated patients with suspected nosocomial pneumonia, MARTIN, C., *et al.*, (*ESA*) A.222
——, Exhaled n-pentane is not an index of lipid peroxidation in mechanically ventilated intensive care patients, BÖHRER, H., *et al.*, (*ESA*) A.217
——, Influence of mode of weaning on postoperative myocardial ischaemia, DROC, G., *et al.*, (*ESA*) A.78
——, Mechanisms of atelectasis formation during general anaesthesia, ROTHEN, H. U., *et al.*, (*ESA*) A.114
Ventilation, mechanics, Effects of external PEEP on respiratory mechanics during one lung ventilation, BARDOCZKY, G., *et al.*, (*ESA*) A.101
——, Respiratory effects of inhaled nitric oxide at a concentration of 10–80 ppm, PUYBASSET, L., *et al.*, (*ESA*) A.105
Ventilation, muscle, diaphragm, Diaphragmatic function after bupivacaine (B) *vs* lidocaine (L) cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.97
——, Diaphragmatic function after laparoscopic cholecystectomy, SHARMA, R., *et al.*, (*ESA*) A.34
Ventilation, muscle, respiratory, Inspiratory muscle strength after interpleural bupivacaine in healthy humans, GALLART, L., *et al.*, (*ESA*) A.96
Ventilation, obstruction, Nitrous oxide induces central and obstructive apnoeas in normal subjects, BEYDON, L., *et al.*, (*ESA*) A.113
Ventilation, one-lung, Effects of external PEEP on respiratory mechanics during one lung ventilation, BARDOCZKY, G., *et al.*, (*ESA*) A.101
——, On-line expiratory flow–volume curves during thoracic surgery: occurrence of auto-PEEP, BARDOCZKY, G., *et al.* 25–28
——, Variation in the arterial to end-tidal P_{CO_2} difference during one-lung thoracic anaesthesia, IP YAM, P. C., *et al.* 21–24
Ventilation, positive end-expiratory pressure, Comparative effects of inhaled NO in ZEEP and PEEP conditions in patients with ARDS, MOURGEON, E., *et al.*, (*ESA*) A.103
——, Effects of external PEEP on respiratory mechanics during one lung ventilation, BARDOCZKY, G., *et al.*, (*ESA*) A.101
——, PEEP for treatment of intraoperative pneumothorax during laparoscopic fundoplication, CHICHE, J. D., *et al.*, (*ESA*) A.38
——, PEEP induces an independent constraint on the right atrium and ventricle, BELOUCIF, S., *et al.*, (*ESA*) A.89
——, Raised end-expiratory alveolar pressures during cardiac surgery, FLETCHER, R. 629–632
Ventilation, rib cage, Diaphragmatic function after laparoscopic cholecystectomy, SHARMA, R., *et al.*, (*ESA*) A.34
Vomiting, antiemetics, Comparison of ondansetron, droperidol and saline for prevention of nausea and vomiting with patient controlled analgesia following orthopaedic surgery, ALEXANDER, R., *et al.*, (*ESA*) A.234
——, Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery, MUNRO, H. M., *et al.* 624–628
——, Double-blind comparison of ondansetron, droperidol and saline in the prevention of postoperative nausea and vomiting, GAN, T. J., *et al.* 544–547
——, Evaluation of the antiemetic properties of dolasetron mesilate in gynaecological surgery, DIEMUNSCH, P., *et al.*, (*ESA*) A.159
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.* 460–461
——, Morphine and droperidol combined in patient-controlled analgesia: reduction of nausea and vomiting, CLARKE, F., *et al.*, (*C*) 609
——, Nausea and vomiting after gynaecological laparoscopy: comparison of premedication with oral ondansetron, metoclopramide and placebo, MALINS, A. F., *et al.* 231–233
Vomiting, apomorphine, Propofol effects upon apomorphine induced vomiting, THÖRN, S.-E., *et al.*, (*ESA*) A.175
Vomiting, incidence, Predicting postoperative nausea and vomiting using a logistic regression model, SAMRA, G., *et al.*, (*ARS*) 488P
Vomiting, nausea, Antimetics in laparoscopic surgery, HITCHCOCK, M., *et al.*, (*C*) 608
——, Antimetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*C*) 608–609
——, Comparison of ondansetron, droperidol and saline for prevention of nausea and vomiting with patient controlled analgesia following orthopaedic surgery, ALEXANDER, R., *et al.*, (*ESA*) A.234
——, Comparison of postoperative nausea and vomiting after thiopentone/isoflurane or propofol infusion for 'bat-ear' correction in children, WOODWARD, W. M., *et al.*, (*ESA*) A.179
——, Comparison of the analgesic and emetic properties of ketorolac and morphine for paediatric outpatient strabismus surgery, MUNRO, H. M., *et al.* 624–628
——, Double-blind comparison of ondansetron, droperidol and saline in the prevention of postoperative nausea and vomiting, GAN, T. J., *et al.* 544–547
——, Effect of antagonizing residual neuromuscular block by neostigmine and atropine on postoperative vomiting, BOEKE, A. J., *et al.* 654–656
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.* 460–461
——, Morphine and droperidol combined in patient-controlled analgesia: reduction of nausea and vomiting, CLARKE, F., *et al.*, (*C*) 609
——, Nausea and vomiting after gynaecological laparoscopy: comparison of premedication with oral ondansetron, metoclopramide and placebo, MALINS, A. F., *et al.* 231–233
——, Predicting postoperative nausea and vomiting using a logistic regression model, SAMRA, G., *et al.*, (*ARS*) 488P
——, Prevention of postoperative nausea and vomiting with transdermal hyoscine in children using patient-controlled analgesia, DOYLE, E., *et al.* 72–76
——, Propofol effects upon apomorphine induced vomiting, THÖRN, S.-E., *et al.*, (*ESA*) A.175
——, Reduction in postoperative vomiting after surgical correction of prominent ears, RIDINGS, P., *et al.* 592–593
Vomiting, nausea, pathogenesis, Is postoperative nausea and vomiting caused by systemic release of 5-hydroxytryptamine during general anaesthesia? BLOOR, G. K., *et al.*, (*ARS*) 488–489P